

ANTHRA started by women veterinary scientists in 1992, and registered as a trust in 1995, under the Societies Registration and Public Trust Act 1860, India, is an organization, working on different issues related to livestock and livestock production.

Working mainly, with small and marginal farmers-dalits, adivasis, pastoralists, landless groups and especially with women from these marginalized communities, ANTHRA has a team comprising of experts from the field of veterinary sciences, sociology, medicine, environmental sciences and communication. ANTHRA's focus areas are, livestock production and farming systems, crops and fodder varieties, livestock and plant genetic resources, medicinal plants and health care traditions, land and water use and the protection of indigenous knowledge related to these. ANTHRA's activities support, viable community-based livelihood enriching programmes which include;

*Community-led action research – to strengthen community rights and access to natural and domesticated bio-diversity,*

*Different approaches for veterinary health care to rural communities,*

*Documentation and community validation of indigenous knowledge systems pertaining to animal production and health care,*

*Community in-situ conservation of local breeds, crops, fodder varieties, medicinal plants,*

*Training and Capacity building for livestock rearing available for farming communities, development and extension workers, veterinary scientists and researchers.*

*Technical support services – on issues related to livestock development*

*Publications and Material production*

*Policy research and Advocacy*

*Running a Documentation centre*

The Trust is governed by an all-women's Governing Board. ANTHRA has two operating offices: one each in Pune and Hyderabad.




Shop F, Lantana Gardens,  
NDA Road, Bawdhan,  
Pune 411 021, Maharashtra,  
India  
Tel.: +91 (0)20-22953546  
Telefax: +91 (0)20-22953547  
Email: anthra.pune@gmail.com  
Website: www.anthra.org

A-21, Sainikpuri,  
Secunderabad 500 094  
Andhra Pradesh,  
India  
Tel.: +91 (0)40-27113167  
Telefax: +91 (0)40-27110977  
Email: anthra.hyd@gmail.com  
Website: www.anthra.org



# Plants Used in Animal Care

*The Anthra Collective*



*Compiled and Edited by*

Dr Nitya S Ghotge and Dr Sagari R Ramdas



This book is one of the outputs of ANTHRA's research efforts spread over a decade. We have been able to document the properties of over 375 medicinal and fodder plant varieties. These we believe constitute our invaluable heritage not only in terms of bio-diversity but the indisputable fact that the knowledge about the usefulness of these plants resides with communities and forms an important part of our human capital.

This book is an effort to put this invaluable community knowledge in the public domain in document form so that it does not get eroded with the passage of time and generations. It is also as an attempt to decelerate the process of depletion of bio-diversity, and environmental degradation. We also hope to share this knowledge with a vast community of development workers at the grassroots level and to give back to the practitioners what belongs to them in the first place. Importantly, we also see it as an effort to prevent unethical commercial exploitation and false patent claims.



# Plants Used in Animal Care

*The Anthra Collective*

*Compiled and Edited by*  
Dr Nitya S Ghotge  
and  
Dr Sagari R Ramdas

*anthra* 

## **Plants Used in Animal Care**

ISBN 81-902989-2-5

*Photographs by*

Balachandra Digital Studio, Nayantara Ghotge, Nitya Ghotge, Sanyasi Rao,  
Suchandra Datta, Syed Nasser, Vivek Gour-Broome

*Compiled and Edited by*

Dr Nitya S Ghotge and Dr Sagari R Ramdas

© Anthra 2008

*Published by*

Anthra

Shop F, Lantana Garden, N.D.A. Road, Bavdhan, Pune 411 021

Tel.: 020-22953546, 22953547

E-mail: anthra.pune@gmail.com

Web.: www.anthra.org

*Printed by*

Mudra, 383 Narayan Peth, Pune 411 030

Tel.: 24456836

*Price*

Rs. 1500

\$ 75

Postage extra



The writing of this book has been a bit like driving through a difficult mountain rally with many pitfalls and breakdowns. However, we have emerged through all the challenges because of the strength of the team. The team members contributed at different stages of this book – with their domain knowledge, their drive, their tireless spirit and their sheer desire to see the project through by placing this knowledge which has belonged to the community over generations in the public domain. For this reason, we have debated the question of the authorship of this book and felt that ideally it should have gone to “The Anthra Collective”. However, we have put our names as compilers of the volume to take responsibility for any errors of omission and commission that might have occurred, despite our best efforts. On a lighter note, shall we say, to make it easier for the library professionals to index the book!

**Dr Nitya S Ghotge**

**Dr Sagari R Ramdas**




## Acknowledgements

This book owes its greatest debt to the vast community of farmers, healers and the rural community – who so readily shared with us their knowledge embedded in years of practice and experience.

We would also like to thank our Technical Advisory Committee who guided Anthra on this project through the years of research and social validation: Dr JV Anjaria, Dr Usha Mandokoth, Dr Chandana Barua, Dr S Suryaprakash, Dr Indira Balachandran, Dr SK Dwivedi, Dr J Malik, Dr NK Mahajan, Dr Shaheen Khan, Dr A Anjiah, Dr Peter Hofs, Dr V Mandokoth and Dr Udo Hoeggel.

We would also like to place on record the valuable contributions of Dr Pragati Kaushal (for documentation support), of Prof Harsha Parekh and Dr Bharati Sen (for structuring the index and preparing it), of Dr Suchandra Datta (for photographs and references), of Sujit Patwardhan (for designing the publication), and Syed Nasser (for photography).

Finally, no project can be undertaken and implemented without funding support. For this, we would like to gratefully acknowledge the grant made by SDC – the Swiss Agency for Development & Cooperation, New Delhi.



The team members who made this book possible have been listed in alphabetic order (by their first name), as most of the information in this book. The first column gives their date of birth, their subject specialisation, their educational qualifications and their contact details. The second column briefly states their contribution to the book project.

**Asha Ogale**

30th August 1936  
Library & Information Science  
MA (French), Dip Lib  
1791, Sadashiv Peth  
Pune 411 030

Documentation and reference support, cross-checked the veracity of information. Stoically steered the book through to completion at points when it was really in danger of getting stuck.

**Ashalatha**

22nd June 1958  
Botany  
MSc (Botany),  
A21 Sainik Puri, Secunderabad  
Andhra Pradesh 500 094  
anthra.hyd@gmail.com

Initial field research and documentation support. She offered invaluable help when there were possibilities of breakdowns.

**Merab Thampi**

10th November 1963  
Ornithology  
PhD (Ornithology)  
Plot 3 Vayupuri, Secunderabad  
Andhra Pradesh 500 094

Detailed literature review and bibliographic referencing for the biological properties and Ayurvedic reportage of the plants in this collection. Had the determination and grit to steer through this arduous journey.

**Nandini Parmekar Mathur**

22nd August 1965  
Microbiology  
MSc (Microbiology)  
502, Block 15, Suncity Apartments  
Sarjapur Outer Ring Road Junction  
Bangalore 560 034

Detailed literature review and bibliographic referencing for the biological and Ayurvedic properties of the plants in this collection. Helped conceptualise the book. The first driver of the rally who took the book across the journey.

**Dr Nita Mukherjee**

27th August 1945  
Social Science Researcher and Editor  
PhD (Public Administration)  
16, Panchratna, Prof Almeida Road  
Bandra West, Mumbai 400 050  
nitamuk@gmail.com

Content editing of this publication, organising the information to make it reader-friendly and steering the book to its final finish.

**Dr Nitya Sambamurti Ghotge**  
13th May 1964  
Veterinary Science  
MVSc (Surgery)  
10, Lantana Gardens  
Bavdhan, NDA Road  
Pune 411 021  
[anthra.pune@gmail.com](mailto:anthra.pune@gmail.com)

Co-ordinated and directed the research project and conceived and developed the publication. She navigated and steered the book from the beginning to end.

**Dr Sagari R Ramdas**  
1st June 1964  
Veterinary Science  
MS (Animal Genetics & Breeding)  
A21 Sainik Puri, Secunderabad  
Andhra Pradesh 500 094  
[anthra.hyd@gmail.com](mailto:anthra.hyd@gmail.com)

Co-ordinated and directed the research project and conceived and developed the publication. She has been a steady navigator from start to finish.

**Sanyasi Rao**  
14th April 1973  
Taxonomy  
MSc (Botany)  
A21 Sainik Puri, Secunderabad  
Andhra Pradesh 500 094  
[anthra.hyd@gmail.com](mailto:anthra.hyd@gmail.com)  
[sunnrao@gmail.com](mailto:sunnrao@gmail.com)

Resource person for all botanical information, field data collection and documentation, including photographic documentation. He provided continuous inputs from start to finish. He is currently pursuing his Phd in botany.

**Vivek Gour-Broome**  
5th November 1972  
Taxonomy  
MSc (Botany)  
JE Farms, Marunji PO  
Mulshi Taluka  
Pune, 411 057  
[gourbroome@vsnl.net](mailto:gourbroome@vsnl.net)

Resource person for all botanical information, field data collection and documentation, including photographic documentation. One of the initial team members who embarked on this long journey and stayed through to reach the destination.



## Documentation and Social Validation of the Healing Properties of Plants was done by

### Andhra Pradesh

Avuripuri Rajulamma	Rebaka, Visakhapatnam
Balamani	Ramchandrapur, Medak
Challa Lakshmi	Kimmalgadda, East Godavari
Chode Rajeshwari	Bonangipalam, East Godavari
Chundru Nookaraju	Thungamadugula, East Godavari
Darla Chinatalli	Mukundrajapeta, Visakhapatnam
Ere Venkatesh	Munjavaram, East Godavari
Gandam Varahalamma	Jagannathapuram, Visakhapatnam
Gollavilli Varahalamma	Jagannathapuram, Visakhapatnam
Kakuru Vijaylakshmi	Regulapadu, East Godavari
Kangala Sugandora	Lakshmipuram, East Godavari
Kodakandla Anjamma	Thimmapur, Medak
Kotam Chinaldora	Komaravaram, East Godavari
Madakam Ramana Dora	Karakapadu, East Godavari
Manne Digambar	Narsapur, Medak
Nallala Chakramma	Godicherla, Visakhapatnam
Neerudi Narsimhulu	Achampet, Medak
Neram Suribabu	Thungamadugula, East Godavari
Nesam Rajamma	Noogamamidi, East Godavari
Odella Somayyamma	Murlavanipalam, East Godavari
Pallala Lakshmi	Muvalavada, East Godavari
Pallala Mangayamma	Nookarai, East Godavari
Pallala Rajareddy	Thantikonda, East Goavari
Pothuru Nagamani	Regulpadu, East Godavari
Rolapalli Jogamma	Adaraveedi, East Godavari
Saddireddy Apparao	Rebaka, Visakhapatnam
Shyammamma	Kondapur, Medak
Srinivas	Hathnoora, Medak
Thati Ramayamma	Pothanadorapalam, East Godavari
Velugula Sathyavati	Rebaka, Visakhapatnam
Yatla Amala	Kanthalbanda, East Godavari

## **Maharashtra**

Anita Rokade	Nivali, Ratnagiri
Devashree Veer	Kulyewadi, Ratnagiri
Dilip Halse	Janapur, Latur
Indubai Bodke	Tikona Peth, Pune
Mayuri Kulye	Kulyewadi, Ratnagiri
Mhalu Kokre	Dighe Vasti, Pune
Monika Dalvi	Margasini, Pune
Nana Marne	Andgaon, Pune
Nathu Walgude	Margasini, Pune
Rajan Kulye	Kulyewadi, Ratnagiri
Sangeeta Khapre	Machivalevadi ,Ratnagiri
Santosh Jadhav	Upale, Ratnagiri
Savita Kulye	Kulyewadi, Ratnagiri
Shardabai Marne	Andgaon, Pune
Smita Kulye	Kulyewadi, Ratnagiri
Tukaram Kulye	Kulyewadi, Ratnagiri



## Healers who participated in documenting their invaluable knowledge to ensure that it is sustained in their communities and remains available for future generations

### Andhra Pradesh

A Balaiah	Rustumpeta, Medak
Anakapalli Tata Rao	Kanathalabanda, East Godavari
Avuripuri Rajulamma	Rebaka, Visakhapatnam
Bachala Abbai Reddy	Nukarayi, East Godavari
Bachala Chandraiah	Putigunta, East Godavari
Bachala Devaiah	Ramalakonda, East Godavari
Bachala Jangamaiah	Putigunta, East Godavari
Bheemireddi Rajubabu	Srirampuram, Visakhapatnam
Bhumakelli Mallaiah	Achampeta, Medak
Birudula Veeranna	Seethanagaram, Visakhapatnam
Borupatla Mahankali	Hatnura, Medak
Budda Mallaiah	Ramachandrapuram, Medak
Ch Balaiah	Lingojiguda, Medak
Chamarthi Gopala Reddy	Vemalova, East Godavari
Chalamarti Chitukulaiah	Doramamidi, East Godavari
Cheedipalli Appannadora	Cheedika, Visakhapatnam
Cheguri Yellaiah	Avancha, Medak
Chodi Malludora	Nugumamidi, East Godavari
Chodi Mangayamma	Tantikonda, East Godavari
Chodi Satyavathi	Nukarayi, East Godavari
Chodi Somannadora	Nugumamidi, East Godavari
Cholla Ramaiah	Ramalakonda, East Godavari
Chuntru Achiraju	Dalipadu, East Godavari
Chuntru Rambabu	Gummaripalem, East Godavari
D Dasharadha	Panyala, Medak
Dandu Malliah	Ramachandrapuram, Medak
Darla Chinatalli	Mukundarajupeta, Visakhapatnam
Dasari Kondala Rao`	Revallu, Visakhapatnam
Duchari Venkata Reddy	Munjavaram, East Godavari
Eeka Buchamma	Chaparatipalem, East Godavari
Eeka Tammannadora	Komaravaram, East Godavari
Eere Challaiah	Munjavaram, East Godavari
G Kondaiah	Rustumpeta, Medak
G Laxmaiah	Timmapur, Medak
Gampala Anjaiah	Rustumpeta, Medak
Gandham Rambabu	Jagannathapuram, Visakhapatnam

Gandham Swaminayudu	Jagannathapuram, Visakhapatnam
Gandham Veerayamma	Jagannathapuram, Visakhapatnam
Gandi Ramulu	Donkada Kotturu, Visakhapatnam
Gandi Veerababu	Donkada Kotturu, Visakhapatnam
Gavvala Chandraiah	Ramachandrapuram, Medak
Gedela Chinnabbai	Kanathalabanda, East Godavari
Golla Agamallaiah	Hanumanthapur, Medak
Golla Mallaiah	Narsapur, Medak
Golla Narayana	Hatnura, Medak
Gollavilli Mangayamma	Jagannathapuram, Visakhapatnam
Gollavilli Suryarao	Jagannathapuram, Visakhapatnam
Gowdi Balaiah	Narsapur, Medak
Ineti Devadasu	D. Bheemavaram, East Godavari
Ireddi Veeranna	Seethanagaram, Visakhapatnam
Isarpu Appa Rao	Mukundarajupeta, Visakhapatnam
Itha Devudamma	Tirupatipalem, Visakhapatnam
Itha Maharaju	Tirupatipalem, Visakhapatnam
J Bheemaraju	Munjavaram, East Godavari
Janumuri Veerabbai	Tantikonda, East Godavari
Jarpala Gangaram	Narayanpur, Medak
K Laxmaiah	Pulusumamidi, East Godavari
K Linga Goud	Timmapur, Medak
K Rama Rao	Hanumanthapur, Medak
Kajipalli Mallaiah	Narsapur, Medak
Kakara Laxmaiah	Munjavaram, East Godavari
Kakari Gangaraju	Munjavaram, East Godavari
Kakuri Abbai	D. Bheemavaram, East Godavari
Kakuri Peddarao	Nukarayi, East Godavari
Kakuru Krishnamurthy	Regadiveedhi, East Godavari
Kalidindi Chantabba	D. Bheemavaram, East Godavari
Kalimela Gouraiah	Tungamadugula, East Godavari
Kalimela Mangaiah	Penikelapadu, East Godavari
Kangala Ramannadora	Laxmipuram, East Godavari
Karanam Somulamma	Jagannathapuram, Visakhapatnam
Kasireddi Suryanarayana	Ramanayyapeta, Visakhapatnam
Katke Narsoji	Achampeta, Medak
Katrotu Tulja	Achampeta, Medak

Kechela Bullemma	Gummaripalem, East Godavari
Kechela Chittiah	Chaviti Dibbalu, East Godavari
Kocha Mangaraju	Tantikonda, East Godavari
Kocha Rajabbi	Tantikonda, East Godavari
Koduturi Somaraju	Nugumamidi, East Godavari
Konala Pandaiah	Languparti, East Godavari
Kondla Pandaiah	Languparti, East Godavari
Kosham Kannaiah	Chupparapalem, East Godavari
Kosuri Krishna Rao	Mullimetla, East Godavari
Kottenugu Mogulaiah	Badampeta, Medak
Kukkala Chinnalamma	Karakapadu, East Godavari
Kunjam Jogamma	Chaparatipalem, East Godavari
Kunjam Mangamma	Nukarayi, East Godavari
Kurasam Pottamma	Chaparatipalem, East Godavari
Lade Anjaiah	Kanjarla, Medak
Lota Abadham	Regadiveedhi, East Godavari
M Abbaidora	Karakapadu, East Godavari
M Sailu	Timmapur, Medak
Machunuri Narayana	Narsapur, Medak
Machunuri Shankaraiah	Narsapur, Medak
Madakam Abbaidora	Chaparatipalem, East Godavari
Madakam Rajubabu	Anukulapalem, East Godavari
Madakam Ramannadora	Chaparatipalem, East Godavari
Maddikunta Bheemaiah	Rustumpta, Medak
Madivi Rambabu	Languparti, East Godavari
Makavarapu Akkayamma	D. Bheemavaram, East Godavari
Mamidi Appa Rao	Mukundarajupeta, Visakhapatnam
Mamidi Chinnaiah	Tungamadugula, East Godavari
Manne Narayana	Muthrajpalli, Medak
Mirapala Ramulu	Srirampuram, Visakhapatnam
Mirapala Tathabbai	Srirampuram, Visakhapatnam
Miriyalu Rajubabu	Bonangipalem, East Godavari
Miriyalu Rajulu	Vatti Gadda, East Godavari
Mogullapalli Mallaiah	Narsapur, Medak
Mucha Narayana	Ramachandrapuram, Medak
Muddagalla Narsaiah	Rustumpta, Medak
Murla Bhupati Reddy	D. Bheemavaram, East Godavari

Murla Chinnaiah	Marripalem, East Godavari
Murla Chinnalu Reddy	Chupparapalem, East Godavari
Murla Rami Reddy	Chupparapalem, East Godavari
Muthyala Lachamma	Ramachandrapuram, Medak
Muthyala Samudram	Chaviti Dibbalu, East Godavari
Nanepalli Apparao	Jagannathapuram, Visakhapatnam
Nanepalli Chinna Apparao	Jagannathapuram, Visakhapatnam
Nanepalli Narayana	Jagannathapuram, Visakhapatnam
Neram Laxmamma	Neelaram, East Godavari
Neram Sankuraiah	Rayipalli, East Godavari
Nesham China Pandaiah	Marripalem, East Godavari
Nune Rajaiah	Narsapur, Medak
Oota Nagaraju	Dusarapamu, East Godavari
Padala Chanchaiah	Ramalakonda, East Godavari
Palla Raja Reddy	Ramalakonda, East Godavari
Pallala Balaraju	Buruguvada, East Godavari
Pallala Chinna Reddy	Languparti, East Godavari
Pallala Kanna Reddy	Kanathalabanda, East Godavari
Pallala Kommi Reddy	Kanathalabanda, East Godavari
Pallala Linga Reddy	Ramalakonda, East Godavari
Pallala Penta Reddy	Ramalakonda, East Godavari
Pallala Sanyasi Reddy	Marripalem, East Godavari
Pandala Reddy	Konyala, Medak
Pandugu Narsimlu	Hatnura, Medak
Papanolla Manaiah	Konyala, Medak
Potturu Chinna Rao	Nukarayi, East Godavari
Potulotu Ganya	Narayanpur, Medak
Pujari Pandaiah	Kanathalabanda, East Godavari
Pulikanti Pedda Ramaiah	Achampeta, Medak
Punugoti Narsinga Rao	Rajupeta, Medak
Pyedi Musalamma	Mullavanipalem, East Godavari
R Mallaiah	Panyala, Medak
Rajalingam	Narsapur, Medak
Ramagoud	Panyala, Medak
Ravada Sannibabu	Srirampuram, Visakhapatnam
Ravadi Lazar	Chaviti Dibbalu, East Godavari
Relli Narsaiah	Cheedika, Visakhapatnam

Rolla Laxmikantham	Kanathalabanda, East Godavari
Sadela Bullabbai	Doramamidi, East Godavari
Sadela Jagga Rao	Doramamidi, East Godavari
Sadela Nageshwar Rao	Doramamidi, East Godavari
Sadela Nukaraju	Regulapadu, East Godavari
Sadireddi Apparao	Rebaka, Visakhapatnam
Sadireddi Doraiah	Revallu, Visakhapatnam
Sadireddi Nallabhai	Revallu, Visakhapatnam
Sadireddi Nukaraju	Rebaka, Visakhapatnam
Sadireddi Simhachalam	Rebaka, Visakhapatnam
Sadula Venkaiah	Narsapur, Medak
Sagina Chellaiah	Nugumamidi, East Godavari
Sagina Yendaiah	Nugumamidi, East Godavari
Sara Bheemaiah	Naguldevulapalli, Medak
Sara Hanumaiah	Ramachandrapuram, Medak
Sara Laxminarayana	Ramachandrapuram, Medak
Sara Narsaiah	Achampeta, Medak
Sara Ramulu	Ramachandrapuram, Medak
Shatam Ramulu	Narsapur, Medak
Talari Veeraswamy	Kondapur, Medak
Tamada Ramulu	Tirupatipalem, Visakhapatnam
Tamu Chinnaludora	Komaravaram, East Godavari
Tamu Kannaiahdora	Sharabhavaram, East Godavari
Tati Ramannadora	Potannadorapalem, East Godavari
Tati Subbannadora	Potannadorapalem, East Godavari
Teegala Gangaraju	Chupparapalem, East Godavari
Tippana Veerraju	Godicherla, Visakhapatnam
Tiyyam Nagannadora	Tiyyamamidi, East Godavari
Tumpala Kondababu	Jagannathapuram, Visakhapatnam
Tumpala Krishnamurthy	Jagannathapuram, Visakhapatnam
Ullem Balaraju	Nukarayi, East Godavari
Valala Balaraju	Tungamadugula, East Godavari
Valala Bullemma	Tungamadugula, East Godavari
Valala Jogi Reddy	Tungamadugula, East Godavari
Valala Veerayamma	Tungamadugula, East Godavari
Vantu Sriramulu	Tirupatipalem, Visakhapatnam
Varada Achiraju	Tungamadugula, East Godavari

Veerakota Peddabbai	Somannapalem, East Godavari
Veerla Adinarayana	Ramanayyapeta, Visakhapatnam
Veerla Subba Rao	Ramanayyapeta, Visakhapatnam
Velugula Satyavathi	Rebaka, Visakhapatnam
Vindela Chitukulaiah	Penikelapadu, East Godavari
Viyyapu Appa Rao	Mukundarajupeta, Visakhapatnam
Yasarapu Chinnaramulu	Jagannathapuram, Visakhapatnam
Yeddu Narsimlu	Narsapur, Medak
Yencherla Golla Pochaiah	Timmapur, Medak

## Maharashtra (and nearby districts in Karnataka)<sup>1</sup>

Anna Rambhau Shelke	Karanjavane, Pune
Anubai Shripati Shinde	Kelad, Pune
Baban Babu More	Mahuri, Pune
Babu Dagdu Khule	Kolambi, Pune
Babu Ramchandra Akhade	Narbe (Dhangarvadi), Ratnagiri
Balaji Kashinath Biradar	Janapur, Latur
Balaji Narayan Boivade	Janapur, Latur
Balka Bhagoji Machivale	Tarwal ( Machiwalevadi), Ratnagiri
Balkrishna Shripat Desai	Manjre, Ratnagiri
Balu Ramchandra Bodke	Hadasi, Pune
Basavraj Maroti Chimegave	Janapur, Latur
Bhagu Dhondu Kumkar	Harpud, Pune
Bhikaji Gangaram Kulye	Tarwal, Ratnagiri
Chandar Govind Jadhav	Janapur, Latur
Chandrakant Sitaram Halse	Janapur, Latur
Chandrakant Maruti Kamble	Bolegaon, Latur
Dashrath Halappa Bandewar	Ganganbeed, Bidar
Dhondu Ramchandra Ghanekar	Narbe, Ratnagiri
Gangadhar Ramrao Rakshale	Lohara, Latur
Gangaram Ananda Bansode	Yerol, Latur
Ganpat Dhaku Machivale	Tarwal, Ratnagiri
Ganpati Sakharam Baspure	Yerol, Latur
Govind Balu Kulye	Tarwal, Ratnagiri
Govind Nimbaji Narote	Bolegaon, Latur
Govind Shankar Chavan	Mancha Tanda, Janapur, Latur
Govinda Kamble	Shirur Anantpal, Latur
Gulab Dipla Jadhav	Mancha Tanda, Janapur, Latur
Gunaji Malap	Tarwal, Ratnagiri
Gundappa Gangadhar Kannade	Janapur, Latur
Gyanoba Sangram Gavhane	Kherda, Bidar
Haugirao Bhadre	Tondchira, Latur
Janardan Vitthal Munde	Chondi, Beed

<sup>1</sup>During the course of this research, few healers practised in the villages where we worked. So our research took us to neighbouring districts and States in search of healers who still practised this profession. Bidar District, which lies in the State of Karnataka, shares a border with Latur where the documentation was undertaken. This entire area was a part of the erstwhile Hyderabad State and shares many common traditions and practices. While the documentation actually took place in Latur District, healers from Bidar would often visit to meet relatives and friends and were, therefore, available for our documentation.

Kamlakar Tanu Jadhav	Upale, Ratnagiri
Kashinath Laxman Marure	Sonal, Bidar
Kashinath Munna Chavan	Janapur Tanda, Latur
Kondiba Dagdoji Thoke	Injegaon, Nanded
Kondiba Dhondiba Dhebe	Pakatvasti (Mahurigaon), Pune
Laxman Dema Machivale	Tarwal (Machiwalevadi), Ratnagiri
Laxman Devrao Hanje	Sumthan, Latur
Limbaji Sambhaji Kamble	Ganeshpur, Bidar
Manik Vithoba Reddy	Kherda, Bidar
Manohar Sadashiv Bansode	Janapur, Latur
Maroti Ram Murudkar	Bolegaon, Latur
Maruti Narsing Nilange	Janapur, Latur
Mohan Tukaram Mhetre	Shirol, Latur
Nagorao Gopalrao Suryavanshi	Bavalgaon, Latur
Narayan Ramchandra Bhoiwade	Janapur, Latur
Nivrutti Narsing Mhetre	Shirol, Janapur, Latur
Pandharinath Irappa Reddy	Mutkhed, Bidar
Pandurang Keshav Shinde	Karanjavane, Pune
Pharashappa Basappa Patil	Kherda, Bidar
Pundlik Ganpat Shinde	Mutkhed, Bidar
Raghoba Shivram Jadhav	Janapur, Latur
Raghunath Hariba Waghmare	Banshelaki, Latur
Rajaram Maroti Rathod	Tondchir Tanda, Latur
Ram Dashrath Bandewar	Ganganbeed, Bidar
Ram Halappa Tikale	Shirol, Latur
Ram Jagannath Sagare	Bolegaon, Latur
Ramabai Kachare	Majgaon (Dophekhhind), Pune
Rambhau Dagdu Bodke	Hadasi, Pune
Ramchandra Ganpat Marne	Andagaon, Pune
Ramchandra Reddy	Mutkhed, Bidar
Ramji Chinglu Kachare	Harpud (Bamankhind), Pune
Ramrao Dadge	Shirur Anantpal, Latur
Ramrao Gema Naik	Ganeshpur Tanda, Bidar
Ramrao Gema Rathod	Ganeshpur, Bidar
Sakhahari Jain	Shirur Anantpal, Latur
Sangappa Govindrao Karbhari	Ganeshpur, Bidar
Sanjeevkumar Mallikarjun Biradar	Janapur, Latur

Shankar Fakira	Janapur, Latur
Shankar Kerba Jadhav	Janapur, Latur
Shankar Mancha Chavan	Mancha Tanda, Janapur, Latur
Shankar Rama Bandgar	Pandharwadi, Latur
Shankar Sonu Horambe	Panwal, Ratnagiri
Shantabai Dashrath Bhambadkar	Karajavane, Pune
Shivappa Gurappa Patne	Shirur Anantpal, Latur
Shivraj Ramrao Anture	Chamarga, Latur
Shivshankar Prabhuappa Malbhage	Jangamvadi, Latur
Shripati Kashiram Jadhav	Janapur, Latur
Sitaram Bhau Phad	Chondi, Beed
Sitaram Maroti Sable	Chandar, Pune
Sonu Gangaram Mayangde	Tarwal (Mayangdevadi), Ratnagiri
Sonu Janu Bhute	Upale, Ratnagiri
Sonu Mahadev Gotad	Upale, Ratnagiri
Teju Jimna Chavan	Janapur, Latur
Trimbakrao Vishwanath Morkhande	Chamarga, Latur
Tryambakrao Laxman Atnure	Chamarga, Latur
Tukaram Dagdu Khule	Kolambi, Pune
Tukaram Kalu Rathod	Border Tanda (Janapur), Latur
Vinayak Borle	Janapur, Latur
Vishwambhar Bhimrao Shirole	Jambhalvadi, Latur
Vishwanath Madhavrao Panchal	Ganeshpur, Bidar
Vishwanath Madhavrao Sutar	Ganeshpur, Bidar
Vitthal Bhivaji Shelke	Janapur, Latur
Vitthal Kondiba Gavate	Nagraj, Latur
Vitthal Saba Jadhav	Shiroli, Latur
Vitthal Shendge	Awargaon, Beed
Vitthalrao Sambhaji Jadhav	Shiroli, Latur
Yashwant Javanta Kamble	Ganeshpur, Bidar



## Introduction

When we began our research on documenting treatments used by local communities, our underlying assumption was that we would bring out a book on traditional treatments and healing practices that prevailed in these communities. Originally, the research was not expected to lead up to a book on plants used in veterinary medicine. But, as information on the number of plants documented grew, we felt it was necessary to bring out such a volume to show the enormous biodiversity available, the amount of traditional knowledge held within the communities. We also realised the potential for such indigenous knowledge (IK) for various other users.

India clearly has two traditions of veterinary knowledge and health practices: the written and codified Ayurveda and the unwritten folk knowledge systems. Within the folk systems, there are many branches and streams depending on the community, their culture, the geographical area and the availability of plants. At some places, these traditions overlap with those of Ayurveda and the same plants are used for the same condition. At other places, unique treatments of rare endemic plants occur. Interestingly too, plants recently introduced to the country, such as *Lantana camara* and *Argemone mexicana*, have also found use. The use is not confined to a particular area but is found in many areas, making one wonder how this adaptation took place and who carried the knowledge to different communities and to different geographical locations. Did multiple groups discover the same use separately? Pertinent questions to keep the future generation of researchers busy as well as suppress hastily or prematurely placed patent claims!. Our study, which began with veterinary science, crossed over to botany, anthropology, sociology and has, finally, entered economics and policy. Is such information and knowledge – as the study presents – only for commercialisation or can it genuinely benefit future generations?

The primary objective of our research was to document and validate indigenous ethno-veterinary and livestock management and rearing practices with a view to develop an approach to promote, re-integrate and synthesise useful indigenous knowledge practices, into existing farming systems. Specific areas explored through the research included acquiring an in-depth understanding of local production systems in relation to landholding, caste and production goals of different livestock-rearing communities, local breeds and breeding strategies, housing, feeds and fodder, preventive management and treatment, elements of healing and, finally, marketing. Enquiry into the gender issues in indigenous knowledge and livestock production was an underlying cross-cutting theme of our research. The research was divided into three phases: documentation, followed by a phase of social validation, and, finally, of information consolidation and knowledge dissemination.

Our research, conducted between April 1996 and September 2004, was located geographically in three distinct agro-ecological zones of Andhra Pradesh and Maharashtra. Medak and Latur Districts represented the semi-arid tracts, East Godavari agency areas and Pune District represented the hilly tracts of the Eastern and Western Ghats respectively, and Visakhapatnam and Ratnagiri represented the coastal regions of eastern and western India. The field work was carried out in collaboration with local NGOs/grassroots organisations/CBOs (community-based organisations) which worked in these districts. Documentation was initially done in nine villages in each district; thus, 27 villages in Andhra Pradesh and Maharashtra were covered. However, we must state here that the documentation spread to many more villages and districts, as one part of the research led us to newer areas of exploration in search of the larger picture.

The primary documenters were community/village researchers along with researchers from Anthra. The research team experimented with methodologies and approaches which would be useful for helping

communities to be part of the process of re-claiming their knowledge. We were conscious that the research should not merely be a mechanical process of 'data collection' but a comprehensive learning process for everyone, and help communities to re-connect with their knowledge systems. Thus, this 'research' became a reciprocal process of mutual sharing and exchange of opinions, views, knowledge and experiences. Certain approaches and tools, which we found extremely useful, included select PRA visualisation techniques, one-to-one interactions, group discussions, and conventional surveys. In addition, traditional village cultural events, such as '*jatras*' and markets, enabled sharing of experiences and documentation. With the help of key resource persons, and drawing upon our experiential learning, we developed broad guidelines for information to be documented. Additionally, special techniques such as the use of herbariums and photo-documentation became critical documentation tools. In the second phase of research, extensive literature review was done to assist us in organising the documented information prior to validation. Software and manual systems of managing this information were also developed within Anthra.

Major issues explored included an appraisal of local feeds and fodders used in the past and at present, seasonal differences in feeding practices, the traditional evaluation or assessment of a feed by farmers, the palatability and availability (both temporal and actual quantity over time). In addition, we looked at ways of storing feed and fodder and special feeding practices during disaster situations. Mapping grazing routes and practices as also watering practices was an integral component of the research.

One of the major findings of the research was how the dramatic shift in cropping patterns in all areas, from food to cash crops, has resulted in a drastic change in diets, with reduced variety and quantity of feed available for livestock, especially in the quality and quantity of crop residues. This was accompanied by a decline in public/common grazing

lands and increase in private lands and fallows, resulting in increased hardships for marginal farmers to graze their animals. Another perceptible shift was the replacement of perennial grasses by annuals. A disturbing observation was a general loss of knowledge on fodders amongst members of the younger generations. These shifts were largely linked and embedded in the larger changes occurring in agriculture, as a response to policies that had enabled capital, resource and chemical-intensive green revolution agriculture to flourish and predominate over traditional ecological agricultural practices. A total of 440 traditional fodder varieties in Andhra Pradesh and 298 in Maharashtra comprising trees, shrubs, herbs, climbers, grasses and crops were documented; of these 9%-11% were abundantly available; availability for 28%-38% was average, 43%-54% were occasionally available and 9% were scarce. In this book, we have listed over 250 plant species available as fodder and how local communities use and value them.

### **Ethno-veterinary Healing Practices**

Local healing systems were explored from various angles – primarily to understand what existed, how extensively it was used and who are the repositories and guardians of this knowledge. We also explored caste, gender and cultural dimensions of healing as well as more detailed information on specific preventive and curative practices and the status of **associated** genetic material. To assess the extent of use of ethno-veterinary practices amongst farmers, some 430 farmers from five districts and 45 villages were interviewed in 1997. Of these, 338 were men and 92 were women; 85% of the farmers interviewed stated that they continued to use indigenous knowledge.

Common diseases for which ethno-veterinary medicine was used in Andhra Pradesh and Maharashtra included different types of respiratory problems, ephemeral fever, diarrhoea, black quarter, bloat, foot & mouth disease, foot rot, anorexia, wounds and maggot wounds.

A total of 126 disease conditions/ symptoms in Maharashtra and 61 disease conditions in Andhra Pradesh affecting livestock (large ruminants, small ruminants, camels, donkeys, pigs and poultry) were documented. Diseases ranged from contagious diseases, diseases of the digestive, respiratory, reproductive and urinary systems to skin diseases and simple surgical conditions.

While a number of home remedies were known to farmers – men and women – certain remedies were known exclusively to specialist healers. A total of 1,223 treatments in Maharashtra and 1,186 treatments in Andhra Pradesh were documented. The same treatments for the same disease were cited by more than one healer/farmer, and there were numerous common treatments documented from all six regions. There were single and mixed plant treatments as also animal-based and chemical ingredients used in treatments. Numerous plants were used for multiple purposes. Trees, herbs, climbers, shrubs, grasses, legumes were used in treatments. The stem bark was the most commonly used part, followed by leaves, seeds, roots, fruits and flowers. A major cause of concern was that statistically too, it was obvious that huge numbers of plants used for treatments were no longer available and were disappearing rapidly – re-emphasising the concern over loss of genetic material as articulated by healers.

The healers we met and interviewed were most concerned about the fact that farmers no longer followed their advice and switched regularly to allopathic medicines without waiting adequately for the herbal cure to take effect. Non-availability of medicinal plants was another major problem faced by healers. Some of the solutions they suggested were the rigorous teaching of indigenous knowledge to farmers for cultivating and propagating rare and scarce plants, and preparing and processing herbal medicines locally for immediate use. Many healers also claimed that there were certain diseases, especially infectious conditions, which they could not cure and, in fact, requested training on immunisation practices.

The healers also continued to depend completely on forests and common natural resources to access the plant materials and expressed deep concern over the fact that many of the plants they needed were becoming scarce. Among the reasons they cited were:

- The Forest Department does not allow people to go into the forest and collect plants.
- Due to the failure of rains and changes in climatic patterns, the plants are not growing where they were found earlier.
- Earlier, the plants were available close to the village; now they have to go to distant places to search for them, as forests have been cleared.
- Medicinal plants are being commercially exploited by agencies, making several species endangered.
- Mono-culturing of forests by the Forest Department had led to medicinal plants becoming scarce.

### **Validation of Indigenous Knowledge**

At the end of our first phase of documentation, we were faced with the challenge of how to take this knowledge back to communities who were rapidly losing touch with their own collective heritage. We realised that we could not deal with all the information at once. Responding primarily to the demands of the local communities with whom we had worked, we prioritised the areas of feeds and fodder and ethno-veterinary practices as subjects for further enquiry, research and validation in the next phase.

There are varying positions and opinions on the issue of 'validation' and 'validating indigenous knowledge systems', particularly those relating to healing practices. While some argue that the existence of this body of knowledge over thousands of years is proof of its 'validity' and there is no need to analyse and 'validate', there are scientists within the framework of 'Western science and medicine' who strongly argue for precise validation of these systems and practices using standard

pharmacological and clinical protocols that have been defined by ‘Western’ science and that exist within it. Anthra’s experience had shown that both extremes were impractical. So we embarked upon an effort to evolve a new paradigm for ‘validation’ – of prioritising the practices which then could be recommended confidently to farmers, who themselves were losing interest/faith in these knowledge systems, which we subsequently termed as ‘social validation’.

There continues to be a wide chasm between the formal protocols of validation (illustrative of the work which is being pursued in most universities and research institutions), which aim at commercialising herbal drugs, and the ‘people validation’ approaches (illustrated by the Shodhini and Anthra), which aim at extending peoples’ control over their own knowledge systems and resources. The former divides and sub-divides to isolate active principles and ingredients, while the latter is more holistic, recognising the value and role of a herbal remedy in the larger framework of healthcare.

The next question that confronted us was: “Why validate a body of knowledge that had evolved over thousands of years through the collective innovations of numerous generations?” We asked ourselves this question many times. The answer was obtained from the communities themselves. A further impetus to enquire into indigenous knowledge practices came from women farmers and farmers from marginalised communities who had traditionally been denied access to a lot of information. They asked us to teach them useful and safe practices. It appeared completely impractical to teach them over 1,000 remedies for 100 different diseases, and over 500 fodder varieties. So we had to sift through this wealth of knowledge to come up with a subset of practices with clear and simple guidelines for their use, so that many more farmers could actually put this knowledge and theory into practice. Further, since the research aimed at sustaining the practice of indigenous knowledge, the associated biological material and genetic base for this knowledge had to be sustained and enhanced.

All these concerns thus provided the framework for the second phase of research where the primary research objectives were to socially validate ethno-veterinary, fodder and feeding practices, re-disseminate this community-assessed information to a wider community of farmers, and conserve and promote associated biological material through community herbal gardens. We evolved a protocol for validating the ethno-veterinary and fodder practices jointly with a multi-disciplinary team represented by experts from the community, from different academic and scientific disciplines. Some of these experts were from premier institutes of India such as the IVRI (Indian Veterinary Research Institute) Izzatnagar, UP and Kottakal Arya Vaidya Shala, Kerala in India. This technical committee met regularly to guide and steer the research process.

The main steps of the ethno-veterinary social validation protocol included indexing of plants disease-wise and region-wise , prioritising diseases for which treatments would then be assessed, ranking and categorising treatments based on *Anubhava Siddha Chikitsa* (experiential validation/empirical information) and secondary literature and, finally, field-testing the selected treatments.

Extensive literature review was done; 129 books, magazines, journals and standard texts of Ayurveda, pharmacology, ethno-botany, botany, veterinary science and animal science were referenced and consulted. Apart from these, different databases of plants, such as NAPRALERT, which were hosted by universities and research institutions around the world, were accessed via the Internet.

Diseases were prioritised according to different criteria based on information about the diseases commonly treated by healers, diseases for which farmers commonly used ethno-veterinary practices, mortality and morbidity profiles (diseases to which animals were most likely to succumb to) as also the way farmers ranked diseases affecting livestock and poultry. By this method, 10-12 diseases affecting livestock

(e.g., bloat, anorexia, diarrhoea, worms) and 5-6 diseases of poultry (e.g., white diarrhoea, fowl pox, worms) were finally selected for each district.

Subsequently, for each of the selected diseases, the recorded treatments were ranked and categorised according to a system of relative weights assigned to different parameters of information. The *experiential parameters* included the number of informants for a treatment from the same district as well as other districts, and the outcome of such treatment as reported by farmers of whether the animals were cured or not cured when treated. The *secondary literature parameters* included information on the use of the plant for similar conditions from standard Ayurveda texts and other ethno-medicinal books and information on the therapeutic/pharmacological actions. Information on toxicity and related side effects were also included.

Treatments were then categorised into three main categories: A, B and C. 'A' category treatments were those which had plants with both high empirical and secondary literature support. 'B' category treatments were those where one of the criteria was high and the other low. And 'C' category covered treatments using plants with limited empirical information and scanty literature support and/or with toxic properties. In consultation with our technical committee, 'A' category treatments could be immediately recommended to farmers for use. 'B' category treatments required further field trials and those in 'C' should be referred to appropriate research institutions for further study.

We trained 30 rural women volunteers as Community Animal Health Workers who under the guidance of Anthra veterinarians, learnt to use one or two 'B' treatments which were being field validated. Healers also used these treatments and their experiences were recorded/documentated as they treated animals. Special case-sheet formats were developed to record information and these were periodically analysed. Treatments used to treat more than 12 cases were considered for 'validation

analysis'. In addition, we carried out field-based de-worming trials, where we compared test and control groups that had been exposed and not exposed to the herbal de-worming medicines. Six herbal de-wormers were rigorously tested, of which one (*Enicostemma axillaire*) was statistically significant against strongyles, one (*Mucuna pruriens*) was negative and the other four did not result in any conclusive outcome.

The final question was: how does all this translate into 'numbers' – i.e., the statistical significance of this exercise. Of the total diseases documented, 20% were prioritised for further validation. The treatments for these diseases constituted 25% of the total documented treatments. Thus, 120 treatments (20%) were categorised as 'A', 372 (64%) were 'B' treatments and the remaining 15% were 'C' category treatments. Of 'B' category, 44% or 165 treatments were used in field trials between 2000 and 2003. Some 900 ruminant cases were treated. Of these, an average 92% of the cases were cured and 8% were not cured. Similarly, 1,777 poultry were treated with 100% success. Finally, a total of 20 treatments for 10 disease conditions in ruminants and poultry in Andhra Pradesh and 14 treatments in eight disease conditions in Maharashtra met the set criteria and have been socially validated, and can be recommended to farmers for practical use.

A similar validation protocol was evolved to analyse traditional fodder varieties. Fodder varieties were indexed across region and species, categorised according to their traditional effects and further ranked based on palatability, availability and toxicity factors. Secondary literature provided information on nutritional values as also their use as fodders in other regions. Species, which had no nutritional value, were tested for DCP/TDN values. Three of the ranked fodders were also tested through feeding trials. Traditional lopping techniques were also studied to unravel their effect on the production of biomass and tree growth.

### **The Challenges Ahead**

At the end of the research period, there have been many learnings and many issues have emerged for further reflection, debate and future action. These are summarised below.

Ethno-veterinary remedies, while found effective against a wide-range of common disease conditions, are not a panacea for all disease conditions, particularly contagious diseases and emergent diseases such as *peste des petits ruminants* and bluetongue. They are also not a substitute for a comprehensive State public healthcare system, which has to play a critical role in preventive and curative healthcare.

Veterinarians prefer only the glamorous biotechnological aspects of the medicinal plants. In veterinary colleges, they are seldom exposed to the 'real' rural atmosphere and issues related to poor livestock owners. The curriculum does not really equip young veterinarians to deal with real-life field situations. The syllabus of the traditional veterinary curricula in both veterinary colleges and those of para-professionals, such as livestock supervisors, need to be updated and textbooks have to be revised appropriately. Indigenous knowledge constantly gets reduced to 'medicinal plants', without realising that indigenous knowledge encompasses a very holistic approach to health. It is these perspectives which urgently need to be introduced into the curriculum.

Although, modern veterinary medicine which is dependent on expensive technology and gadgets and chemically produced medicine, may appear more glamorous, the knowledge of medicinal plants holds considerable promise for the future. Many multinational corporations spend millions of dollars on research investigating the medicinal properties of various plants. Let us not forget that quinine, aspirin and penicillin were not discovered in laboratories but were used thousands of years ago by our grandmothers and healers. Introducing the knowledge of plants as well as valuable indigenous practices at the undergraduate curriculum and re-emphasising it at the post-graduate level for students of veterinary

pharmacology will ensure that students are suitably exposed to this form of knowledge at an early stage. It will also prevent the indiscriminate use of harmful drugs and toxic compounds which today threaten to irreparably harm environments. It is well known today, that many deworming agents are known to destroy soil micro-organisms which are essential for healthy and productive agriculture. Continuous use of these medicines may, in fact, do more damage than good.

Through Anthra's work with indigenous communities and other peasant communities that rear livestock, we recognised that, on the one hand, indigenous knowledge systems were being rapidly eroded and lost from within the common community experience. An internal threat to these knowledge systems, we observed, was the breakdown of oral traditions of knowledge transmission and loss of associated genetic materials, with obvious negative effects on community livelihoods. Fewer and fewer farmers are actually using this knowledge. The change is most visible in the agriculture and medicinal plants sectors – where people have rapidly converted their production to green-revolution inspired capital – and chemical-intensive cropping and technology use. The commoditisation of medicinal plants has resulted in huge and excessive sale of valuable plants at throw-away prices, depriving local communities of their right to use the plants. These medicines are then picked up at low costs by wholesalers and sold in large wholesale markets to pharmaceutical companies within the country or abroad. Further, the inherent threat of oppressive forest and land laws continues to threaten the indigenous communities, who are constantly engaged in a struggle against these draconian laws.

On the other hand, there has been almost a simultaneous flurry of activity in the international and national arenas, to manage and protect 'traditional knowledge' and its associated biological diversity by bringing these under the patents and IPR frameworks and regimes through numerous international and national treaties. We followed, analysed and studied the implications of these in the context of

our own ongoing work with peasant and indigenous communities. A significant external threat to peoples' knowledge and its associated genetic material is in fact, many of the national and international development policies and trade regimes that promote privatisation of biodiversity, its knowledge and associated genetic material, through intellectual property rights and other patent regimes. So, on the one hand, communities increasingly have declining access to local plants due to commercial over-harvesting and loss of user rights to the resources, on the other hand, all these practices are being abstracted out of a broader context, and being identified as 'innovations' which have potential to be patented, commoditised, and sold as 'TTK products', through further scientific research. We anticipate that this latter path of research on traditional knowledge, far from enhancing access to more number of farmers, will in fact only further restrict access, as indigenous knowledge becomes a tradable commodity which will only be accessible to those who can pay.

While working with groups on local bio-diversity and its uses, we discovered that it was rare that an individual or even a small community exclusively knew the use of a particular life form. Most often, this knowledge was reasonably widespread, across a cross-section of healers, across a section of knowledgeable farmers, across village, district and often even state borders and boundaries. We have found that uses are common across continents too. Turmeric is used to heal wounds in distant Jamaica and Trinidad just as custard apple, a native of South America, is a well-known medicinal plant in India, used widely by local communities to treat maggot wounds across India and South-east Asia. While newer uses have been discovered by the community in different areas, others are known to have travelled across continents with immigrants, centuries ago. We found this to hold true in healing practices, in the use of fodder, in local breeds and crops. For instance, goat farmers all over India feed the leaf and pods of the *Acacia nilotica* (*babool*) tree to goats.

Many scientists, including veterinary scientists, have rarely been exposed to these debates and viewpoints. In fact, with the increased interest in research on indigenous knowledge, scientists within the system are being told about the need for Indian scientists to file for patents on documented indigenous knowledge. They are never really exposed to the other worldview. By accepting patent regimes for biodiversity use, we run the risk of being discriminatory or of perhaps depriving someone equally deserving of their due share. If we talk about equity and open knowledge systems, can we afford to take such a stand?

Thus, this book aims to place in the public domain this invaluable knowledge of communities across the country in document form so that it does not get eroded with the passage of time and generations. It is also a small effort to decelerate the process of depletion of biodiversity and environmental degradation. Importantly, we also see it as an effort to prevent unethical commercial exploitation and false patent claims.



## Who This Book Is For

This book is meant for researchers, students, scientists, development workers and all those interested in plants. It should prove useful to those interested in discovering the multiple uses of different plants in different regions, especially veterinary and human healthcare.

### How the Book Is To Be Used

The book is arranged alphabetically according to the latest/best known botanical name of the plant. Since many plants have synonyms, readers will be able to trace plants through the botanical name they are familiar with, through the synonym index. Some readers, especially those specialised in botany, may have some issues with the way we have spelt the names of plants. We must provide a word of explanation. While we have tried to be as accurate as possible, especially pertaining to authority names and abbreviations and, occasionally, spellings of plant names, we noticed that the standard references contain inconsistent information; these may appear in our book as well.

Under each plant, we have given the names in Sanskrit (S), English (E), Hindi (H), Marathi (M) and Telugu (T). We have had to restrict this volume to only these languages as our research was done in Marathi and Telugu-speaking areas. Many plants used in Ayurveda are better known by their Sanskrit names. We felt an English name would benefit international readers and, finally, since Hindi is the third most widely used language in the world, it has been included. We must emphasise that this information has been collected on best-effort basis and given where it was available. Where names in one or the other language are not known, the information is not given. For plant names in Indian languages, we have used the phonetic rather than the diacritical spelling. In case the plant is known by different names in different regions of the

same state, the names appear with the district names in brackets next to it, e.g., (Latur), (East Godavari), (Medak), (Ratnagiri), (Pune) and so on.

Each plant is described according to its type: shrub, tree, herb, creeper as well as the morphological characteristics of its leaves, fruits, seeds, flowers, etc. The phenology is also given where known. However, we would like to state here that this is not primarily a botanical reference book. For such details, readers are advised to consult standard botanical reference works.

'Source' describes whether the plant is wild or cultivated while 'Distribution' gives an idea of the geographical spread of the plant in the Indian subcontinent.

Where applicable, well-known and documented, the method of propagation is given. We have refrained from classifying any plant as a weed as we felt every plant in this book has a definite use. The word 'invasive' has been used in cases where certain plants overrun other plants.

As mentioned earlier, there are significant differences and similarities between Ayurvedic systems and folk systems. 'Biological Properties' try to capture information on the chemicals found in the plant and their effect on the biological functioning. For this, we have mainly referred to the NAPRALERT Database maintained by The Program for Collaborative Research in the Pharmaceutical Sciences, Department of Medicinal Chemistry & Pharmacognosy, Natural Products Alert, College of Pharmacy, University of Illinois, Chicago, USA (January 1999 - December 2001). This database is no longer in the public domain and access to it through the Internet has since been discontinued.

Under 'Ayurvedic Reportage,' we have given information found in standard Ayurvedic texts in English such as *Indian Medicinal Plants*:

*A Compendium of 500 Species* (vols 1-5), by PK Warrier, VPK Nambiar and C Ramankutty, and reported the properties as described in those texts.

Information on Biological Properties and Ayurvedic Reportage has been given in alphabetical order. Over a hundred reference sources were consulted to garner this information. Where we have not found any reference in secondary literature or properties have not been described in databases, we have written NA (not available). Nonetheless, we have described how plants were used in our research. This should, in fact, give additional weightage to our work as we have continued our research, despite the fact that there was no prior leading information on that particular plant.

Finally, we have described the uses as reported in our field research which was conducted in six districts of India – East Godavari, Latur, Medak, Pune, Ratnagiri and Visakhapatnam. Where we have found the same use reported for a particular plant for diseases in animals, we have given the reference. For example, the resin of *Acacia catechu* was documented by us as being used for treating dysentery in Ratnagiri. Similar references for treating animals are found in (1) Jain, SK (1999); *Dictionary of Ethnoveterinary Plants of India*, Deep Publications New Delhi; (15) Dhanpal SB; *Traditional Veterinary Medicine in Sri Lanka* APHCA, Bangkok, Thailand (19) Joshi DD; *Traditional Veterinary Medicine in Nepal* APHCA, Bangkok, Thailand. While a long string of references after a particular use may be a strain on the eye, it actually refers to multiple reportage and adds to the value of that particular use. The plant parts used in the references may not always be identical to those we have documented, nonetheless, the reference is given. Readers will also notice that the same plant may be used to treat different conditions in different districts. In some cases, the different plant parts may be used to treat the same condition.

---

1. See Introduction for method of validation.

Where Anthra has successfully validated<sup>1</sup> a particular use, the symbol of a single leaf as a superscript has been used. In case the plant part is used in combination with other plants, two leaves as a superscript have been used. Please note the uses in this book are indicative and not prescriptive. For details of how medicines are to be prepared, amounts and dosage, readers are referred to another publication by Anthra, namely, *Bank on Hooves: Your Companion to Holistic Animal Health Care* by Sagari R Ramdas and Nitya S Ghotge (Anthra, Hyderabad 2005, ISBN 81-902989-0-9).

In many cases, we have not found references for veterinary use but have found similar applications to treat human diseases or conditions. For example, the resin of *Acacia catechu* has also been reported for curing dysentery in human beings in (2) Chopra RN, Nayar SL and Chopra IC (1956); *Glossary of Indian Medicinal Plants* (CSIR), New Delhi, (9) Nadkarni KM (1908), *Indian Materia Medica*, Vol 1 & 2 Popular Prakashan, Bombay and others. These references are given in a separate paragraph titled 'References for Human Use'.

While human diseases do not always correspond to animal diseases, these references correspond to symptoms which accompany a disease. For example, wounds and maggot wounds are a common feature of animal diseases such as foot & mouth disease. Therefore, plants which have antiseptic or wound-healing properties would also be effective to treat foot & mouth disease. Similarly, diarrhoea is a common symptom in white bacillary diarrhoea and Newcastle disease in poultry; plants reputed to have anti-diarrhoeal properties or antibiotic properties, therefore, have been marked. Finally, in some cases, we have found no references. This indicates that Anthra has documented a particular use for the first time. This reportage is important to prevent future researchers from staking commercial patent claims on these uses which are well known in different communities.

The references are not numbered alphabetically. The reason for this was that while doing the research which was spread over almost a decade, as new references came up, they were included to give additional weightage to our findings and to the validity of indigenous knowledge vested in the communities.

If the plant is reported as being a fodder species, it is mentioned along with the most well-known uses reported. If there is a suitable reference for the same property, it is given. A fodder index at the end of the veterinary use index guides readers to such plants. This information is fairly unique as many of these plants are not necessarily known for their fodder value. However, this list is by no means exhaustive. These could be plant species in our book which are grazed upon or used as fodder but have not been documented from our areas of work.

Finally, we have tried to give some additional information about the plants under the heading 'remarks'. Some of this information is typical to the regions we have worked in; some comes from the personal experiences of the researchers and yet some other information from other countries. Such remarks are by no means exhaustive and are only an indication of the multiple uses these different plants have. This is one of the reasons that some plants have considerable information under this heading while others have scanty information and a few none at all. This is especially true for a variety of grasses.

We have also tried to provide photographs for as many as 300 plants. The collection of photographs has not been very easy. Many plants are seasonal and endemic. Their fruit and flowers are available in specific seasons, and sometimes rarely. For instance, we have managed to get photographs of bamboo flowering and of thunder lily, both extremely rare occurrences. Having a good photographer available on the spot to photograph some of these plants has not been easy. On the other hand, we have missed some well-known plants. We wish we could have

provided all the photographs but the process has been extremely time-consuming and, since they are rather well-known, we decided not to waste additional time and hold up the publication of this book. We hope the readers will bear with this lapse on the part of the team.

To make the information in the book easily searchable by readers, eight indexes have been provided. Local plants names are grouped by language – Sanskrit, English, Hindi, Marathi and Telugu – and are arranged alphabetically within them. Users can find a plant from any of these languages. However, some plants have the same local name (e.g., *dudhani* in Marathi and *dudhi* in Hindi) for two totally different species. If there is a distinguishing feature of that plant, we have put it beside the local name in brackets to help the reader in their search. However, the reader is advised to check all the plants having the same local name for the specific query. The page numbers are not given in the index as the book is arranged alphabetically according to the botanical names of plants.

A veterinary use index takes readers to the plant(s) through the name of the disease, symptom or condition. As this information has come from the field, we have kept the names as reported by the community or the documenter. In most cases, we have tried to find the most appropriate English equivalent but this has often been difficult as local communities have their own ways of describing illnesses.

There are several ‘see also’ references to guide users to conditions with similar symptoms or guide them to related terms or a term better known to them – for example, cuts (see also bruises). The ‘see’ references indicate or guide readers from a term better known to them to the one used in the book. For example, while we may have used the word ‘dystokia’ in the text, a reader may want to look for a plant for ‘difficult birthing’ which will be mentioned in the index. Similarly, the word conjunctivitis is used throughout the text, but a reader can find it in the index by searching for a cross reference for ‘eye infection’.

## *Abrus precatorius* L.

**Family:** Fabaceae

**Common Names:** **S:** Gunja **E:** Crab's eye, Indian liquorice, Jequirity, Wild liquorice **H:** Guncaci, Gunci, Ratti **M:** Dhorgunj (Latur) Gunj **T:** Erragurivinda, Gurivinda, Guruginja (East Godavari)

**Description:** A perennial climber, it has pinnately compound leaves and bright red seeds with a black patch on one side of each seed.

**Phenology:** Flowers in winter; fruits ripen in summer.

**Source:** Wild; in secondary forests, scrub jungles and, occasionally, on field bunds.

**Distribution:** Common in forest tracts of India and Burma, ascending in the outer Himalayas. A seashore species in the Indian archipelago, it is cosmopolitan in the tropics and is found throughout India, on hedges and bushes in exposed areas.

**Propagation:** By seeds.



**Biological Properties:** (6).

**Dried Leaf:** Anti-spasmodic.

**Dried Seed:** Anthelmintic, anti-diarrhoeal, inhibits intestinal motility.

**Fresh Root:** Anti-convulsant.

**Seed:** Anti-bacterial, anti-spasmodic, insecticide.

**Ayurvedic Reportage:** (7).

**Leaf:** Alexiteric, astringent, diuretic, emetic, sweet.

**Root:** Abortifacient, alexiteric, anthelmintic, anti-septic, astringent, diuretic, emetic, sweet.

**Seed:** Abortifacient, acrid, aphrodisiac, astringent, bitter, febrifuge, purgative, toxic, trichogenous.

### Veterinary Uses

**East Godavari:** For acute colic (root); colic (leaves); ephemeral fever (root); fowl pox (leaves); skin allergy (leaves, root) (12, 19).

**Latur:** For diarrhoea (leaves, root) (15); haematuria (leaves); wounds (leaves) (4, 15).


**Ratnagiri:** For snake bite (leaves).

### References for Human Use

For acute colic (root); colic (leaves) (3, 4, 5, 6, 16, 17, 21); diarrhoea (leaves, root) (21); haematuria (leaves) (4); skin allergy (leaves, root) (3, 4, 5, 6, 7, 13, 17); snake bite (leaves) (17); wounds (leaves) (3, 4, 5, 6, 14, 16, 17, 22).

## Remarks

The seeds are poisonous. Roots are occasionally used as a substitute for or to adulterate genuine liquorice (*Glycyrhiza glabra*). Leaves have a taste-distorting factor which makes them taste sweet when chewed. These leaves are used in *paan*. Seeds stuck on honey and wax-rolled into a ball are used as a toy for infants. Traditionally, the seed (*ratti*) was used to weigh gold, pearls and precious stones.



*Abutilon indicum* (L.) Sweet

**Family:** Malvaceae

**Synonyms:** *Abutilon asiaticum* (L.); *Sida indica* L.

**Common Names:** S: Atibala E: Country mallow, Indian abutilon H: Khangi, Mudra M: Petari T: Botla benda (Medak), Duvvenaku (Visakhapatnam), Perum tutti, Ponnai thutti, Sunnam botlu kada (East Godavari), Thutti

**Description:** A medium-sized herb or under-shrub with cordate leaves and bright yellow flowers.

**Phenology:** Flowers and fruits almost throughout the year.

**Source:** Wild; in village environment and on field bunds.

**Distribution:** Throughout peninsular India, especially in the warmer parts.

**Propagation:** A vigorous plant which could be propagated through seeds.



**Biological Properties:** (6).

**Dried Entire Plant:** Analgesic, anti-bacterial, anti-spasmodic.

**Dried Root:** Anti-bacterial.

**Leaf:** Anti-fungal, ecbolic.

**Ayurvedic Reportage:** (8).

**Bark:** Astringent, diuretic.

**Infusion of Leaf or Root:** Demulcent, diuretic.

**Leaf:** Demulcent.

**Seed:** Expectorant, laxative.

## Veterinary Uses

**East Godavari:** For ephemeral fever (root).

**Latur:** For bloat (leaves); diarrhoea (leaves) (15); dysentery (leaves).

**Medak:** For haematuria (stem bark, root) (15).

## References for Human Use

For diarrhoea (leaves) (2, 4, 14, 15, 17, 24); dysentery (leaves) (14, 26, 27); ephemeral fever (root) (2, 3, 6); haematuria (stem bark, root) (3, 5, 8).

## Fodder

This plant is important as fodder during early monsoon when it is tender. Goats and sheep graze upon the leaves, fruits and pods at the young stage. It is highly palatable and gives strength. Goats, sheep, cows, bullocks, buffaloes, etc., relish this fodder; it is especially good for increasing milk yield and blood count, is nutritious and good for health. It is not readily eaten when mature. Since this is also a medicinal plant, animals that feed on it generally do not suffer from digestive disorders.

## Remarks

Fruits are dipped in lime water ( $\text{CaCo}_3$ ) for drawing designs on mud walls of adivasi houses in East Godavari district of Andhra Pradesh. Leaves are used for treating dysmenorrhoea in women.



*Acacia catechu* (L. f.) Willd.

**Family:** Mimosaceae

**Synonyms:** *Acacia polyacantha* Willd.; *Mimosa catechu* L. f.

**Common Names:** S: Khadirah E: Cutch tree H: Khair M: Khair T: Podalimanu

**Description:** A medium-sized deciduous tree with distinct hooked stipular spines having a broad base. The young shoots are purplish brown. Flowers are in axillary spikes; pods are thin, flat and brown.

**Phenology:** Flowers appear at the beginning of monsoon; fruits in winter.

**Source:** Wild. It is found in forests, scrub jungles and field bunds. It can be grown in watershed areas.

**Distribution:** Sub-Himalayan tract from the Indus eastwards, ascending in the valleys, it is generally gregarious on islands and on

the banks of rivers when they enter the plains. It is common on the Aravali Hills and in the peninsula.

**Propagation:** By seeds.



**Biological Properties:** (10).

**Bark:** Astringent.

**Stem:** Anti-septic, anti-viral, spasmolytic.

**Wood:** Anti-inflammatory.

**Ayurvedic Reportage:** (7).

**Catechu / Gum:** Acrid, anthelmintic, aphrodisiac, appetiser, bitter, depurative, digestive, thermogenic, tonic, vulnerary.

**Heartwood:** Acrid, anthelmintic, anti-dysenteric, anti-inflammatory, anti-pyretic, anti-septic, appetiser, astringent, bitter, cooling, depurative, haematinic, haemostatic, tonic.

### Veterinary Uses

**Latur:** For diarrhoea (resin) (15, 19).

**Ratnagiri:** For dysentery (resin) (1, 10, 15, 19, 31).

### References for Human Use

For diarrhoea (resin) (2, 9, 11, 14, 17, 30, 35); dysentery (resin) (9, 11, 14, 17, 30, 35).

### Fodder

Goats, sheep and cattle browse on its tender leaves which are available from May to November. Leaves have moderate palatability and are considered excellent fodder for goats. Leaves are also occasionally cut and fed.

### Remarks

The wood is hard, heavy, durable and excellent for building and specific carpentry work, like hubs of bullock cart wheels. It is almost red with a brown tinge and takes a fine polish. It is also useful as fuel. The chips of the heartwood yield 'kat' or catechu, when boiled in water, strained and evaporated. Wounds in the stem also yield gum.



## *Acacia farnesiana* (L.) Willd.

**Family:** Mimosaceae

**Synonym:** *Mimosa farnesiana* L.

**Common Names:** S: Arimedah E: Cassie flower, Fragrant acacia, Sweet acacia H: Gandh babul, Vilayati babul M: Dev babbul

T: Kasturi tumma

**Description:** A large spiny shrub with slender grey branches. The flowers are in yellow, sweetly-scented globose heads similar to *babbul* flowers.

**Phenology:** Flowers in winter; fruits ripen at the beginning of monsoon.

**Source:** Wild in village environs, wastelands and field bunds.

**Distribution:** In India south of the Himalayas; indigenous to America but naturalised throughout India and Burma.

**Propagation:** By seeds.

**Biological Properties:** NA.

**Ayurvedic Reportage:** (8, 9).

**Bark:** Astringent.

**Flower:** Stimulating.

**Pod:** Alterative, astringent.

### Veterinary Uses

**Latur:** For colic (kernel pods); diarrhoea (leaves).

### Fodder

Goats browse on these leaves, though it is not a very important fodder species.

### Remarks

Flowers were used earlier for scent and perfumery. Gum exuding from the bark is a good substitute for Gum Arabic.



## References

1. Jain, SK: *Dictionary of Ethnoveterinary Plants of India*, Deep Publications, New Delhi, 1999.
2. Chopra, RN; Nayar, SL and Chopra, IC: *Glossary of Indian Medicinal Plants*, Publications and Information Directorate, Council of Scientific and Industrial Research, New Delhi, 1956.
3. Asolkar, LV; Kakkar, KK and Chakre, OJ: *Second Supplement to Glossary of Indian Medicinal Plants with Active Principles, Part-1 (A-K)*, 1965-81, Publications and Information Directorate, Council of Scientific and Industrial Research, New Delhi, 1992.
4. Jain, SK: *Dictionary of Indian Folk Medicine and Ethno-botany*, Deep Publications, New Delhi, 1991.
5. National Institute of Science Communication CSIR, New Delhi: *Wealth of India: A Dictionary of Indian Raw Materials and Industrial Products* (vols 1-14), Council of Scientific and Industrial Research, New Delhi, 1998.
6. NAPRALERT Database maintained by The Program for Collaborative Research in the Pharmaceutical Sciences, Department of Medicinal Chemistry and Pharmacognosy, Natural Products Alert, College of Pharmacy, University of Illinois, Chicago, USA (January 1999-December 2001).
7. Warrier, PK; Nambiar, VPK and Ramankutty, C (Ed): *Indian Medicinal Plants: A Compendium of 500 Species* (vols 1-5), Orient Longman Ltd., Madras, India, 1994.
8. Chatterjee, A and Pakrashi, SC: *The Treatise on Indian Medicinal Plants* (vols 1-5), Publications and Information Directorate, Council of Scientific and Industrial Research, New Delhi, 1992.
9. Nadkarni, KM: *Indian Materia Medica* (vols 1-2), Popular Prakashan, Bombay, 1908.
10. Srivastava, GN et al: *Indian Traditional Veterinary Medicinal Plants*, Central Institute of Medicinal and Aromatic Plants, Lucknow, 2000.
11. Agharkar, SP: *Medicinal Plants of Bombay Presidency*, Scientific Publishers, Jodhpur, 1953.
12. Anjaria, JV: *Traditional (Indigenous) Systems of Veterinary Medicine for Small Farmers in India*, FAO, Regional Office for Asia and the Pacific, Bangkok, 1984.
13. Shome, U; Rawat, AKS and Mehrotra, S: "Time-tested Household Herbal Remedies", pp. 96-100, in Jain, SK (Ed): *Ethnobiology in Human Welfare*, Deep Publications, New Delhi, 1996.

14. Chopra, RN et al: *Indigenous Drugs of India*, Academic Publishers, Calcutta, 1993.
15. Dhanpal, SB: *Traditional Veterinary Medicine in Sri Lanka*, APHCA, Bangkok, 1991.
16. Dr. Duke's Phytochemical and Ethnobotanical Databases: [www.ars-grin – gov/cgi-bin/duke/ethnobotus – pl](http://www.ars-grin.gov/cgi-bin/duke/ethnobotus-pl) (January 2001-December 2002).
17. Ethnobot DB Probe.nal.usda.gov:8300/cgi-bin/we.nobotdb+class (January 2001-December 2002).
18. Goud, PS and Pullaiah, T: "Folk Veterinary Medicine of Kurnool District, Andhra Pradesh", *Ethnobotany*, 8(1 and 2), pp. 71-74, 1996.
19. Joshi, DD: *Traditional Veterinary Medicine in Nepal*, APHCA, Bangkok, 1991.
20. Matzigkeit, U: *Natural Veterinary Medicine Ectoparasites in the Tropics*, Verlag Josef Margraf Scientific Books, Berlin, 1990.
21. The CRC Ethnobotany Desk Reference 1999: [www.herbweb.com/herbage/index.html](http://www.herbweb.com/herbage/index.html) (1999).
22. Varghese, E: *Applied Ethnobotany: A Case Study among the Kharias of Central India*, Deep Publications, New Delhi, 1996.
23. Singh, KK and Prakash, A: "Indigenous Phytotherapy among the Gond Tribe of Uttar Pradesh, India", *Ethnobotany*, vol 6 (1 and 2), 1994, pp. 37-41.
24. Girach RD et al: "Native Phytotherapy among Rural Population of District Bhadrak, Orissa", pp. 162-164, in Jain, SK (Ed): *Ethnobiology in Human Welfare*, Deep Publications, New Delhi, 1996.
25. Kirtikar, KR and Basu, BD: *Indian Medicinal Plants* (vols 1-4), Bishen Singh Mahendra Pal Singh, Dehradun, 1935.
26. Seetharam, YN et al: "Folk Medicine and Ethnomedicine of North Eastern Karnataka", *Ethnobotany*, 11(1 and 2), 1999, pp. 32-37.
27. Vedavathy, S; Mrudula, V and Sudhakar, A: *Tribal Medicine of Chittoor District, Andhra Pradesh (India)*, Herbal Folk Research Centre, Tirupati, 1997.
28. Malik, JK; Thaker, AM and Ahmad, A: "Ethnoveterinary Medicine in Western India", pp. 148-157, in McCorkle, Constance M (Ed): *Ethnoveterinary Research and Development*, Intermediate Technology Publications, ITDG Publishing, London, 1996.
29. Saklani, A and Jain, SK: *Cross Cultural Ethnobotany of Northeast India*, Deep Publications, New Delhi, 1994.

30. Jain, SK; Sinha, BK and Gupta, RC: *Notable Plants in Ethnomedicine of India*, Deep Publications, New Delhi, 1991.
31. Patel, KK et al: "Survey of Grassroots Innovations Part XIX", *Honey Bee*, 8(2), 1997, pp. 13-15.
32. Gupta, AK et al: "Survey of Grassroots Innovations Part XIV", *Honey Bee*, 7(3), 1996, pp. 15-17.
33. Vijayalakshmi, K: "Uncultivated Plant Diversity for Food, Pest Control and Medicine: Examples from Tamil Nadu", *Proceedings of South Asian Workshop on Uncultivated Food and Plants*, 2-4 October, 1999, pp. 67-75, UBINIG, Bangladesh.
34. Baerts, M et al: *A Few Medicinal Plants Used in Traditional Veterinary Medicine in Sub-Saharan Africa: A Database*, Louvain University Press, Louvain, Belgium, 1996.
35. Anjaria, J et al: *Nature Heals: A Glossary of Selected Indigenous Medicinal Plants of India*, Sristi Innovations, Ahmedabad, 1997.
36. D'Souza, M: *Tribal Medicine*, Society for Promotion of Wasteland Development, New Delhi, 1996.
37. Gill, LS; Idu, M and Ogbor, DN: "Folk Medicinal Plants: Practices and Beliefs of the Bini People in Nigeria", *Ethnobotany*, 9(1 and 2), 1997, pp. 1-5.
38. Jee, V et al: "Taxo-Ethnobotanical Studies of the Rural Areas in the District Rajouri (Jammu)", *Journal of Economic and Taxonomic Botany*, 5, 1984, pp. 831-838.
39. Reddy, SC and Vatsavaya, SR: "Folklore Biomedicine for Common Veterinary Diseases in Nalgonda District", *Ethnobotany*, 12(1 and 2), 2000, pp. 113-117.
40. Roepke, DA: "Traditional and Re-applied Veterinary Medicine in East Africa", pp. 256-264, in McCorkle, Constance M (Ed): *Ethnoveterinary Research and Development*, Intermediate Technology Publications, London, 1996.
41. Sikarwar, RLS: "Ethno-veterinary Herbal Medicines in Morena District of Madhya Pradesh India", pp. 194-196, in Jain, SK (Ed): *Ethnobiology in Human Welfare*, Deep Publications, New Delhi, 1996.
42. Bhatt, DC and Mitaliya, KD: "Ethno-medicinal Plants of Victoria Park (Reserved Forest) of Bhavnagar, Gujarat, India", *Ethnobotany*, 11(1 and 2), 1999, pp. 81-84.
43. Singh, BH; Hynniewta, TM and Bora, PJ: "Ethno-Medico-Botanical Studies in Tripura, India", *Ethnobotany*, 9(1 and 2), 1997, pp. 56-58.
44. Pastakia, AR: "Control of FMD: Practices from Sembalpani", *Honey Bee*, 6(4), 1995, p. 16.

45. Khedkar, R: "Culture and Conservation: Plants Used in Ganesh Pooja", *Honey Bee*, 8(4), 1997, p. 14.
46. Khan, SH: "Traditional Veterinary Wisdom: Practices from Rural Medak, Andhra Pradesh", *Honey Bee*, 9(2), 1998, pp. 17-18.
47. Rajan, S and Sethuraman, M: "Traditional Veterinary Practices in Rural Areas of Dindigul District, Tamil Nadu, India", *Indigenous Knowledge and Development Monitor*, 5(3), 1997, pp. 7-9.
48. Mohanty, RB; Padhy, SN and Dash, SK: "Traditional Phytotherapy for Diarrhoeal Diseases in Ganjam and Phulbani Districts of South Orissa, India", *Ethnobotany*, 8(1 and 2), 1996, pp. 60-65.
49. Sudhakar, S and Rao, RS: "Medicinal Plants of Upper East Godavari District (AP) and Need for Establishment of Medicinal Farm", *Journal of Economic and Taxonomic Botany*, 7, 1985, pp. 399-406.
50. Brahman, M; Dhal, NK and Saxena, HO: "Ethnobotanical Studies among the Tanla of Malyagiri Hills in Dhankanal District, Orissa, India", pp. 393-396, in Jain, SK (Ed): *Ethnobiology in Human Welfare*, Deep Publications, New Delhi, 1996.
51. Anjaria, J: "Ethnoveterinary Pharmacology in India: Past, Present and Future", pp. 137-147, in McCorkle, Constance M (Ed): *Ethnoveterinary Research and Development*, Intermediate Technology Publications, ITDG Publishing, London, 1996.
52. Mishra, S; Jha, V and Jha, S: "Plants in Ethno-veterinary Practices in Darbhanga (North Bihar)", pp. 189-193, in Jain, SK (Ed): *Ethnobiology in Human Welfare* Deep Publications, New Delhi, 1996.
53. Patel, KK et al: "Survey of Grassroots Innovations Part XXI", *Honey Bee*, 8(4), 1997, pp. 15-17.
54. Hocking, Drake (Ed): *Trees for Drylands*, Oxford and IBH Publishing Company Pvt. Ltd, New Delhi, 1993.
55. Forest Flora of Andhra Pradesh, Flora by Reddy RD: <http://forest.ap.nic.in> (April 2007-August 2007).
56. Jain, SK et al: "Indo-Amazonian Ethno-botanic Connections Similar Uses of Some Common Plants", *Ethnobotany*, 7 (1 and 2), 1995, pp. 29-37.
57. Lalramnghinglova, JH and Jha, JK: "Ethnomedicine from Mizoram – Northeast India", *Ethnobotany*, 9(1 and 2), 1997, pp. 105-111.

58. Kulkarni, DK and Kumbhojkar, MS: "Pest Control in Tribal Areas of Western Maharashtra: An Ethno-botanical Approach", *Ethnobotany*, 8(1 and 2), 1996, pp. 56-59.
59. Jha, RR and Varma, SK: "Ethnobotany of Sauria Paharias of Santhal Paragana, Bihar: I Medicinal Plants", *Ethnobotany*, 8(1 and 2), 1996, pp. 31-35.
60. Maiti, S and Mishra, TK: "Anti-venom Drugs of Santals, Savars and Mahatos of Midnapore District of West Bengal, India", *Ethnobotany*, 12(1 and 2), 2000, pp. 77-80.
61. Bhattacharai, NK: "Medical Ethnobotany in the Karnali Zone, Nepal", *Economic Botany*, 46(3), 1992, pp. 257-261.
62. Pradhan, SK: "Defying Scientific Recommendation: Applying FYM after Sowing", *Honey Bee*, 10(1), 1999, p. 4.
63. Rastogi, RP and Mehrotra, BN: *Compendium of Indian Medicinal Plants*, vols 1-4, 1980-1984, Central Drug Research Institute, Lucknow, and Publications and Information Directorate, New Delhi, 1993.
64. Sebastian, MK: "Plants Used as Veterinary Medicines, Galactagogues and Fodder in the Forest Areas of Rajasthan", *Journal of Economic and Taxonomic Botany*, 12, 1984, pp. 785-788.
65. Datta, B: "Ethnobotanical Resources of Chhattarpur District (Madhya Pradesh)", pp. 400-402, in Jain, SK (Ed): *Ethnobiology in Human Welfare*, Deep Publications, New Delhi, 1996.
66. Henry, AN; Hosgoudar, VB and Ravikumar, K: "Ethno-Medico-Botany of the Southern Western Ghats of India", pp. 173-180, in Jain, SK (Ed): *Ethnobiology in Human Welfare*, Deep Publications, New Delhi, 1996.
67. Tayang, NJ et al: "Ethno-veterinary Medicine Practices in the Northwest Province of Cameroon", *Indigenous Knowledge and Development Monitor*, 3(3), 1995, pp. 20-22.
68. Downes, D: "The Ayahuasca Story", *Honey Bee*, 10(1), 1999, p. 3.
69. Khanna, KK and Kumar, R: "Ethnomedicinal Plants Used by the Gujar Tribe of Saharanpur District, UP", *Ethnobotany*, 12(1 and 2), 2000, pp. 17-22.
70. Jain, SK and Sharma, PP: "A Review of the Parallel or Unique Indigenous Uses of Twenty-five Plants in India and Some African Countries", *Ethnobotany*, 12 (1 and 2), 2000, pp. 51-55.
71. IndFlora <http://www.ncbi.org.in/biota/flora/index.html> (April 2007-August 2007).

72. Rajendran, SM and Mehrotra, BN: "Unrecorded Medicinal Uses of Plants among Parambikulam Tribals, Kerala, India", pp. 181-183, in Jain, SK (Ed): *Ethnobiology in Human Welfare*, Deep Publications, New Delhi, 1996.
73. Upadhye, AS; Kumbhojkar, MS and Kulkarni, DK: "Ethno-medicobotany of Some Sacred Plants of Western Maharashtra", *Ethnobotany*, 9(1 and 2), 1997, pp. 65-68.
74. Prakash, TN: "Coconut, Calving and Conserving Seeds Hittala Gida", *Honey Bee*, 7(1), 1996, p. 7.
75. Gill, LS and Nyawuame, HGK: "Leguminosae in Ethno-medicinal Practices of Nigeria", *Ethnobotany*, 6(1 and 2), 1994, pp. 51-64.
76. Viswanathan, MB: "Ethnobotany of the Malayalis in North Arcot District, Tamil Nadu, India", *Ethnobotany*, 9 (1 and 2), 1997, pp. 77-79.
77. Pokhriyal, TC et al: *Fodder from Forests*, Indian Council of Forestry Research and Education, Dehra Dun, 1992.
78. Satheesh, RV and Reddy, S: "Uncultivated Food and the Poor", *Proceedings of South Asian Workshop. on Uncultivated Food and Plants*, October 2-4, 1999, UBINIG Bangladesh, pp. 78-92.
79. Bhatt, DC; Mehta, SK and Mitaliya, KD: "Ethnomedicinal Plants of Shetrunjaya Hill of Palitana Gujarat", *Ethnobotany*, 11(1 and 2), 1999, pp. 22-25.
80. Kothari, MJ and Moorthy, S: *Flora of Raigad District, Maharashtra State*, Botanical Survey of India, Calcutta, 1993.
81. Katewa, SS and Arora, A: "Some Plants in Folk Medicine of Udaipur District (Rajasthan)", *Ethnobotany*, 9(1 and 2), 1997, pp. 48-51.
82. Anjaria, Jayvir et al: *Ethnovet Heritage: Indian Ethno-veterinary Medicine – An Overview*, Pathik Enterprise, Ahmedabad, 2002.
83. Jovellans, ML: *Traditional Veterinary Medicine in the Philippines*, APHCA Bangkok, 1992.
84. Viswanathan, MV and Singh, HB: "Plants Used as Household Remedies in India", pp. 105-107, in Jain, SK (Ed): *Ethnobiology in Human Welfare*, Deep Publications, New Delhi, 1996.
85. Upadhye, AS; Vartak VD and Kumbhojkar, MS: "Ethno-Medico-Botanical Studies in Western Maharashtra, India", *Ethnobotany*, 6(1 and 2), 1994, pp. 25-31.
86. Swami Sada Shiva Tirth: *Ayurveda Encyclopaedia*, Shri Satguru Publication, Delhi, 1998.
87. Koradia, D et al: "Survey of Grassroots Innovations Part XXV", *Honey Bee*, 9(4), 1998, pp. 13-14.

88. Watt, G: *A Dictionary of the Economic Products of India*, vols 1-6, Gordhan and Company, Delhi, 1889 (Reprint 1972).
89. Sharma, PP. and Singh, NP: "Less Known Ethnobotanical Uses of Plants in Dadra and Nagar Haveli (UT)" Part 1 (A-K), *Ethnobotany* 11(1 and 2), 1999, pp. 109-114.
90. Pati, K: "Gymnema sylvestre: An Effective Ayurvedic Remedy for Diabetics", [http://www.diabetea.com/gymnemaherb.html#anchor\\_1678457](http://www.diabetea.com/gymnemaherb.html#anchor_1678457) (June 2001).
91. Lumdang, G and Roger, C: "The Dumgats of Aurora: Indigenous Peoples of the Philippines", *Honey Bee*, 9 (4), 1998, pp. 4-6.
92. Birkumar, SH; Hynniewta, TM and Bora, PJ: "Ethno-Medico-Botanical Studies in Tripura, India", *Ethnobotany* 9 (1 and 2), 1997, pp. 56-58.
93. Jadeja, BA: "Plants Used by the Tribe Rabari in Barda Hills of Gujarat", *Ethnobotany*, 11(1 and 2), 1999, pp. 42-46.
94. Shah, GL; Yadav, SS and Badri, N: "Medicinal Plants from Dahanu Forest Division in Maharashtra State", *Journal of Economic and Taxonomic Botany*, 4, 1983, pp. 141-151.
95. Abraham, Z: "Ethnobotany of the Todas, the Kotas and the Irulas of the Nilgiris", pp. 308-320, in Jain, SK (Ed): *Glimpses of Indian Ethnobotany*, Oxford and IBH, New Delhi, 1981.
96. Kambebwa, BMD: "Integration of Indigenous Veterinary Remedies in Farming Systems in Malawi" (Paper Presented at Integrated Approach for Animal Health Care, Calicut, Kerala), February 4-6, 1999.
97. Naik, VN and Associates: *Flora of Marathwada*, vols 1 and 2, Amrut Prakashan, Aurangabad, 1998.
98. Safui, B and Bhattacharya, A: "Some Additional Notes on Economic Uses of Few Plants Rubiacane", *Journal of Economic and Taxonomic Botany*, 5, 1984, pp. 801-804.
99. Sharma, PC et al: *Database on Medicinal Plants Used in Ayurveda*, vols 1 to 6, Central Council for Research in Ayurveda and Siddha, New Delhi, 2000-2004.
100. Talbot, WA: *Forest Flora of the Bombay Presidency and Sind*, vols 1 and 2, Bishen Singh Mahendra Pal Singh, Dehra Dun, 1912 (Reprint 1976).
101. Rajasekaran, S; Pushpangadan, P and Biju, SD: "Folk Medicine of Kerala: A Study on Native Traditional Folk Healing Art and Its Practitioners", pp. 167-172, in Jain, SK (Ed): *Ethnobiology in Human Welfare*, Deep Publications, New Delhi, 1996.
102. Lale, Sanjeev Kumar: *Ausadhanamarupavijnanam*, vol 1, Hemraj Lale, Indore, 2003.

103. Gupta, AK *et al*: "Survey of Grassroots Innovations – Part XVI", *Honey Bee*, 7(2), 1996, pp. 13-15.
104. Sharma, S: "Snail Menace and Veterinary Wisdom", *Honey Bee*, 10 (1), 1999, p. 5.
105. Rath, S: "Practices from Local Versions of Honey Bee", *Honey Bee*, 1(1), 1995, pp. 9-10.
106. Borthakur, SK and Sarma, UK: "Ethno-veterinary Medicine with Special Reference to Cattle Prevalent among the Nepalis of Assam, India", pp. 197-199, in Jain, SK (Ed): *Ethnobiology in Human Welfare*, Deep Publications, New Delhi, 1996.
107. Kulkarni, SG: *Flora of Sindhudurg*, Botanical Survey of India, Calcutta, 1988.
108. Ghosh, AK and Maiti, PK: "Investigation of some Animal Drugs (Mammals) Used by the Tribal People in India", pp. 200-202, in Jain, SK (Ed): *Ethnobiology in Human Welfare*, Deep Publications, New Delhi, 1996.
109. Koradia, D *et al*: "Survey of Grassroots Innovations Part XXV", *Honey Bee*, 9(4), 1998, pp. 13-15.
110. Gupta AAK; Patel, KK and Suthar, JH: "Survey of Grassroots Innovations Part XIII", *Honey Bee*, 6(3), 1995, pp. 11-14.
111. Yadav, SR and Sardesai, MM: *Flora of Kolhapur District*, Shivaji University, Kolhapur, 2002.
112. Sen, S and Batra, A: "Ethno-medico-botany of Household Remedies of Phagi Tehsil of Jaipur District (Rajasthan)", *Ethnobotany*, 9(1 and 2), 1997, pp. 122-128.
113. Sharma, S: "Bridging the Generation Gap of Knowledge: Biodiversity Competition in Himachal", *Honey Bee*, 9(4), 1998, p. 7.
114. Almeida, MR: *Flora of Maharashtra*, vol III A-B, Thomas Paul Almeida, Mumbai, 2001.
115. Chandra, SS and Rana, AR: "Indigenous Knowledge on Medicinal Plants and Their Use in Narayan Sarovar Sanctuary Kachchh", *Ethnobotany*, 12(1 and 2), 2000, pp. 1-7.
116. Cooke, Theodore: *Flora of the Presidency of Bombay*, vols 1 and 2, Bishen Singh Mahendra Pal Singh, Dehra Dun (Reprint 1903).
117. Kshirsagar, RD and Singh, NP: "Less Known Ethno-medicinal Uses of Plants Reported by Jenukuruba Tribe of Mysore District Southern India", *Ethnobotany*, 12(1 and 2), 2000, pp. 118-122.
118. Sharma, BD; Karthikeyan, S and Singh, NP: *Flora of Maharashtra State: Monocotyledons*, Botanical Survey of India, Calcutta, India, 1996.

119. Singh, NP et al: *Flora of Maharashtra State: Dicotyledons*”, vols 1-2, Botanical Survey of India, Calcutta, 2001.
120. Brandis, D: *Indian Trees*, Periodical Experts Book Agency, New Delhi and International Book Distributors, Dehradun, 1906.
121. Pal, DC: “Observations on Folklore about Plants Used in Veterinary Medicine in Bengal, Orissa and Bihar”, *Bulletin of the Botanical Survey of India*, 22(1-4), 1980, pp. 96-99.
122. Datta, Bhaskar: “Ethno-botanical Resources of Chhattarpur District (Madhya Pradesh)”, pp. 400-402, in Jain, SK (Ed): *Ethnobiology in Human Welfare*, Deep Publications, New Delhi, 1996.
123. Sivarajan, VV and Balachandran, Indira: *Ayurvedic Drugs and Their Plant Sources*, Oxford and IBH Publishing, New Delhi, 1994.
124. Ramdas, Sagari R and Ghotge, Nitya S: *Ethno-veterinary Research in India: An Annotated Bibliography*, Pune, Anthra, 2004.
125. Dawa Doctor: *A Clear Mirror of Tibetan Medicinal Plants*, Tibetan Domani, Rome, 1999.
126. Singh, RV: *Fodder Trees of India*, Oxford and IBH Publishing, New Delhi, 1982.
127. Bor, NL: *The Grasses of Burma, Ceylon, India and Pakistan (Excluding Bambusae)*, Pergamon Press, Oxford, 1960 (Indian reprint by International Book Distributors, Dehradun and Periodical Expert Book Agency, New Delhi, 1979).
128. Hodd, Tody and Hodd, Patricia: *Grasses of Western India*, Bombay Natural History Society, Bombay, 1982.
129. Rolla, Sheshagiri Rao: *Flora of East Godavari District Andhra Pradesh India*, INTACH, Hyderabad, 1999.

# Index


English	Botanical Name	English	Botanical Name
<b>A</b>			
Aaksan	<i>Pergularia daemia</i> (Forssk.) Chiov.	Barnyard millet	<i>Echinochloa colona</i> (L.) Link
Aconite bean	<i>Vigna aconitifolia</i> (Jacq.) Marechal	Bastard sandal	<i>Erythroxylon monogynum</i> Roxb.
Adamant creeper	<i>Cissus quadrangularis</i> L.	Beetle killer	<i>Clerodendron serratum</i> (L.) Moon
Adzuki bean	<i>Vigna angularis</i> (Willd.) Ohwi & Ohashi	Belliric myrobalan	<i>Terminalia belerica</i> (Gaertn.) Roxb.
African gram	<i>Vigna trilobata</i> Verdcourt	Bengal currant	<i>Carissa congesta</i> Wight
African marigold	<i>Tagetes erecta</i> L.	Bengal gram	<i>Cicer arietinum</i> L.
African millet	<i>Eleusine coracana</i> (L.) Gaertn.	Bengal spider wort	<i>Commelina benghalensis</i> L.
Agave	<i>Agave species</i>	Benteak	<i>Lagerstroemia microcarpa</i> Wt.
Air potato	<i>Dioscorea bulbifera</i> L.	Bermuda grass	<i>Cynodon dactylon</i> (L.) Pers.
Alexandrian laurel	<i>Calophyllum inophyllum</i> L.	Betel leaf vine	<i>Piper betel</i> L.
Almondi tree	<i>Buchanania lanza</i> Spreng.	Betel yam	<i>Dioscorea oppositifolia</i> L.
Aloe vera	<i>Aloe vera</i> (L.) Burm. f.	Betelnut tree	<i>Areca catechu</i> L.
Ambilla tree	<i>Antidesma ghaesembilla</i> Gaertn.	Bimli	<i>Hibiscus cannabinus</i> L.
American aloe	<i>Agave americana</i> L.	Bimlipatam jute	<i>Hibiscus cannabinus</i> L.
Angel's trumpet	<i>Datura metel</i> L.	Bird line tree	<i>Cordia dichotoma</i> Forst. f.
Arabic tree	<i>Acacia nilotica</i> (L.) Del.	Bishop's weed	<i>Carum copticum</i> (L.) Hiern.
Arecanut tree	<i>Areca catechu</i> L.	Bitter apple	<i>Citrullus colocynthis</i> (L.) Schr.
Arjun	<i>Terminalia arjuna</i> (Roxb. ex DC.) Wt. & Arn.	Bitter gourd	<i>Momordica charantia</i> L.
Asafoetida	<i>Ferula asafoetida</i> L.	Bitter wild cucumber	<i>Cucumis trigonus</i> L.
Asiatic beech berry	<i>Gmelina asiatica</i> L.	Bitter yam	<i>Dioscorea bulbifera</i> L.
Asteracantha	<i>Asteracantha longifolia</i> (L.) Nees	Black babool	<i>Acacia nilotica</i> (L.) Del.
Asthma weed	<i>Euphorbia hirta</i> L.	Black creeper	<i>Ichnocarpus frutescens</i> (L.) R. Br.
Axle wood	<i>Anogeissus latifolia</i> (Roxb. ex DC.) Wall. ex Bedd.	Black currant	<i>Antidesma ghaesembilla</i> Gaertn.
<b>B</b>		Black gram	<i>Vigna mungo</i> (L.) Hepper
Babul	<i>Acacia nilotica</i> (L.) Del.	Black mustard	<i>Brassica nigra</i> (L.) Koch
Badhara bush	<i>Gmelina asiatica</i> L.	Black pepper	<i>Piper nigrum</i> L.
Bael tree	<i>Aegle marmelos</i> (L.) Corr.	Black plum	<i>Syzygium cumini</i> (L.) Skeels
Bahama grass	<i>Cynodon dactylon</i> (L.) Pers.	Black siris	<i>Albizia odoratissima</i> (L. f.) Benth.
Balloon vine	<i>Cardiospermum halicacabum</i> L.	Blackwood	<i>Dalbergia latifolia</i> Roxb.
Bamboo	<i>Pseudoxanthanthera ritcheyi</i> (Munro) Naithani	Bombay grass	<i>Bothriochloa pertusa</i> (L.) A.Camus
	<i>Pseudoxanthanthera stocksii</i> (Munro) Naithani	Bone-setter	<i>Cissus quadrangularis</i> L.
Banana	<i>Musa paradisiaca</i> L.	Bracteated birthwort	<i>Aristolochia bracteolata</i> Lam.
	<i>Ficus benghalensis</i> L.	Brilliant gardenia	<i>Gardenia resinifera</i> Roth
Barbados aloe	<i>Aloe vera</i> (L.) Burm. f.	Brinjal	<i>Solanum melongena</i> L.
Barley	<i>Hordeum vulgare</i> L.	Broad bean	<i>Canavalia gladiata</i> (Jacq.) DC.


English	Botanical Name	English	Botanical Name
C		Conessi	<i>Holarrhena pubescens</i> (Buch.-Ham.) Wall. ex G. Don.
Cambi resin tree	<i>Gardenia resinifera</i> Roth	Confetti tree	<i>Maytenus senegalensis</i> (Lam.) Excell.
Camphor tree	<i>Cinnamomum camphora</i> (L.) Presl.	Coomb teak	<i>Gmelina arborea</i> Roxb.
Caraway	<i>Carum carvi</i> L.	Coral jasmine	<i>Nyctanthes arbor-tristis</i> L.
Carilla fruit	<i>Momordica charantia</i> L.	Coriander	<i>Coriandrum sativum</i> L.
Carpet grass	<i>Alloteropsis cimicina</i> (L.) Stapf	Cork swallow-wort	<i>Leptadenia reticulata</i> Wt. & Arn.
Caray cheddie	<i>Canthium coromandelicum</i> (N. Burm.) Alston	Corn	<i>Zea mays</i> L.
Cashewnut tree	<i>Anacardium occidentale</i> L.	Coromandel ebony	<i>Diospyros melanoxylon</i> Roxb.
Cassie flower	<i>Acacia farnesiana</i> (L.) Willd.	Costus	<i>Costus speciosus</i> (Koenig ex Retz.) J. E. Smith
Castor	<i>Ricinus communis</i> L.	Cotton	<i>Gossypium herbaceum</i> L.
Cat's hair	<i>Euphorbia hirta</i> L.	Couch grass	<i>Cynodon dactylon</i> (L.) Pers.
Century plant	<i>Agave americana</i> L.	Country fig	<i>Ficus racemosa</i> L.
Ceylon caper	<i>Capparis zeylanica</i> L.	Country ipecacuanha	<i>Tylophora indica</i> (Burm. f.) Merrill
Ceylon rosewood	<i>Albizia odoratissima</i> (L. f.) Benth.	Country sarasaparilla	<i>Hemidesmus indicus</i> (L.) R. Br.
Chebulic myrobalan	<i>Terminalia chebula</i> Retz.	Cow pea	<i>Vigna unguiculata</i> subsp. <i>cylindrica</i> (L.) van Eseltine
Chick pea	<i>Cicer arietinum</i> L.	Cowhage	<i>Mucuna pruriens</i> (L.) DC.
Chillies	<i>Capsicum annuum</i> L.	Crab's eye	<i>Abrus precatorius</i> L.
Chinese hibiscus	<i>Hibiscus rosa-sinensis</i> L.	Creat	<i>Andrographis paniculata</i> (Burm. f.) Wall. ex Nees
Chinese lantern tree	<i>Dichrostachys cinerea</i> (L.) Wight & Arn.	Creeping panic grass	<i>Cynodon dactylon</i> (L.) Pers.
Chinese yam potato	<i>Dioscorea bulbifera</i> L.	Croton oil plant	<i>Croton roxburghii</i> Balakr.
Chir pine	<i>Pinus roxburghii</i> Sarg.	Crow foot grass	<i>Dactyloctenium aegyptium</i> Beauv.
Chirati	<i>Melothria maderaspatica</i> (L.) Roem.	Crows foot grass	<i>Dactyloctenium aegyptium</i> Beauv.
Citron	<i>Citrus aurantifolia</i> (Christm. & Panz.) Swingle	Cumin	<i>Cuminum cyminum</i> L.
Clammy cherry	<i>Cordia dichotoma</i> Forst. f.	Curacao aloe	<i>Aloe vera</i> (L.) Burm. f.
Clearing nut tree	<i>Strychnos potatorum</i> L. f.	Curry leaves	<i>Murraya koenigili</i> (L.) Spreng.
Climbing flax	<i>Hugonia mystax</i> L.	Custard apple	<i>Annona squamosa</i> L.
Climbing staff plant	<i>Celastrus paniculatus</i> Willd.	Cutch tree	<i>Acacia catechu</i> (L. f.) Willd.
Clitoria	<i>Clitoria ternatea</i> L.	Cypress shrub	<i>Lawsonia inermis</i> L.
Clove tree	<i>Syzgium aromaticum</i> L. Merr. et Perry	D	
Cluster bean	<i>Cyamopsis tetragonoloba</i> (L.) Taub.	Dead sea apple	<i>Calotropis procera</i> (Ait.) R. Br.
Cluster fig	<i>Ficus racemosa</i> L.	Deccan hemp	<i>Hibiscus cannabinus</i> L.
Coat buttons	<i>Tridax procumbens</i> L.	Delhi grass	<i>Dicanthium annulatum</i> (Forssk.) Stapf
Cochin turmeric	<i>Curcuma amada</i> Roxb.	Desert date	<i>Balanites aegyptiaca</i> (L.) Del.
Cockspur flower	<i>Colebrookea oppositifolia</i> Sm.	Devil's dung	<i>Ferula asafoetida</i> L.
Coconut	<i>Cocos nucifera</i> L.	Devil's gold	<i>Croton roxburghii</i> Balakr.
Cocoyam	<i>Colocasia esculenta</i> (L.) Schott	Devil's tree	<i>Alstonia scholaris</i> (L.) R. Br.
Colocynth	<i>Citrullus colocynthis</i> (L.) Schr.	Dhub grass	<i>Cynodon dactylon</i> (L.) Pers.
Common basil	<i>Ocimum basilicum</i> L.	Diffuse hogweed	<i>Boerhavia chinensis</i> (L.) Heimerl.
Common cow-itch	<i>Mucuna pruriens</i> (L.) DC.	Distiller's acacia	<i>Acacia leucophloea</i> Willd.
Common emetic nut	<i>Randia spinosa</i> Poir.	Dodder	<i>Cuscuta reflexa</i> Roxb.
Common guava	<i>Psidium guajava</i> L.	Dog mustard	<i>Cleome viscosa</i> L.
Common jujube	<i>Zizyphus mauritiana</i> Lamk.		
Common milk hedge	<i>Euphorbia ligularia</i> Roxb.		
Common millet	<i>Panicum miliaceum</i> L.		

English	Botanical Name	English	Botanical Name
Dogwood apple Drumstick tree	<i>Hesperethusa crenulata</i> (Roxb.) Roem. <i>Moringa oleifera</i> Lam.	Giant milkweed Giant potato Giant swallow-wort Gingelly Ginger Ginger grass Glory lily Glory tree Golden yellow sweet pea Governor's plum Great neem Great woolly Malayan lilac Greater galangal Greek hayes Green chiretta Green pea Green-gram Greene ebony persimmon Grey pea Groundnut Guava Gulancha tinospora Gular fig Gum tree	<i>Calotropis gigantea</i> (L.) R. Br. <i>Ipomoea mauritiana</i> Jacq. <i>Calotropis gigantea</i> (L.) R. Br. <i>Sesamum orientale</i> L. <i>Zingiber officinalis</i> Rosc. <i>Panicum repens</i> L. <i>Gloriosa superba</i> L. <i>Clerodendron infortunatum</i> auct. non L. <i>Crotalaria retusa</i> L. <i>Flacourtie indica</i> (Burm. f.) Merr. <i>Melia dubia</i> Cav. <i>Callicarpa tomentosa</i> (L.) Murr. <i>Alpinia galanga</i> (L.) Swartz <i>Trigonella foenum-graecum</i> L. <i>Andrographis paniculata</i> (Burm f.) Wall. ex Nees <i>Pisum sativum</i> L. <i>Vigna radiata</i> (L.) R. Wilczek <i>Diospyros chloroxylon</i> Roxb. <i>Pisum arvense</i> L. <i>Arachis hypogea</i> L. <i>Psidium guajava</i> L. <i>Tinospora cordifolia</i> (Willd.) Miers ex Hook. f. & Thoms. <i>Ficus racemosa</i> L. <i>Eucalyptus</i> species
East Indian globe-thistle East Indian walnut East Indian screw tree Ebony Edible-stemmed vine Egg plant Egyptian privet Elephant grass Embelia Eucalyptus	<i>Sphaeranthus indicus</i> L. <i>Albizia lebbeck</i> (L.) Willd. <i>Helicteres isora</i> L. <i>Diospyros melanoxylon</i> Roxb. <i>Cissus quadrangularis</i> L. <i>Solanum melongena</i> L. <i>Lawsonia inermis</i> L. <i>Typha angustifolia</i> L. <i>Embelia ribes</i> Burm. f. <i>Eucalyptus</i> species	F False black pepper False sandal Fennel Fenugreek Fever nut Field-pea Finger millet Fire-flame bush Fish-tail palm Five-leaved chaste tree Flame of the forest Flax plant Foetid cassia Foxtail millet Fragrant acacia Frangipani	<i>Embelia ribes</i> Burm. f. <i>Ximenia americana</i> L. <i>Foeniculum vulgare</i> Mill. <i>Trigonella foenum-graecum</i> L. <i>Caesalpinia bonduc</i> (L.) Roxb. <i>Pisum arvense</i> L. <i>Eleusine coracana</i> (L.) Gaertn. <i>Woodfordia fruticosa</i> (L.) Kurz <i>Caryota urens</i> L. <i>Vitex negundo</i> L. <i>Butea monosperma</i> (Lamk.) Taub. <i>Linum usitatissimum</i> L. <i>Cassia tora</i> L. <i>Setaria italica</i> (L.) Beauv. <i>Acacia farnesiana</i> (L.) Willd. <i>Plumeria rubra</i> L.
Gardenia Garlic Gasambilla Ghaf Ghobi	<i>Gardenia latifolia</i> Aiton <i>Allium sativum</i> L. <i>Antidesma ghaesembilla</i> Gaertn. <i>Prosopis cineraria</i> (L.) Druce <i>Launaea procumbens</i> (Roxb.) Ram. Raj.	G Haldu Heart's pea Henna Hill lotus Hispid Hogweed Holy basil Holy fruit tree Horse gram Humble plant Hygrophila	<i>Adina cordifolia</i> (Roxb.) Hook. <i>Cardiospermum halicacabum</i> L. <i>Lawsonia inermis</i> L. <i>Smilax zeylanica</i> L. <i>Acanthospermum hispidum</i> DC. <i>Boerhavia diffusa</i> L. <i>Ocimum tenuiflorum</i> L. <i>Aegle marmelos</i> (L.) Corr. <i>Dolichos biflorus</i> L. <i>Mimosa pudica</i> L. <i>Asteracantha longifolia</i> (L.) Nees

English	Botanical Name	English	Botanical Name
<b>I</b>			
Indian abutilon	<i>Abutilon indicum</i> (L.) Sweet	Jackfruit	<i>Artocarpus heterophyllus</i> Lamk.
Indian aloe	<i>Aloe vera</i> (L.) Burm. f.	Jaffarabad aloe	<i>Aloe vera</i> (L.) Burm. f.
Indian beech	<i>Pongamia pinnata</i> (L.) Pierre	Jamaica mandarin orange	<i>Glycosmis pentaphylla</i> (Retz.) Correa
Indian birthwort	<i>Aristolochia indica</i> L.	Jamaica sorrel	<i>Hibiscus sabdariffa</i> L.
Indian box wood	<i>Gardenia latifolia</i> Aiton	Jaman	<i>Syzygium cumini</i> (L.) Skeels
Indian caper	<i>Capparis sepiaria</i> L.	Jambolan	<i>Syzygium cumini</i> (L.) Skeels
Indian coral tree	<i>Erythrina variegata</i> L.	Java galangal	<i>Alpinia galanga</i> (L.) Swartz
Indian corn	<i>Zea mays</i> L.	Jequirity	<i>Abrus precatorius</i> L.
Indian elm	<i>Holoptelea integrifolia</i> (Roxb.) Planch.	Jhingam	<i>Lannea coromandelica</i> (Houtt.) Merr.
Indian foxtail millet	<i>Setaria italica</i> (L.) Beauv.	Job's tears	<i>Coix lacryma-jobi</i> L.
Indian gooseberry	<i>Emblica officinalis</i> Gaertn.	Johnson grass	<i>Sorghum halepense</i> (L.) Pers.
Indian gum	<i>Acacia nilotica</i> (L.) Del.		
Indian hemp	<i>Cannabis sativa</i> L.		
Indian ipecacuanha	<i>Tylophora indica</i> (Burm. f.) Merrill	<b>K</b>	
Indian jujube	<i>Zizyphus mauritiana</i> Lamk.	Kalmegh	<i>Andrographis paniculata</i> (Burm f.) Wall. ex Nees
Indian kino tree	<i>Pterocarpus marsupium</i> Roxb.	Kangaroo grass	<i>Themeda quadrivalvis</i> (L.) O. Ktze.
Indian kudzu	<i>Pueraria tuberosa</i> DC.	Kanju	<i>Holoptelea integrifolia</i> (Roxb.) Planch.
Indian laburnum	<i>Cassia fistula</i> L.	Kashmeri tree	<i>Gmelina arborea</i> Roxb.
Indian laurel	<i>Terminalia crenulata</i> Roth	Kate-kumbal	<i>Xantolis tomentosa</i> (Roxb.) Rafin.
Indian lilac	<i>Azadirachta indica</i> A. Juss.	Kenaf	<i>Hibiscus cannabinus</i> L.
Indian liquorice	<i>Abrus precatorius</i> L.	Khejri	<i>Prosopis cineraria</i> (L.) Druce
Indian love grass	<i>Eragrostis pilosa</i> (L.) P. Beauv.	Kodo millet	<i>Paspalum scrobiculatum</i> L.
Indian mallow	<i>Abutilon indicum</i> (L.) Sweet	Kokam butter tree	<i>Garcinia indica</i> (Du Petit-Thou.) Choisy
Indian oak	<i>Baringtonia acutangula</i> (L.) Gaertn.	Kurchi	<i>Holarrhena pubescens</i> (Buch.-Ham.) Wall. ex G. Don.
Indian olibanum tree	<i>Boswellia serrata</i> Roxb.	Kydia	<i>Kydia calycina</i> Roxb.
Indian pennywort	<i>Centella asiatica</i> (L.) Urban.		
Indian prickly ash	<i>Zanthoxylum rhetsa</i> (Roxb.) DC.	<b>L</b>	
Indian red wood	<i>Soymida febrifuga</i> (Roxb.) A. Juss.	Lagerstromia	<i>Lagerstroemia parviflora</i> Roxb.
Indian rosewood	<i>Dalbergia latifolia</i> Roxb.	Land-caltrops	<i>Tribulus terrestris</i> L.
Indian sarasaparilla	<i>Hemidesmus indicus</i> (L.) R. Br.	Lantana weed	<i>Lantana camara</i> L.
Indian trumpet tree	<i>Oroxylum indicum</i> (L.) Vent.	Large crabgrass	<i>Digitaria sanguinalis</i> (L.) Scop.
Indian turnsole	<i>Heliotropium indicum</i> L.	Lemon	<i>Citrus limon</i> (L.) Burm. f.
Indian wire weed	<i>Sida acuta</i> Burm. f.	Lemon grass	<i>Cymbopogon citratus</i> (DC.) Stapf
Indian Zehneria	<i>Melothria heterophylla</i> (Lowr.) Cogn.	Linseed	<i>Linum usitatissimum</i> L.
Ink berry	<i>Cocculus hirsutus</i> (L.) Diels.	Lion's ear	<i>Leonotis nepetifolia</i> (L.) R. Br.
Ipoc tree	<i>Antiaria toxicaria</i> (Perss.) Lesch.	Little millet	<i>Panicum sumatrense</i> Roth ex Roem. & Schult.
Italian millet	<i>Setaria italica</i> (L.) Beauv.	Long pepper	<i>Piper longum</i> L.
Ivy gourd	<i>Coccinia grandis</i> (L.) Voigt		
<b>J</b>			
Jackal jujube	<i>Zizyphus oenoplia</i> (L.) Mill.		
Jackal's tobacco	<i>Lobelia nicotianaefolia</i> Roth ex Roem. & Schult.		

English	Botanical Name	English	Botanical Name
M		O	
Mackay bean	<i>Entada pursaetha</i> DC.	Obscure morning glory	<i>Ipomoea obscura</i> (L.) Ker-Gawl.
Madagascar plum	<i>Flacourzia indica</i> (Burm. f.) Merr.	Oleander	<i>Nerium indicum</i> Mill.
Madras gram	<i>Dolichos biflorus</i> L.	Olibanum	<i>Boswellia serrata</i> Roxb.
Madras thorn	<i>Pithecelobium dulce</i> Benth.	Onion	<i>Allium cepa</i> L.
Maize	<i>Zea mays</i> L.	Opium poppy	<i>Papaver somniferum</i> L.
Malabar glory lily	<i>Gloriosa superba</i> L.	Opposite leaved fig	<i>Ficus hispida</i> L. f.
Malabar jasmine	<i>Jasminum malabaricum</i> Wt.	Orange berry	<i>Glycosmis pentaphylla</i> (Retz.) Correa
Malabar kino tree	<i>Pterocarpus marsupium</i> Roxb.	Oriental cashew	<i>Semecarpus anacardium</i> L. f.
Malabar neem wood	<i>Melia dubia</i> Cav.		
Malabar nut	<i>Justicia adhatoda</i> L.	P	
Mango	<i>Mangifera indica</i> L.	Paddy	<i>Oryza sativa</i> L.
Mango-ginger	<i>Curcuma amada</i> Roxb.	Painted milkweed	<i>Euphorbia geniculata</i> Orteg.
Manila tamarind	<i>Pithecelobium dulce</i> Benth.	Pala indigo plant	<i>Wrightia tinctoria</i> Br.
Margosa tree	<i>Azadirachta indica</i> A. Juss.	Palmyra palm	<i>Borassus flabellifer</i> L.
Marigold	<i>Tagetes erecta</i> L.	Pandan	<i>Pandanus odoratissimus</i> L. f.
Marking nut tree	<i>Semecarpus anacardium</i> L. f.	Papaw tree	<i>Carica papaya</i> L.
Mast tree	<i>Polyalthaea longifolia</i> (Sonn.) Thw.	Papaya	<i>Carica papaya</i> L.
Math bean	<i>Vigna aconitifolia</i> (Jacq.) Marechal	Patagonian bean	<i>Canavalia gladiata</i> (Jacq.) DC.
Mauritian grass	<i>Apluda mutica</i> L.	Patana oak	<i>Careya arborea</i> Roxb.
Mexican poppy	<i>Argemone mexicana</i> L.	Pathari	<i>Launaea procumbens</i> (Roxb.) Ram. Raj.
Milk-bush	<i>Euphorbia tirucalli</i> L.	Peanut	<i>Arachis hypogaea</i> L.
Mountain ebony	<i>Diospyros montana</i> Roxb.	Pearl millet	<i>Pennisetum typhoideum</i> L.
Muraina grass	<i>Ischaemum tumidum</i> Stapf ex Bor	Peepul tree	<i>Ficus religiosa</i> L.
Musk deer plant	<i>Hesperethusa crenulata</i> (Roxb.) Roem.	Pencil cactus	<i>Euphorbia tirucalli</i> L.
Mussaenda	<i>Mussaenda glabrata</i> (Hook. f.) Hutch. ex Gamble	Pergularia	<i>Pergularia daemia</i> (Forssk.) Chiov.
Mustard	<i>Brassica juncea</i> (L.) Czern. & Coss.	Periploca of the woods	<i>Gymnema sylvestre</i> (Retz.) R. Br.
Mysore thorn	<i>Caesalpinia decapetala</i> (Roth) Alst.	Pigeon pea	<i>Cajanus cajan</i> (L.) Millsp.
N		Pigweed	<i>Boerhavia diffusa</i> L.
Naked maiden of the forest	<i>Lagerstroemia microcarpa</i> Wt.	Pink flowered ginger	<i>Zingiber roseum</i> Roxb. (Rosc.)
Nana	<i>Lagerstroemia microcarpa</i> Wt.	Plantain	<i>Musa paradisiaca</i> L.
Neem tree	<i>Azadirachta indica</i> A. Juss.	Pointed-leaved hogweed	<i>Boerhavia chinensis</i> (L.) Heimerl.
Negro coffee	<i>Cassia occidentalis</i> L.	Poorland flat sedge	<i>Cyperus compressus</i> L.
Nicker bean	<i>Entada pursaetha</i> DC.	Portia tree	<i>Thespisia populnea</i> (L.) Soland ex Correa
Niger	<i>Guizotia abyssinica</i> (L. f.) Cass.	Potato bushi	<i>Phyllanthus reticulatus</i> Poir.
Night jasmine	<i>Nyctanthes arbor-tristis</i> L.	Prickly amaranth	<i>Amaranthus spinosus</i> L.
Noble cane	<i>Saccharum officinarum</i> L.	Prickly chaff-flower	<i>Achyranthes aspera</i> L.
Nut grass	<i>Cyperus rotundus</i> L.	plant	
Nutmeg tree	<i>Myristica fragrans</i> Houtt.	Prickly leaved elephant's foot	<i>Elephantopus scaber</i> L.
		Prickly poppy	<i>Argemone mexicana</i> L.
		Pumpkin	<i>Cucurbita maxima</i> Duchesne
		Puncture-vine	<i>Tribulus terrestris</i> L.

English	Botanical Name	English	Botanical Name
Purging croton	<i>Croton roxburghii</i> Balakr.	Shaitan wood	<i>Alstonia scholaris</i> (L.) R. Br.
Purging fistula	<i>Cassia fistula</i> L.	Shiranjitea	<i>Woodfordia fruticosa</i> (L.) Kurz
Purple tephrosia	<i>Tephrosia purpurea</i> (L.) Pers.	Shoe-flower	<i>Hibiscus rosa-sinensis</i> L.
 Quail grass	<i>Celosia argentea</i> L.	Shrubby basil	<i>Ocimum gratissimum</i> L.
 Rafter wood	<i>Cleistanthus collinus</i> (Roxb.) Bth. ex Hook. f.	Siamese rough bush	<i>Streblus asper</i> Lour.
Ragi	<i>Eleusine coracana</i> (L.) Gaertn.	Sikerpud	<i>Biophytum sensitivum</i> (L.) DC.
Rat's tail grass	<i>Sehima nervosum</i> (Roth) Stapf	Siris tree	<i>Albizia lebbeck</i> (L.) Willd.
Red cedar	<i>Erythroxylon monogynum</i> Roxb.	Sissoo	<i>Dalbergia sissoo</i> Roxb.
Red creeper	<i>Ventilago calyculata</i> Tul.	Slow match tree	<i>Careya arborea</i> Roxb.
Red lentil	<i>Lens culinaris</i> Medic.	Small Cashmere tree	<i>Gmelina asiatica</i> L.
Red sandalwood	<i>Pterocarpus santalinus</i> L.	Small chireta	<i>Enicostema axillare</i> (Lam.) Raynal
Red sanders	<i>Pterocarpus santalinus</i> L.	Small Indian oak	<i>Baringtonia acutangula</i> (L.) Gaertn.
Red silk cotton	<i>Bombax ceiba</i> L.	Small Indian snowberry	<i>Securinega virosa</i> Pax & Hoffm.
Ribbed gourd	<i>Luffa acutangula</i> (L.) Roxb.	Snake gourd	<i>Trichosanthes cucumerina</i> L.
Rice	<i>Oryza sativa</i> L.	Sneezing silk cotton	<i>Wattakaka volubilis</i> (L.f.) Stapf
Rice flat sedge	<i>Cyperus iria</i> L.	Soap nut	<i>Sapindus emarginatus</i> Vahl.
Ridged gourd	<i>Luffa acutangula</i> (L.) Roxb.	Soap nut tree	<i>Sapindus laurifolius</i> Vahl.
Roselle	<i>Hibiscus sabdariffa</i> L.	Soap-nut acacia	<i>Acacia sinuata</i> (Lour.) Merr.
Round milk hedge	<i>Euphorbia tirucalli</i> L.	Sodom apple	<i>Calotropis procera</i> (Ait.) R. Br.
Ruby wood	<i>Pterocarpus santalinus</i> L.	Sorghum	<i>Sorghum vulgare</i> Pers.
Rum berry	<i>Glycosmis pentaphylla</i> (Retz.) Correa	Sour lime	<i>Citrus aurantifolia</i> (Christm. & Panz.) Swingle
 Sacred fig	<i>Ficus religiosa</i> L.	Spear grass	<i>Heteropogon contortus</i> (L.) P. Beauv. ex R. & S.
Saffron teak	<i>Adina cordifolia</i> (Roxb.) Hook.	Spinous fluggea	<i>Securinega leucopyrus</i> (Willd.) Muell.-Arg.
Sage leaved alangium	<i>Alangium salvifolium</i> (L. f.) Wang.	Squash	<i>Cucurbita maxima</i> Duchesne
Sapodilla plum	<i>Achras zapota</i> L.	Starburr	<i>Acanthospermum hispidum</i> DC.
Sapota	<i>Achras zapota</i> L.	Sticky cleome	<i>Cleome viscosa</i> L.
Saraswaty's leaf	<i>Clerodendron infortunatum</i> auct. non L.	Stinking weed	<i>Cassia occidentalis</i> L.
Sarub	<i>Tamarix ericoides</i> Rottl.	Stone fig	<i>Ficus tinctoria</i> Forst.
Satinwood tree	<i>Chloroxylon swietenia</i> DC.	Strychnine tree	<i>Strychnos nux-vomica</i> L.
Screw-pine	<i>Pandanus odoratissimus</i> L. f.	Sugarcane	<i>Saccharum officinarum</i> L.
Sensitive plant	<i>Mimosa pudica</i> L.	Sun hemp	<i>Crotalaria juncea</i> L.
Sesame	<i>Sesamum orientale</i> L.	Sweet acacia	<i>Acacia farnesiana</i> (L.) Willd.
Sessile joy weed	<i>Alternanthera sessilis</i> (L.) R. Br. ex DC.	Sweet basil	<i>Ocimum basilicum</i> L.
		Sweet flag	<i>Acorus calamus</i> L.
		Sweet potato	<i>Ipomoea batatas</i> (L.) Lam.
		Sweet sop	<i>Annona squamosa</i> L.
		Swollen finger grass	<i>Chloris barbata</i> Swartz
		Sword bean	<i>Canavalia gladiata</i> (Jacq.) DC.
 Tamarind tree	<i>Tamarindus indica</i> L.		
		Tanner's cassia	<i>Cassia auriculata</i> L.

English	Botanical Name	English	Botanical Name
Taro	<i>Colocasia esculenta</i> (L.) Schott	White teak	<i>Gmelina arborea</i> Roxb.
Tea	<i>Camellia sinensis</i> L. (Kuntze)	Wild asparagus	<i>Asparagus racemosus</i> Willd.
Teak	<i>Tectona grandis</i> L. f.	Wild banana	<i>Ensete superbum</i> (Roxb.) Chees.
Tellicherry bark	<i>Holarrhena pubescens</i> (Buch.-Ham.) Wall. ex G. Don.	Wild date-palm	<i>Phoenix sylvestris</i> (L.) Roxb.
Tendu	<i>Diospyros montana</i> Roxb.	Wild ginger	<i>Zingiber roseum</i> Roxb. (Rosc.)
Thorn apple	<i>Datura metel</i> L.	Wild Indian brinjal	<i>Solanum anguivi</i> Lam.
Thorny bamboo	<i>Bambusa arundinacea</i> (Retz.) Willd.	Wild indigo	<i>Tephrosia purpurea</i> (L.) Pers.
Three-leaved chaste tree	<i>Vitex trifolia</i> L.	Wild jasmine	<i>Jasminum malabaricum</i> Wt.
Thumbe	<i>Leucas aspera</i> (Willd.) Link	Wild jujube	<i>Zizyphus rugosa</i> Lamk.
Thunder lily	<i>Pancratium triflorum</i> Roxb.	Wild lime	<i>Atalantia monophylla</i> Corr.
Tinospora	<i>Tinospora cordifolia</i> (Willd.) Miers ex Hook. f. & Thoms.	Wild liquorice	<i>Abrus precatorius</i> L.
Tobacco	<i>Nicotiana tabacum</i> L.	Wild mustard	<i>Cleome viscosa</i> L.
Torpedo grass	<i>Panicum repens</i> L.	Wild plum	<i>Ximenia americana</i> L.
Touch-me-not	<i>Mimosa pudica</i> L.	Wild ridge gourd	<i>Luffa acutangula</i> (L.) Roxb.
Trailing eclipta	<i>Eclipta prostrata</i> (L.) L.	Wild sage	<i>Lantana camara</i> L.
Travancore sack tree	<i>Antiaria toxicaria</i> (Pers.) Lesch.	Wild turmeric	<i>Curcuma aromatica</i> Salisb.
Tree of heaven	<i>Ailanthus excelsa</i> Roxb.	Wind killer	<i>Clerodendrum multiflorum</i> (Burm. f.) O. Ktze.
Tulip tree	<i>Thespesia populnea</i> (L.) Soland ex Correa	Winter cherry	<i>Cardiospermum halicacabum</i> L.
Turmeric	<i>Curcuma longa</i> L.	Winter cherry	<i>Withania somnifera</i> (L.) Dunal
Turmeric wood	<i>Adina cordifolia</i> (Roxb.) Hook.	Wodier	<i>Lannea coromandelica</i> (Houtt.) Merr.
 Upas tree <i>Antiaria toxicaria</i> (Pers.) Lesch.		Wood apple	<i>Feronia elephantum</i> Correa
 Weaver's beam tree Wheat White babool White jute White leadwort White pavetta		Woodfordia	<i>Woodfordia fruticosa</i> (L.) Kurz
Weaver's beam tree	<i>Schrebera swietenoides</i> Roxb.	Worm killer	<i>Aristolochia bracteolata</i> Lam.
	<i>Triticum aestivum</i> L.	Wrinkled jujube	<i>Zizyphus rugosa</i> Lamk.
White babool	<i>Acacia leucophloea</i> Willd.		
White jute	<i>Corchorus capsularis</i> L.		
White leadwort	<i>Plumbago zeylanica</i> L.		
White pavetta	<i>Pavetta crassicaulis</i> Bremenk.		
 Yellow berried nightshade Yellow flowered cotton tree Yellow foxtail grass Yellow Mexican poppy Yellow teak Yellow zedoary		Yellow berried nightshade	<i>Solanum virginianum</i> L.
		Yellow flowered cotton tree	<i>Cochlospermum religiosum</i> (L.) Alston
		Yellow foxtail grass	<i>Setaria pallidefusca</i> (Schumach.) Stapf & C. E. Hubb.
		Yellow Mexican poppy	<i>Argemone mexicana</i> L.
		Yellow teak	<i>Adina cordifolia</i> (Roxb.) Hook.
		Yellow zedoary	<i>Curcuma aromatica</i> Salisb.

Hindi	Botanical Name	Hindi	Botanical Name
Aak	<i>Calotropis gigantea</i> (L.) R. Br. <i>Calotropis procera</i> (Ait.) R. Br.	Baans	<i>Pseudoxanthanthera ritcheyi</i> (Munro) <i>Naithani</i>
Aam	<i>Mangifera indica</i> L.	Babri	<i>Pseudoxanthanthera stocksii</i> (Munro) <i>Naithani</i>
Adrak	<i>Zingiber officinalis</i> Rosc.	Babul	<i>Eclipta prostrata</i> (L.) L.
Adulsa	<i>Justicia adhatoda</i> L.	Babur	<i>Acacia nilotica</i> (L.) Del.
Afim	<i>Papaver somniferum</i> L.	Babuyitulsi	<i>Acacia nilotica</i> (L.) Del.
Agumaki	<i>Melothria maderaspatica</i> (L.) Roem.	Bache	<i>Ocimum basilicum</i> L.
Aila	<i>Caesalpinia decapetala</i> (Roth) Alst.	Bad	<i>Acorus calamus</i> L.
Ainta	<i>Securinega leucopyrus</i> (Willd.) Muell.-Arg.	Badanjan	<i>Ficus benghalensis</i> L.
Ajwain	<i>Carum copticum</i> (L.) Hiern.	Badhara	<i>Solanum melongena</i> L.
Akad	<i>Calotropis procera</i> (Ait.) R. Br.	Badi indrayan	<i>Gmelina asiatica</i> L.
Akashbel	<i>Cuscuta reflexa</i> Roxb.	Badrang	<i>Citrullus colocynthis</i> (L.) Schr.
Akashgadda	<i>Corallocarpus epigaeus</i> (Rottl.) C. B. Cl.	Baikal	<i>Zanthoxylum rhetsa</i> (Roxb.) DC.
Akdo	<i>Calotropis procera</i> (Ait.) R. Br.	Baingan	<i>Maytenus senegalensis</i> (Lam.) Excell.
Alsi	<i>Linum usitatissimum</i> L.	Bajguriya	<i>Solanum melongena</i> L.
Amaltas	<i>Cassia fistula</i> L.	Bajra	<i>Bryonopsis laciniosa</i> (L.) Naud.
Amarabel	<i>Cuscuta reflexa</i> Roxb.	Bakali	<i>Pennisetum typhoideum</i> L.
Amba-haldi	<i>Curcuma amada</i> Roxb.	Ban kapas	<i>Anogeissus latifolia</i> (Roxb. ex DC.) Wall. ex Bedd.
Ambadi	<i>Hibiscus cannabinus</i> L.	Ban tulsi	<i>Thespesia lampas</i> (Cav.) Alef.
Amla	<i>Emblica officinalis</i> Gaertn.	Ban-nimbu	<i>Ocimum gratissimum</i> L.
Amli	<i>Tamarindus indica</i> L.	Banda	<i>Glycosmis pentaphylla</i> (Retz.) Correa
Ampli	<i>Tamarindus indica</i> L.	Bandar-ki-rakhi	<i>Viscum articulatum</i> Burm. f.
Amrita	<i>Tinospora cordifolia</i> (Willd.) Miers ex Hook. f. & Thoms.	Bankalmi	<i>Mimosa hamata</i> Willd.
Amrud	<i>Psidium guajava</i> L.	Banpals	<i>Ipomoea sepia</i> Roxb.
Anantamul	<i>Hemidesmus indicus</i> (L.) R. Br.	Bans	<i>Schrebera swietenoides</i> Roxb.
Angol	<i>Alangium salvifolium</i> (L. f.) Wang.	Bans keora	<i>Bambusa arundinacea</i> (Retz.) Willd.
Antamul	<i>Tylophora indica</i> (Burm. f.) Merrill	Bansa	<i>Agave americana</i> L.
Aparajita	<i>Clitoria ternatea</i> L.	Bara jauvar	<i>Justicia adhatoda</i> L.
Arabi	<i>Meyna laxiflora</i> Robyns	Bara nibu	<i>Zea mays</i> L.
Ardanda	<i>Capparis zeylanica</i> L.	Bara nimbu	<i>Citrus limon</i> (L.) Burm. f.
Arhar	<i>Cajanus cajan</i> (L.) Millsp.	Barabi	<i>Citrus aurantifolia</i> (Christm. & Panz.) Swingle
Arjun	<i>Terminalia arjuna</i> (Roxb. ex DC.) Wt. & Arn.	Bargat	<i>Entada purpurea</i> DC.
Arlu	<i>Oroxylum indicum</i> (L.) Vent.	Bari ara	<i>Ficus benghalensis</i> L.
Arvi	<i>Colocasia esculenta</i> (L.) Schott	Bari kasaumdi	<i>Sida acuta</i> Burm. f.
Asain	<i>Terminalia crenulata</i> Roth	Bari saunf	<i>Cassia occidentalis</i> L.
Asgandh	<i>Withania somnifera</i> (L.) Dunal	Baru	<i>Foeniculum vulgare</i> Mill.
Ashok	<i>Polyalthaea longifolia</i> (Sonn.) Thw.	Bashing	<i>Sorghum halepense</i> (L.) Pers.
Ashwagandha	<i>Withania somnifera</i> (L.) Dunal	Bastraa	<i>Justicia adhatoda</i> L.
Awal	<i>Cassia auriculata</i> L.	Bat	<i>Callicarpa tomentosa</i> (L.) Murr.
		Bedina	<i>Ficus benghalensis</i> L.
		Beheda	<i>Mussaenda glabrata</i> (Hook. f.) Hutch. ex Gamble
			<i>Terminalia belerica</i> (Gaertn.) Roxb.


Hindi	Botanical Name	Hindi	Botanical Name
Bel	<i>Aegle marmelos</i> (L.) Corr.	Chaval	<i>Oryza sativa</i> L.
Beli	<i>Hesperethusa crenulata</i> (Roxb.) Roem.	Chaya	<i>Aerva lanata</i> (L.) Juss. ex Schultes
Bemgsag	<i>Centella asiatica</i> (L.) Urban.	Cheena	<i>Panicum miliaceum</i> L.
Ber	<i>Zizyphus mauritiana</i> Lamk.	Chhanahri	<i>Ficus tinctoria</i> Forst.
Beri	<i>Zizyphus mauritiana</i> Lamk.	Chhatim	<i>Alstonia scholaris</i> (L.) R. Br.
Bhabhiramg	<i>Embelia ribes</i> Burm. f.	Chichimda	<i>Achyranthes aspera</i> L.
Bhaira	<i>Terminalia belerica</i> (Gaertn.) Roxb.	Chikti	<i>Triumfetta malabarica</i> Koen. ex Rottb.
Bhamgra	<i>Eclipta prostrata</i> (L.) L.	Chiku	<i>Acras zapota</i> L.
Bhand ber	<i>Zizyphus rugosa</i> Lamk.	Chilbil	<i>Holoptelea integrifolia</i> (Roxb.) Planch.
Bhendar	<i>Carvia callosa</i> (Wall.) Bremek.	Chir	<i>Pinus roxburghii</i> Sarg.
Bharangi	<i>Clerodendrum serratum</i> (L.) Moon	Chirchita	<i>Achyranthes aspera</i> L.
Bhatbhamt	<i>Argemone mexicana</i> L.	Chirouchi	<i>Buchanania lanza</i> Spreng.
Bhates	<i>Clerodendron infortunatum</i> auct. non L.	Chita	<i>Plumbago zeylanica</i> L.
Bhela	<i>Semecarpus anacardium</i> L. f.	Chitrai	<i>Plumbago zeylanica</i> L.
Bhilawa	<i>Semecarpus anacardium</i> L. f.	Chitrak	<i>Plumbago zeylanica</i> L.
Bhilaykand	<i>Ipomoea mauritiana</i> Jacq.	Chhota chirayita	<i>Enicostema axillare</i> (Lam.) Raynal
Bhilun	<i>Semecarpus anacardium</i> L. f.	Chhota halkkusa	<i>Leucas aspera</i> (Willd.) Link
Bhirri	<i>Chloroxylon swietenia</i> DC.	Churna	<i>Zizyphus rugosa</i> Lamk.
Bhivia	<i>Chloroxylon swietenia</i> DC.		
Bhogar	<i>Garuga pinnata</i> Roxb.		
Bhokar	<i>Cordia dichotoma</i> Forst. f.		
Bhringraj	<i>Eclipta prostrata</i> (L.) L.	Dadu	<i>Ficus tinctoria</i> Forst.
Bhuyikohada	<i>Ipomoea mauritiana</i> Jacq.	Dalme	<i>Securinega virosa</i> Pax & Hoffm.
Bia	<i>Pterocarpus marsupium</i> Roxb.	Debdari	<i>Polyalthea longifolia</i> (Sonn.) Thw.
Bijasal	<i>Pterocarpus marsupium</i> Roxb.	Deccani devdar	<i>Erythroxylon monogynum</i> Roxb.
Bijaura	<i>Citrus aurantifolia</i> (Christm. & Panz.) Swingle	Deshi awal	<i>Cassia auriculata</i> L.
Bilangra	<i>Flacourtie indica</i> (Burm. f.) Merr.	Dhak	<i>Butea monosperma</i> (Lamk.) Taub.
Binda	<i>Colebrookea oppositifolia</i> Sm.	Dhaman	<i>Grewia tiliacefolia</i> Vahl.
Bindu	<i>Colebrookea oppositifolia</i> Sm.	Dhamni	<i>Grewia tiliacefolia</i> Vahl.
Birhatta	<i>Solanum anguivi</i> Lam.	Dhan	<i>Oryza sativa</i> L.
Bislambi	<i>Cucumis trigonus</i> L.	Dhana	<i>Coriandrum sativum</i> L.
Bistendu	<i>Diospyros montana</i> Roxb.	Dhatura	<i>Datura metel</i> L.
Brahmamanduki	<i>Centella asiatica</i> (L.) Urban.	Dhaura	<i>Anogeissus latifolia</i> (Roxb. ex DC.) Wall. ex Bedd.
Budu	<i>Viscum articulatum</i> Burm. f.	Dhava	<i>Anogeissus latifolia</i> (Roxb. ex DC.) Wall. ex Bedd.
		Dhawi	<i>Woodfordia fruticosa</i> (L.) Kurz
		Dhwala	<i>Woodfordia fruticosa</i> (L.) Kurz
		Dhay	<i>Woodfordia fruticosa</i> (L.) Kurz
		Dhela	<i>Alangium salvifolium</i> (L. f.) Wang.
		Dhera	<i>Alangium salvifolium</i> (L. f.) Wang.
		Dhewtie	<i>Woodfordia fruticosa</i> (L.) Kurz
		Dikamali	<i>Gardenia resinifera</i> Roth
		Dori	<i>Leptadenia reticulata</i> Wt. & Arn.
		Duthi	<i>Cynodon dactylon</i> (L.) Pers.
			<i>Holarrhena pubescens</i> (Buch.-Ham.) Wall. ex G. Don.

C

Chai                   *Camellia sinensis* L. (Kuntze)  
 Chakunda           *Cassia tora* L.  
 Chakvan           *Cassia tora* L.  
 Champa           *Plumeria rubra* L.  
 Chana           *Cicer arietinum* L.  
 Charas           *Cannabis sativa* L.  
 Chattiyan           *Alstonia scholaris* (L.) R. Br.  
 Chaturang           *Lantana camara* L.


D




Dadu  
 Dalme  
 Debdari  
 Deccani devdar  
 Deshi awal  
 Dhak  
 Dhaman  
 Dhamni  
 Dhan  
 Dhania  
 Dhatura  
 Dhaura  
 Dhava  
 Dhawi  
 Dhwala  
 Dhay  
 Dhela  
 Dhera  
 Dhewtie  
 Dikamali  
 Dori  
 Duthi

Hindi	Botanical Name	Hindi	Botanical Name
Dudhi	<i>Wrightia tinctoria</i> Br.	Goja kantemath	<i>Amaranthus spinosus</i> L.
Dudhi (kali)	<i>Ichnocarpus frutescens</i> (L.) R. Br.	Gokharu	<i>Tribulus terrestris</i> L.
Dudhi (lal)	<i>Euphorbia hirta</i> L.	Goki	<i>Schrebera swietenioides</i> Roxb.
Duk	<i>Anacardium occidentale</i> L.	Gonacha	<i>Mucuna pruriens</i> (L.) DC.
Durba	<i>Cynodon dactylon</i> (L.) Pers.	Gondi	<i>Cordia dichotoma</i> Forst. f.
		Gopurchampa	<i>Plumeria rubra</i> L.
Erand	<i>Ricinus communis</i> L.	Gorakhganja	<i>Aerva lanata</i> (L.) Juss. ex Schultes
Erandi	<i>Ricinus communis</i> L.	Gorbache	<i>Acorus calamus</i> L.
		Goti	<i>Zizyphus xylopyra</i> (Retz.) Willd.
Gabdi	<i>Cochlospermum religiosum</i> (L.) Alston	Gubal	<i>Alysicarpus longifolius</i> (Rottl. ex Spreng.) Wt. & Arn.
Gajara	<i>Cochlospermum religiosum</i> (L.) Alston	Gudmar	<i>Gymnema sylvestre</i> (Retz.) R. Br.
Gahat	<i>Dolichos biflorus</i> L.	Gudrisag	<i>Alternanthera sessilis</i> (L.) R. Br. ex DC.
Gal phule	<i>Cyathoclone purpurea</i> (Buch.-Ham. ex D. Don) O. Ktze.	Gulancha	<i>Tinospora cordifolia</i> (Willd.) Miers ex Hook. f. & Thoms.
Gamari	<i>Gmelina arborea</i> Roxb.	Gunchachi	<i>Abrus precatorius</i> L.
Gambhari	<i>Gmelina arborea</i> Roxb.	Gunchi	<i>Abrus precatorius</i> L.
Gandh babul	<i>Acacia farnesiana</i> (L.) Willd.	Gunkar	<i>Themeda quadrivalvis</i> (L.) O. Ktze.
Gandhattrina	<i>Cymbopogon citratus</i> (DC.) Stapf	Gwar	<i>Cyamopsis tetragonoloba</i> (L.) Taub.
Ganja	<i>Cannabis sativa</i> L.		
Ganna	<i>Saccharum officinarum</i> L.	Hadjod	<i>Cissus quadrangularis</i> L.
Gantha	<i>Schrebera swietenioides</i> Roxb.	Hadjora	<i>Cissus quadrangularis</i> L.
Garari	<i>Cleistanthus collinus</i> (Roxb.) Bth. ex Hook. f.	Haldawu	<i>Adina cordifolia</i> (Roxb.) Hook.
Garbi jaun	<i>Litsea glutinosa</i> (Lour.) Robins.	Haldi	<i>Curcuma longa</i> L.
Gargunaru	<i>Bryonopsis laciniosa</i> (L.) Naud.	Haldu	<i>Adina cordifolia</i> (Roxb.) Hook.
Gehu	<i>Triticum aestivum</i> L.	Harad	<i>Terminalia chebula</i> Retz.
Genda	<i>Tagetes erecta</i> L.	Harara	<i>Terminalia chebula</i> Retz.
Gethi	<i>Dioscorea bulbifera</i> L.	Hardu	<i>Adina cordifolia</i> (Roxb.) Hook.
Ghaneri	<i>Lantana camara</i> L.	Harra	<i>Terminalia chebula</i> Retz.
Ghansari	<i>Croton roxburghii</i> Balakr.	Harsingar	<i>Nyctanthes arbor-tristis</i> L.
Ghansur	<i>Croton roxburghii</i> Balakr.	Hartto	<i>Securinega leucopyrus</i> (Willd.) Muell.-Arg.
Ghikumar	<i>Aloe vera</i> (L.) Burm. f.	Hattasura	<i>Heliotropium indicum</i> L.
Ghikumari	<i>Aloe vera</i> (L.) Burm. f.	Hawar	<i>Dolichandrone falcata</i> (Wall. ex DC.) Seem.
Ghodlimb	<i>Ailanthus excelsa</i> Roxb.	Hejurchei	<i>Leonotis nepetifolia</i> (L.) R. Br.
Ghoolar	<i>Ficus racemosa</i> L.	Hena	<i>Lawsonia inermis</i> L.
Ghunghunian	<i>Crotalaria retusa</i> L.	Hing	<i>Ferula asafoetida</i> L.
Ghurgia	<i>Gardenia turgida</i> Roxb.	Hingan	<i>Balanites aegyptiaca</i> (L.) Del.
Giloy	<i>Tinospora cordifolia</i> (Willd.) Miers ex Hook. f. & Thoms.	Hulhul	<i>Cleome viscosa</i> L.
Girimala	<i>Cassia fistula</i> L.	Hurhur	<i>Cleome viscosa</i> L.
Gobhi	<i>Elephantopus scaber</i> L.		
Gobla	<i>Ficus hispida</i> L. f.		

Hindi	Botanical Name	Hindi	Botanical Name
I		K	
Imli	<i>Tamarindus indica</i> L.	Kachri	<i>Holarrhena pubescens</i> (Buch.-Ham.) Wall. ex G. Don.
Indrayan	<i>Citrullus colocynthis</i> (L.) Schr.	Kaddu	<i>Cucurbita maxima</i> Duchesne
Ingudi	<i>Ximenia americana</i> L.	Kadipatta	<i>Murraya koenigii</i> (L.) Spreng.
Isarmul	<i>Aristolochia indica</i> L.	Kahu	<i>Terminalia arjuna</i> (Roxb. ex DC.) Wt. & Arn.
Isvarmul	<i>Aristolochia indica</i> L.	Kahua	<i>Terminalia arjuna</i> (Roxb. ex DC.) Wt. & Arn.
J		Kajra	<i>Strychnos nux-vomica</i> L.
Jaiphal	<i>Myristica fragrans</i> Houtt.	Kaju	<i>Anacardium occidentale</i> L.
Jakhm-e-hayat	<i>Kalanchoe pinnata</i> (Lamk.) Pers.	Kakarundah	<i>Grewia hirsuta</i> Vahl.
Jaljamni	<i>Cocculus hirsutus</i> (L.) Diels.	Kaksa	<i>Momordica dioica</i> Roxb. ex Willd.
Jaman	<i>Syzygium cumini</i> (L.) Skeels	Kal ber	<i>Zizyphus xylopyra</i> (Retz.) Willd.
Jambhal	<i>Syzygium cumini</i> (L.) Skeels	Kala dhattura	<i>Datura metel</i> L.
Jambira	<i>Citrus limon</i> (L.) Burm. f.	Kala sirish	<i>Albizia odoratissima</i> (L. f.) Benth.
Jamti-ki-bel	<i>Cocculus hirsutus</i> (L.) Diels.	Kala til	<i>Guizotia abyssinica</i> (L. f.) Cass.
Jamun	<i>Syzygium cumini</i> (L.) Skeels	Kala tulsi	<i>Ocimum tenuiflorum</i> L.
Jangi gobi	<i>Launaea procumbens</i> (Roxb.) Ram. Raj.	Kalamagh	<i>Andrographis paniculata</i> (Burm. f.) Wall. ex Nees
Jasum	<i>Hibiscus rosa-sinensis</i> L.	Kalameti	<i>Andrographis paniculata</i> (Burm. f.) Wall. ex Nees
Jasund	<i>Antiaris toxicaria</i> (Pers.) Lesch.	Kali dudhi	<i>Ichnocarpus frutescens</i> (L.) R. Br.
Jasut	<i>Hibiscus rosa-sinensis</i> L.	Kali mirch	<i>Piper nigrum</i> L.
Jau	<i>Hordeum vulgare</i> L.	Kali musli	<i>Curculigo orchioides</i> Gaertn.
Java	<i>Hibiscus rosa-sinensis</i> L.	Kali tori	<i>Luffa acutangula</i> (L.) Roxb.
Jawar	<i>Sorghum vulgare</i> Pers.	Kalikar	<i>Garuga pinnata</i> Roxb.
Jeera	<i>Cuminum cyminum</i> L.	Kalpanath	<i>Andrographis paniculata</i> (Burm. f.) Wall. ex Nees
Jhangora	<i>Echinochloa colona</i> (L.) Link	Kamguni	<i>Setaria italica</i> (L.) Beauv.
Jhanijhora	<i>Bauhinia racemosa</i> Lamk.	Kanchu	<i>Flacourtiea indica</i> (Burm. f.) Merr.
Jhaura	<i>Tamarix ericoides</i> Rottl.	Kaner	<i>Nerium indicum</i> Mill.
Jhingan	<i>Lannea coromandelica</i> (Houtt.) Merr.	Kangia	<i>Lepidagathis cristata</i> Willd.
Jhinjeri	<i>Bauhinia racemosa</i> Lamk.	Kanju	<i>Holoptelea integrifolia</i> (Roxb.) Planch.
Jhungra	<i>Echinochloa colona</i> (L.) Link	Kanphuti	<i>Cardiospermum halicacabum</i> L.
Joar	<i>Sorghum vulgare</i> Pers.	Kanta bans	<i>Bambusa arundinacea</i> (Retz.) Willd.
Jungle indrayan	<i>Cucumis trigonus</i> L.	Kanta bohul	<i>Xantolis tomentosa</i> (Roxb.) Rafin.
Jungle jalebi	<i>Pithecellobium dulce</i> Benth.	Kanthari	<i>Capparis sepiaria</i> L.
Jungli bajri	<i>Typha angustifolia</i> L.	Kanti	<i>Acanthospermum hispidum</i> DC.
Jungli chachinda	<i>Trichosanthes cucumerina</i> L.	Kapalphot	<i>Cardiospermum halicacabum</i> L.
Jungli gailia	<i>Alysicarpus longifolius</i> (Rottl. ex Spreng.) Wt. & Arn.	Kapas	<i>Gossypium herbaceum</i> L.
Jungli haldi	<i>Curcuma aromatica</i> Salisb.	Kapasi	<i>Helicteres isora</i> L.
Jungli keli	<i>Ensete superbum</i> (Roxb.) Chees.	Kapur	<i>Cinnamomum camphora</i> (L.) Presl.
Jungli lakuch	<i>Antiaris toxicaria</i> (Pers.) Lesch.	Karamba	<i>Gardenia turgida</i> Roxb.
Jungli math	<i>Vigna trilobata</i> Verdcourt	Karanja	<i>Pongamia pinnata</i> (L.) Pierre
Jungli nimbu	<i>Atalanitia monophylla</i> Corr.	Karanta	<i>Cryptolepis buchanani</i> Roem. & Schult.
Jungli padval	<i>Trichosanthes cucumerina</i> L.		
Jungli pikvam	<i>Tylophora indica</i> (Burm. f.) Merrill		
Jungli turai	<i>Luffa acutangula</i> (L.) Roxb.		
Jutak	<i>Pergularia daemia</i> (Forssk.) Chiov.		

Hindi	Botanical Name	Hindi	Botanical Name
Karaunda	<i>Carissa congesta</i> Wight	Kodra	<i>Paspalum scrobiculatum</i> L.
Karela	<i>Momordica charantia</i> L.	Koira	<i>Holarrhena pubescens</i> (Buch.-Ham.) Wall. ex G. Don.
Kareli	<i>Momordica charantia</i> L.	Kokum	<i>Garcinia indica</i> (Du Petit-Thou.) Choisy
Kareta	<i>Sida acuta</i> Burm. f.	Konpal	<i>Euphorbia tirucalli</i> L.
Karihari	<i>Gloriosa superba</i> L.	Kreat	<i>Andrographis paniculata</i> (Burm. f.) Wall. ex Nees
Kasaumdi	<i>Cassia occidentalis</i> L.	Krishna tulsi	<i>Ocimum tenuiflorum</i> L.
Kat gular	<i>Ficus hispida</i> L. f.	Kuchchla	<i>Strychnos nux-vomica</i> L.
Kat guleriya	<i>Ficus hispida</i> L. f.	Kudki	<i>Dolichos biflorus</i> L.
Kat karanja	<i>Caesalpinia bonduc</i> (L.) Roxb.	Kukaraundha	<i>Blumea lacera</i> (Burm. f.) DC.
Kat nim	<i>Murraya koenigii</i> (L.) Spreng.	Kulanjan	<i>Alpinia galanga</i> (L.) Swartz
Kat vinayi	<i>Enicostema axillare</i> (Lam.) Raynal	Kulinjan	<i>Alpinia galanga</i> (L.) Swartz
Kateli	<i>Solanum virginianum</i> L.	Kulthi	<i>Dolichos biflorus</i> L.
Kathal	<i>Artocarpus heterophyllus</i> Lamk.	Kumbhi	<i>Careya arborea</i> Roxb.
Kathbel	<i>Feronia elephantum</i> Correa	Kumeria	<i>Heteropogon contortus</i> (L.) P. Beaur. ex R. & S.
Kattay	<i>Solanum virginianum</i> L.	Kundru	<i>Coccinia grandis</i> (L.) Voigt
Kaunch	<i>Mucuna pruriens</i> (L.) DC.	Kundur	<i>Boswellia serrata</i> Roxb.
Kawanch	<i>Mucuna pruriens</i> (L.) DC.	Kura	<i>Holarrhena pubescens</i> (Buch.-Ham.) Wall. ex G. Don.
Kebu	<i>Costus speciosus</i> (Koenig ex Retz.) J. E. Smith	Kust	<i>Costus speciosus</i> (Koenig ex Retz.) J. E. Smith
Kela	<i>Musa paradisiaca</i> L.	Kutki	<i>Panicum sumatrense</i> Roth. ex Roem. & Schult.
Kendu	<i>Diospyros melanoxylon</i> Roxb.	L	
Keura	<i>Pandanus odoratissimus</i> L. f.	Lahsun	<i>Allium sativum</i> L.
Kewda	<i>Pandanus odoratissimus</i> L. f.	Lajjalu	<i>Biophytum sensitivum</i> (L.) DC.
Keyu	<i>Costus speciosus</i> (Koenig ex Retz.) J. E. Smith	Lajvanti	<i>Mimosa pudica</i> L.
Khadsampal	<i>Canavalia gladiata</i> (Jacq.) DC.	Lakshan	<i>Bryonopsis laciniosa</i> (L.) Naud.
Khair	<i>Acacia catechu</i> (L. f.) Willd.	Lakshmana	<i>Biophytum sensitivum</i> (L.) DC.
Khaja	<i>Bridelia retusa</i> (L.) Spreng.	Lal ambari	<i>Hibiscus sabdariffa</i> L.
Khaji	<i>Phoenix sylvestris</i> (L.) Roxb.	Lal chandan	<i>Pterocarpus santalinus</i> L.
Khajur	<i>Phoenix sylvestris</i> (L.) Roxb.	Lal indrayan	<i>Trichosanthes tricuspidata</i> Lour.
Khal muriya	<i>Tridax procumbens</i> L.	Lal kudusumpal	<i>Canavalia gladiata</i> (Jacq.) DC.
Khangi	<i>Abutilon indicum</i> (L.) Sweet	Lal mirchi	<i>Capsicum annuum</i> L.
Kharenta	<i>Sida acuta</i> Burm. f.	Languli	<i>Gloriosa superba</i> L.
Kharpat	<i>Garuga pinnata</i> Roxb.	Lasan	<i>Allium sativum</i> L.
Khejri	<i>Prosopis cineraria</i> (L.) Druce	Lasura	<i>Cordia dichotoma</i> Forst. f.
Kher	<i>Heteropogon contortus</i> (L.) P. Beauv. ex R. & S.	Latjira	<i>Achyranthes aspera</i> L.
Kheri	<i>Dichrostachys cinerea</i> (L.) Wt. & Arn.	Laung	<i>Syzygium aromaticum</i> L. Merr. et Perry
Khirni	<i>Wrightia tinctoria</i> Br.	Leebu	<i>Citrus aurantifolia</i> (Christm. & Panz.) Swingle
Khuskhush	<i>Papaver somniferum</i> L.	Lendia	<i>Lagerstroemia parviflora</i> Roxb.
Kiramar	<i>Aristolochia bracteolata</i> Lam.		
Kirkich	<i>Caesalpinia decapetala</i> (Roth) Alst.		
Kitamar	<i>Aristolochia bracteolata</i> Lam.		
Kivach	<i>Mucuna pruriens</i> (L.) DC.		
Kiwanch	<i>Mucuna pruriens</i> (L.) DC.		
Kochi	<i>Acacia sinuata</i> (Lour.) Merr.		
Kodo	<i>Eleusine coracana</i> (L.) Gaertn.		
Kodo	<i>Paspalum scrobiculatum</i> L.		



Hindi	Botanical Name	Hindi	Botanical Name
Liptti	<i>Mimosa hamata</i> Willd.	Mugam	<i>Vigna trilobata</i> Verdcourt
Lobiya	<i>Vigna unguiculata</i> subspecies <i>cylindrica</i> (L.) van Eseltine	Mundi	<i>Mimosa hamata</i> Willd.
Lohar	<i>Diospyros montana</i> Roxb.	Mundi	<i>Sphaeranthus indicus</i> L.
		Mungana	<i>Moringa oleifera</i> Lam.
Madar	<i>Calotropis gigantea</i> (L.) R. Br.	Mungi	<i>Vigna trilobata</i> Verdcourt
Maduva	<i>Eleusine coracana</i> (L.) Gaertn.	Mungphali	<i>Arachis hypogaea</i> L.
Magrabu	<i>Hemidesmus indicus</i> (L.) R. Br.	Musli	<i>Curculigo orchoides</i> Gaertn.
Maha neem	<i>Melia dubia</i> Cav.	Mutti	<i>Trigonella foenum-graecum</i> L.
Mahakal	<i>Trichosanthes tricuspidata</i> Lour.	Muyuna	<i>Meyna laxiflora</i> Robyns
Maharukh	<i>Ailanthus excelsa</i> Roxb.		
Mahua	<i>Madhuca longifolia</i> (Koen.) MacBride	Nagarmotha	<i>Cyperus rotundus</i> L.
Mainphal	<i>Randia spinosa</i> Poir.	Nakara	<i>Ximenia americana</i> L.
Makad limbu	<i>Atlantia racemosa</i> Wight	Nakchikni	<i>Wattakaka volubilis</i> (L. f.) Stapf
Makai	<i>Zizyphus oenoplia</i> (L.) Mill.	Nala	<i>Lobelia nicotianaefolia</i> Roth ex Roem. & Schult.
Makhi	<i>Phyllanthus reticulatus</i> Poir.	Nariyal	<i>Cocos nucifera</i> L.
Makka	<i>Zea mays</i> L.	Neem	<i>Azadirachta indica</i> A. Juss.
Makkal	<i>Citrullus colocynthis</i> (L.) Schr.	Nelmal	<i>Strychnos potatorum</i> L. f.
Makra	<i>Dactyloctenium aegyptium</i> Beauv.	Neori	<i>Setaria pallidefusca</i> (Schumach.) Stapf & C. E. Hubb.
Malkangani	<i>Celastrus paniculatus</i> Willd.	Nibu	<i>Citrus aurantifolia</i> (Christm. & Panz.) Swingle
Malkunki	<i>Celastrus paniculatus</i> Willd.	Nimbu	<i>Citrus aurantifolia</i> (Christm. & Panz.) Swingle
Mandara	<i>Erythrina variegata</i> L.	Ningori	<i>Vitex negundo</i> L.
Mandva	<i>Eleusine coracana</i> (L.) Gaertn.	Nirgandi	<i>Vitex negundo</i> L.
Mari	<i>Caryota urens</i> L.	Nirmali	<i>Strychnos potatorum</i> L. f.
Marodphali	<i>Helicteres isora</i> L.	Nisinda	<i>Vitex negundo</i> L.
Maror phal	<i>Helicteres isora</i> L.		
Marvel	<i>Dicanthium annulatum</i> (Forssk.) Stapf	Odhul	<i>Hibiscus rosa-sinensis</i> L.
Masur	<i>Lens culinaris</i> Medic.		
Matar	<i>Pisum sativum</i> L.	Paan	<i>Piper betel</i> L.
Matar (kala)	<i>Pisum arvense</i> L.	Pahari nimbu	<i>Citrus limon</i> (L.) Burm. f.
Mehendi	<i>Lawsonia inermis</i> L.	Palash	<i>Butea monosperma</i> (Lamk.) Taub.
Merasimgi	<i>Gymnema sylvestre</i> (Retz.) R. Br.	Palash lata	<i>Butea superba</i> Roxb.
Methi	<i>Trigonella foenum-graecum</i> L.	Pancholi	<i>Phyllanthus reticulatus</i> Poir.
Mitha alu	<i>Ipomoea batatas</i> (L.) Lam.	Pani-ki-samhalu	<i>Vitex trifolia</i> L.
Mitha indrajav	<i>Wrightia tinctoria</i> Br.	Panjoli	<i>Phyllanthus reticulatus</i> Poir.
Mitha kaddu	<i>Cucurbita maxima</i> Duchesne	Pansra	<i>Colebrookea oppositifolia</i> Sm.
Mitha neem	<i>Murraya koenigii</i> (L.) Spreng.		
Mochkand	<i>Eclipta prostrata</i> (L.) L.		
Mohwa	<i>Madhuca longifolia</i> (Koen.) MacBride		
Moka	<i>Schrebera swietenioidea</i> Roxb.		
Moong	<i>Vigna radiata</i> (L.) R. Wilczek		
Moth	<i>Vigna aconitifolia</i> (Jacq.) Marechal		
Motha	<i>Cyperus rotundus</i> L.		
Mrema	<i>Hugonia mystax</i> L.		
Mudra	<i>Abutilon indicum</i> (L.) Sweet		

Hindi	Botanical Name	Hindi	Botanical Name
Papari	<i>Pavetta crassicaulis</i> Bremenk.	Rakta rohidi	<i>Chloroxylon swietenia</i> DC.
Papaya	<i>Carica papaya</i> L.	Ram bans	<i>Agave</i> species
Papita	<i>Carica papaya</i> L.	Ram datun	<i>Smilax zeylanica</i> L.
Papra	<i>Gardenia latifolia</i> Aiton	Ram til	<i>Guizotia abyssinica</i> (L. f.) Cass.
Papri	<i>Bauhinia racemosa</i> Lamk.	Ram tulsi	<i>Ocimum gratissimum</i> L.
Papura	<i>Gardenia latifolia</i> Aiton	Ramphal	<i>Annona reticulata</i> L.
Paraspipal	<i>Thespesia populnea</i> (L.) Soland ex Correa	Ratti	<i>Abrus precatorius</i> L.
Parijat	<i>Nyctanthes arbor-tristis</i> L.	Reda	<i>Panicum repens</i> L.
Parsipa	<i>Thespesia populnea</i> (L.) Soland ex Correa	Remgani	<i>Solanum virginianum</i> L.
Parwa	<i>Heteropogon contortus</i> (L.) P. Beauv. ex R. & S.	Ritha	<i>Sapindus emarginatus</i> Vahl.
Patalagarudi	<i>Cocculus hirsutus</i> (L.) Diels.	Ritta	<i>Sapindus laurifolius</i> Vahl.
Patera	<i>Typha angustifolia</i> L.	Roel	<i>Combretum decandrum</i> Roxb.
Patha	<i>Kydia calycina</i> Roxb.	Rohan	<i>Soymida febrifuga</i> (Roxb.) A. Juss.
Patwa	<i>Hibiscus sabdariffa</i> L.	Rurel	<i>Combretum decandrum</i> Roxb.
Paunda	<i>Saccharum officinarum</i> L.		
Pawana	<i>Sehima sulcatum</i> (Hack.) A. Camus	Safed babul	<i>Acacia leucophloea</i> Willd.
Pharamgi dhattura	<i>Argemone mexicana</i> L.	Safed murga	<i>Celosia argentea</i> L.
Pharkhat	<i>Oroxylum indicum</i> (L.) Vent.	Safed samhalu	<i>Vitex trifolia</i> L.
Pharri	<i>Oroxylum indicum</i> (L.) Vent.	Sagaun	<i>Tectona grandis</i> L. f.
Pilikapas	<i>Cochlospermum religiosum</i> (L.) Alston	Sagovani	<i>Pergularia daemia</i> (Forssk.) Chiow.
Pipar	<i>Ficus religiosa</i> L.	Sagwan	<i>Tectona grandis</i> L. f.
Piplamul	<i>Piper longum</i> L.	Sainjna	<i>Moringa oleifera</i> Lam.
Pipli	<i>Ficus religiosa</i> L.	Saittan-ka-jat	<i>Alstonia scholaris</i> (L.) R. Br.
Pippal	<i>Ficus religiosa</i> L.	Saja	<i>Terminalia crenulata</i> Roth.
Pirun	<i>Clerodendrum multiflorum</i> (Burm. f.) O. Krze.	Sakkarkand	<i>Ipomoea batatas</i> (L.) Lam.
Pitti	<i>Ventilago calyculata</i> Tul.	Salai	<i>Boswellia serrata</i> Roxb.
Piyar	<i>Buchanania lanza</i> Spreng.	Samhalu	<i>Vitex negundo</i> L.
Ponai	<i>Apluda mutica</i> L.	Samudraphal	<i>Baringtonia acutangula</i> (L.) Gaertn.
Ponai	<i>Sehima sulcatum</i> (Hack.) A. Camus	Sangri	<i>Prosopis cineraria</i> (L.) Druce
Pula	<i>Kydia calycina</i> Roxb.	Sankru	<i>Coix lacryma-jobi</i> L.
Puli	<i>Kydia calycina</i> Roxb.	Sannai	<i>Crotalaria juncea</i> L.
Pullung	<i>Heterophragma quadriloculare</i> (Roxb.) K. Schum.	Sant	<i>Boerhavia diffusa</i> L.
Pundiya	<i>Saccharum officinarum</i> L.	Saonjna	<i>Moringa oleifera</i> Lam.
Punir	<i>Withania somnifera</i> (L.) Dunal	Sapota	<i>Ahras zapota</i> L.
Pyaz	<i>Allium cepa</i> L.	Sarab-ki-kikar	<i>Acacia leucophloea</i> Willd.
Rai	<i>Brassica juncea</i> (L.) Czern. & Coss.	Sarphomka	<i>Tephrosia purpurea</i> (L.) Pers.
Rai	<i>Brassica nigra</i> (L.) Koch	Sarson	<i>Brassica nigra</i> (L.) Koch
Rakhalkalai	<i>Vigna trilobata</i> Verdcourt	Satala	<i>Acacia sinuata</i> (Lour.) Merr.
Rakta chandan	<i>Pterocarpus santalinus</i> L.	Satarvar	<i>Asparagus racemosus</i> Willd.
		Satu	<i>Hordeum vulgare</i> L.
		Saubhalu	<i>Vitex negundo</i> L.
		Sedwa	<i>Sehima nervosum</i> (Roth) Stapf
		Sehundi	<i>Euphorbia tirucalli</i> L.
		Seja	<i>Lagerstroemia parviflora</i> Roxb.
		Sem	<i>Dolichos lablab</i> L.



R





Hindi	Botanical Name	Hindi	Botanical Name
Semal	<i>Bombax ceiba</i> L.	Thor	<i>Euphorbia ligularia</i> Roxb.
Semul	<i>Bombax ceiba</i> L.	Thuhar	<i>Euphorbia ligularia</i> Roxb.
Senhur	<i>Euphorbia ligularia</i> Roxb.	Til	<i>Sesamum orientale</i> L.
Shahjira	<i>Carum carvi</i> L.	Tisi	<i>Linum usitatissimum</i> L.
Shanta	<i>Vigna unguiculata</i> subspecies <i>cylindrica</i> (L.) van Eseltine	Titabhamt	<i>Clerodendron infortunatum</i> auct. non L.
Shariffa	<i>Annona squamosa</i> L.	Titapat	<i>Corchorus capsularis</i> L.
Shatamuli	<i>Asparagus racemosus</i> Willd.	Toom	<i>Garuga pinnata</i> Roxb.
Sheora	<i>Streblus asper</i> Lour.	Tori	<i>Luffa acutangula</i> (L.) Roxb.
Shinar	<i>Securinega leucopyrus</i> (Willd.) Muell.-Arg.		
Shiris	<i>Albizia lebbeck</i> (L.) Willd.	<b>U</b>	
Shivalingi	<i>Bryonopsis laciniosa</i> (L.) Naud.	Umar	<i>Ficus racemosa</i> L.
Shiwali	<i>Vitex negundo</i> L.	Umtao	<i>Antidesma ghaesembilla</i> Gaertn.
Shyona	<i>Oroxylum indicum</i> (L.) Vent.	Urad	<i>Vigna mungo</i> (L.) Hepper
Sihora	<i>Streblus asper</i> Lour.	Uravvan	<i>Indigofera glandulosa</i> Wendl.
Siris	<i>Albizia lebbeck</i> (L.) Willd.	Urni	<i>Clerodendrum multiflorum</i> (Burm. f.) O. Ktze.
Sirisha	<i>Albizia lebbeck</i> (L.) Willd.	Utaran	<i>Pergularia daemia</i> (Forssk.) Chiov.
Siriyyari	<i>Heliotropium indicum</i> L.		
Sirphal	<i>Aegle marmelos</i> (L.) Corr.	<b>V</b>	
Sisam	<i>Dalbergia sissoo</i> Roxb.	Vayvidamg	<i>Embelia ribes</i> Burm. f.
Sisham	<i>Dalbergia latifolia</i> Roxb.	Vijayasar	<i>Pterocarpus marsupium</i> Roxb.
Sissu	<i>Dalbergia sissoo</i> Roxb.	Vilayati babul	<i>Acacia farnesiana</i> (L.) Willd.
Sitaphal	<i>Cucurbita maxima</i> Duchesne	Vilayati imli	<i>Pithecellobium dulce</i> Benth.
Sodaro	<i>Ficus tinctoria</i> Forst.	Visarikand	<i>Pueraria tuberosa</i> DC.
Sonapatha	<i>Oroxylum indicum</i> (L.) Vent.	Vurtulli	<i>Dichrostachys cinerea</i> (L.) Wt. & Arn.
Soonth	<i>Zingiber officinalis</i> Rosc.		
Sultan champa	<i>Calophyllum inophyllum</i> L.	<b>W</b>	
Supari	<i>Areca catechu</i> L.	Warras	<i>Heterophragma quadriloculare</i> (Roxb.) K. Schum.
Sura	<i>Heteropogon contortus</i> (L.) P. Beauv. ex R. & S.	Wat	<i>Ficus benghalensis</i> L.
Surguja	<i>Guizotia abyssinica</i> (L. f.) Cass.		
Surpan	<i>Calophyllum inophyllum</i> L.	<b>Y</b>	
Surpunka	<i>Calophyllum inophyllum</i> L.	Yukeliptas	<i>Eucalyptus</i> species
<b>T</b>			
Tal	<i>Borassus flabellifer</i> L.	<b>Z</b>	
Talmakhana	<i>Asteracantha longifolia</i> (L.) Nees	Zeera	<i>Cuminum cyminum</i> L.
Tamaku	<i>Nicotiana tabacum</i> L.		
Tambaku	<i>Nicotiana tabacum</i> L.		
Tar	<i>Borassus flabellifer</i> L.		
Tarali	<i>Melothria heterophylla</i> (Lour.) Cogn.		
Tarwar	<i>Cassia auriculata</i> L.		
Tavi	<i>Woodfordia fruticosa</i> (L.) Kurz		
Tendu	<i>Diospyros melanoxylon</i> Roxb.		
Thanela	<i>Gardenia turgida</i> Roxb.		



Marathi	Botanical Name	Marathi	Botanical Name
Aahin	<i>Terminalia crenulata</i> Roth	Babhl	<i>Acacia nilotica</i> (L.) Del.
Abai	<i>Hugonia mystax</i> L.	Badishep	<i>Foeniculum vulgare</i> Mill.
Abey vel	<i>Canavalia gladiata</i> (Jacq.) DC.	Bahava	<i>Cassia fistula</i> L.
Adharvel	<i>Cuscuta reflexa</i> Roxb.	Bai nirgudi	<i>Vitex negundo</i> L.
Adulsa	<i>Justicia adhatoda</i> L.	Bail kolzan	<i>Alpinia galanga</i> (L.) Swartz
Aghada	<i>Achyranthes aspera</i> L.	Bajri	<i>Pennisetum typhoideum</i> L.
Agya bond	<i>Leonotis nepetifolia</i> (L.) R. Br.	Bakri-cha-pala	<i>Sphaeranthus indicus</i> L.
Agya buti	<i>Leonotis nepetifolia</i> (L.) R. Br.	Bala	<i>Sida acuta</i> Burm. f.
Ain	<i>Terminalia crenulata</i> Roth	Baman	<i>Colebrookea oppositifolia</i> Sm.
Aisar	<i>Callicarpa tomentosa</i> (L.) Murr.	Banda	<i>Viscum articulatum</i> Burm. f.
Akola	<i>Alangium salvifolium</i> (L. f.) Wang.	Bandgul	<i>Dendrophthoe falcata</i> (L. f.) Etting
Ale	<i>Zingiber officinalis</i> Rosc.	Baramdandi	<i>Leonotis nepetifolia</i> (L.) R. Br.
Alu (herb)	<i>Colocasia esculenta</i> (L.) Schott	Barbada	<i>Indigofera glandulosa</i> Wendl.
Alu (tree)	<i>Meyna laxiflora</i> Robyns	Barkawalichi-muli	<i>Hemidesmus indicus</i> (L.) R. Br.
Alvi	<i>Meyna laxiflora</i> Robyns	Bedki-cha-pala	<i>Gymnema sylvestre</i> (Retz.) R. Br.
Amarvel	<i>Cuscuta reflexa</i> Roxb.	Beheda	<i>Terminalia belerica</i> (Gaertn.) Roxb.
Amba	<i>Mangifera indica</i> L.	Bel	<i>Aegle marmelos</i> (L.) Corr.
Ambadi	<i>Hibiscus cannabinus</i> L.	Ber (grass)	<i>Ischaemum tumidum</i> Stapf ex Bor
Ambe halad	<i>Curcuma amada</i> Roxb.	Bhamrud	<i>Blumea lacera</i> (Burm. f.) DC.
Ambute	<i>Glycosmis pentaphylla</i> (Retz.) Correa	Bhandira	<i>Clerodendron infortunatum</i> auct. non L.
Amsul	<i>Garcinia indica</i> (Du Petit-Thou.) Choisy	Bhang	<i>Cannabis sativa</i> L.
Amti vel	<i>Ipomoea sepia</i> Roxb.	Bharangi	<i>Clerodendron serratum</i> (L.) Moon
Anashovadi	<i>Elephantopus scaber</i> L.	Bhat	<i>Oryza sativa</i> L.
Ankol	<i>Alangium salvifolium</i> (L. f.) Wang.	Bhati	<i>Themeda quadrivalvis</i> (L.) O. Ktze.
Antamul	<i>Tylophora indica</i> (Burm. f.) Merrill	Bhaya	<i>Cassia fistula</i> L.
Anvel	<i>Dioscorea belophylla</i> (Prain) Haines	Bhekal	<i>Flacourtie indica</i> (Burm. f.) Merr.
Anvi	<i>Dioscorea belophylla</i> (Prain) Haines	Bhela	<i>Terminalia belerica</i> (Gaertn.) Roxb.
Aphu	<i>Papaver somnifera</i> L.	Bhendi	<i>Thespesia populnea</i> (L.) Soland ex Correa
Appumari	<i>Gymnema sylvestre</i> (Retz.) R. Br.	Bheria	<i>Chloroxylon swietenia</i> DC.
Apta	<i>Bauhinia racemosa</i> Lamk.	Bherli maad	<i>Caryota urens</i> L.
Arati	<i>Mimosa hamata</i> Willd.	Bhershing	<i>Dolichandrone falcata</i> (Wall. ex DC.) Seem.
Arjun	<i>Terminalia arjuna</i> (Roxb. ex DC.) Wt. & Arn.	Bhokar	<i>Cordia dichotoma</i> Forst. f.
Arjunsadada	<i>Terminalia arjuna</i> (Roxb. ex DC.) Wt. & Arn.	Bhokida	<i>Ficus hispida</i> L. f.
Asan	<i>Bridelia retusa</i> (L.) Spreng.	Bhopla	<i>Cucurbita maxima</i> Duchesne
Ashok	<i>Polyalthaea longifolia</i> (Sonn.) Thw.	Bhos	<i>Sorghum halepense</i> (L.) Pers.
Ashwagandha	<i>Withania somnifera</i> (L.) Dunal	Bhui audumbar	<i>Ficus hispida</i> L. f.
Aswal	<i>Asparagus racemosus</i> Willd.	Bhui kohala	<i>Ipomoea mauritiana</i> Jacq.
Audumbar	<i>Ficus racemosa</i> L.	Bhui kohala	<i>Pueraria tuberosa</i> DC.
Awla	<i>Emblica officinalis</i> Gaertn.	Bhui limb	<i>Andrographis paniculata</i> (Burm. f.) Wall. ex Nees
		Bhui moog	<i>Arachis hypogea</i> L.
		Bhui ringini	<i>Solanum virginianum</i> L.
		Bhui umbar	<i>Ficus hispida</i> L. f.


Marathi	Botanical Name	Marathi	Botanical Name
Bhurundi	<i>Heliotropium indicum</i> L.	Chivli	<i>Pseudoxytenanthera ritcheyi</i> (Munro)
Bibba	<i>Semecarpus anacardium</i> L. f.		Naithani
Bibbani zad	<i>Semecarpus anacardium</i> L. f.	Chota bhandara	<i>Colebrookea oppositifolia</i> Sm.
Bibla	<i>Pterocarpus marsupium</i> Roxb.	Churchuri	<i>Mucuna pruriens</i> (L.) DC.
Bibwi	<i>Semecarpus anacardium</i> L. f.		
Bilayat	<i>Argemone mexicana</i> L.		
Bilu	<i>Chloroxylon swietenia</i> DC.		
Bilwa	<i>Semecarpus anacardium</i> L. f.	Dabira	<i>Anogeissus latifolia</i> (Roxb. ex DC.) Wall. ex Bedd.
Bindi	<i>Setaria pallidefusca</i> (Schumach.) Stapf & C. E. Hubb.	Dagadi pala	<i>Tridax procumbens</i> L.
Biwla	<i>Pterocarpus marsupium</i> Roxb.	Dahi dudhani	<i>Wrightia tinctoria</i> Br.
Bokida	<i>Ficus hispida</i> L. f.	Dandi bhamrud	<i>Cyathoclone purpurea</i> (Buch.-Ham. ex D. Don) O. Ktze.
Bondara	<i>Lagerstroemia parviflora</i> Roxb.	Datir	<i>Ficus tinctoria</i> Forst.
Bondga	<i>Lagerstroemia parviflora</i> Roxb.	Datki	<i>Euphorbia geniculata</i> Orteg.
Bondvel	<i>Themeda quadrivalvis</i> (L.) O. Ktze.	Deshi thor	<i>Euphorbia tirucalli</i> L.
Bor (grass)	<i>Dactyloctenium aegyptium</i> Beauv	Dev babhul	<i>Acacia farnesiana</i> (L.) Willd.
Bor (tree)	<i>Zizyphus mauritiana</i> Lamk.	Dhaiti	<i>Woodfordia fruticosa</i> (L.) Kurz
Brahmi	<i>Centella asiatica</i> (L.) Urban.	Dhamal	<i>Adelocaryum coelestinum</i> (Lindl.) Brand.
Brahmni	<i>Colebrookea oppositifolia</i> Sm.	Dhaman	<i>Grewia tiliaceifolia</i> Vahl.
Bujada	<i>Antidesma ghaesembilla</i> Gaertn.	Dhangad	<i>Cocculus hirsutus</i> (L.) Diels.
Burumbi	<i>Leucas stelligera</i> Wall.	Daura	<i>Anogeissus latifolia</i> (Roxb. ex DC.) Wall. ex Bedd.
		Dhavda	<i>Anogeissus latifolia</i> (Roxb. ex DC.) Wall. ex Bedd.
C		Dhor gunj	<i>Abrus precatorius</i> L.
Chaha	<i>Camellia sinensis</i> L. (Kuntze)	Dhor kamuni	<i>Withania somnifera</i> (L.) Dunal
Chain	<i>Ensete superbum</i> (Roxb.) Chees.	Dhotra	<i>Datura metel</i> L.
Chamkara	<i>Colocasia esculenta</i> (L.) Schott	Dhoul	<i>Lobelia nicotianaefolia</i> Roth ex Roem. & Schult.
Chandkuda	<i>Antiaria toxicaria</i> (Pers.) Lesch.	Dikamali	<i>Gardenia resinifera</i> Roth.
Chaor	<i>Cochlospermum religiosum</i> (L.) Alston	Dingla	<i>Crotalaria retusa</i> L.
Charas	<i>Cannabis sativa</i> L.	Dinohi	<i>Digitaria sanguinalis</i> (L.) Scop.
Charoli	<i>Buchanania lanza</i> Spreng.	Dipmal	<i>Leonotis nepetifolia</i> (L.) R. Br.
Chaudari	<i>Cissus quadrangularis</i> L.	Diwali	<i>Indigofera glandulosa</i> Wendl.
Chavay	<i>Ensete superbum</i> (Roxb.) Chees.	Diwasmawli-chya mulya	<i>Asparagus racemosus</i> Willd.
Chawali	<i>Vigna unguiculata</i> subspecies <i>cylindrica</i> (L.) van Eseltine	Dron phul	<i>Leuca aspera</i> (Willd.) Link
Chichardi	<i>Solanum anguivi</i> Lam.	Dudh kuda	<i>Holarrhena pubescens</i> (Buch.-Ham.) Wall. ex G. Don
Chikku	<i>Acras zapota</i> L.	Dudh vel	<i>Hemidesmus indicus</i> (L.) R. Br.
Chikna (lahan)	<i>Sida acuta</i> Burm. f.	Dudhani	<i>Euphorbia geniculata</i> Orteg.
Chilari	<i>Caesalpinia decapetala</i> (Roth) Alst.	Dudhani	<i>Euphorbia hirta</i> L.
Chinch	<i>Tamarindus indica</i> L.	Dudhani	<i>Wrightia tinctoria</i> Br.
Chir	<i>Pinus roxburghii</i> Sarg.	Dudhi	<i>Euphorbia geniculata</i> Orteg.
Chirati	<i>Melothria maderaspatana</i> (L.) Roem.	Durangi babhul	<i>Dichrostachys cinerea</i> (L.) Wt. & Arn.
Chirphal	<i>Zanthoxylum rhetsa</i> (Roxb.) DC.	Durva	<i>Cynodon dactylon</i> (L.) Pers.
Chitrak	<i>Plumbago zeylanica</i> L.		
Chitrang	<i>Plumbago zeylanica</i> L.		
Chivari	<i>Pseudoxytenanthera stocksii</i> (Munro)		
	Naithani		

Marathi	Botanical Name	Marathi	Botanical Name
 E Emend Erand Esar	<i>Cyperus compressus</i> L. <i>Ricinus communis</i> L. <i>Callicarpa tomentosa</i> (L.) Murr.	Gomti Gomati Gondwal Gowara Gudgudi Guggul Guhulu Gulnashi Gulvel	<i>Melothria heterophylla</i> (Lour.) Cogn. <i>Melothria heterophylla</i> (Lour.) Cogn. <i>Chloris barbata</i> Swartz <i>Canavalia africana</i> Dunn. <i>Pergularia daemia</i> (Forssk.) Chiov. <i>Boswellia serrata</i> Roxb. <i>Grewia serrulata</i> DC. <i>Gymnema sylvestre</i> (Retz.) R. Br. <i>Tinospora cordifolia</i> (Willd.) Miers ex Hook. f. & Thoms. <i>Abrus precatorius</i> L.
 G Gadhav kata Gadi nirgudi Gahu Gajga Gal limbu Gandhari Gandhil pala Ganeri Ganja Garadi	<i>Tribulus terrestris</i> L. <i>Vitex trifolia</i> L. <i>Triticum aestivum</i> L. <i>Caesalpinia bonduc</i> (L.) Roxb. <i>Citrus limon</i> (L.) Burm. f. <i>Lantana camara</i> L. <i>Aristolochia bracteolata</i> Lam. <i>Cochlospermum religiosum</i> (L.) Alston <i>Cannabis sativa</i> L. <i>Cleistanthus collinus</i> (Roxb.) Bth. ex Hook. f.	Gunj Gurman gadda Gutguti	<i>Cissus pallida</i> (Wt. & Arn.) <i>Pergularia daemia</i> (Forssk.) Chiov.
 H Garambi Garari Garbi Gauri-chi-patadi Gavali Gavati chaha Gawar Gehela Gel Ghaneri Ghang Ghansari Ghat bor Ghayal Ghaypat Gholu Ghorbel Ghot Ghoti Ghotvel God limb Gogal Goindu Gojeebh Gokarna Gokhru	<i>Entada pursaetha</i> DC. <i>Cleistanthus collinus</i> (Roxb.) Bth. ex Hook. f. <i>Entada pursaetha</i> DC. <i>Mussaenda glabrata</i> (Hook. f.) Hutch. ex Gamble <i>Grewia hirsuta</i> Vahl. <i>Cymbopogon citratus</i> (DC.) Stapf <i>Cyamopsis tetragonoloba</i> (L.) Taub. <i>Randia spinosa</i> Poir. <i>Randia spinosa</i> Poir. <i>Lantana camara</i> L. <i>Bothriochloa pertusa</i> (L.) A. Camus <i>Croton roxburghii</i> Balakr. <i>Zizyphus xylopyra</i> (Retz.) Willd. Agave species Agave species <i>Grewia serrulata</i> DC. <i>Pueraria tuberosa</i> DC. <i>Zizyphus xylopyra</i> (Retz.) Willd. <i>Zizyphus xylopyra</i> (Retz.) Willd. <i>Smilax zeylanica</i> L. <i>Ailanthes excelsa</i> Roxb. <i>Cochlospermum religiosum</i> (L.) Alston <i>Diospyros montana</i> Roxb. <i>Elephantopus scaber</i> L. <i>Clitoria ternatea</i> L. <i>Tribulus terrestris</i> L.	Hadsandan Halad Haldandi Haldu Haldu Halekumbha Harali gavat Harbara Harik Harsankar Haryali Hed Hedu Hela Henkal Hing Hinganbet Hirda Hiwar Hulga	<i>Viscum articulatum</i> Burm. f. <i>Curcuma longa</i> L. <i>Adina cordifolia</i> (Roxb.) Hook. <i>Chloroxylon swietenia</i> DC. <i>Adina cordifolia</i> (Roxb.) Hook. <i>Chloroxylon swietenia</i> DC. <i>Leucas stricta</i> Bth. <i>Cynodon dactylon</i> (L.) Pers. <i>Cicer arietinum</i> L. <i>Paspalum scrobiculatum</i> L. <i>Cissus quadrangularis</i> L. <i>Cynodon dactylon</i> (L.) Pers. <i>Adina cordifolia</i> (Roxb.) Hook. <i>Adina cordifolia</i> (Roxb.) Hook. <i>Terminalia belerica</i> (Gaertn.) Roxb. <i>Maytenus senegalensis</i> (Lam.) Excell. <i>Ferula asafoetida</i> L. <i>Balanites aegyptiaca</i> (L.) Del. <i>Terminalia chebula</i> Retz. <i>Acacia leucophloea</i> Willd. <i>Dolichos biflorus</i> L.
 I Idalimbu Indrani Indrayan Ingli			<i>Citrus limon</i> (L.) Burm. f. <i>Vitex trifolia</i> L. <i>Citrullus colocynthis</i> (L.) Schr. <i>Baringtonia acutangula</i> (L.) Gaertn.



Marathi	Botanical Name	Marathi	Botanical Name
<b>J</b>		Kala kuda	<i>Holarrhena pubescens</i> (Buch.-Ham.) Wall. ex G. Don.
Jaiphal	<i>Myristica fragrans</i> Houtt.	Kala kusal	<i>Heteropogon contortus</i> (L.) P. Beauv. ex R. & S.
Jakhamjodi	<i>Tridax procumbens</i> L.	Kala shiris	<i>Albizia odoratissima</i> (L. f.) Benth.
Jaljamba	<i>Alternanthera sessilis</i> (L.) R. Br. ex DC.	Kala umbar	<i>Ficus hispida</i> L. f.
Jamba	<i>Psidium guajava</i> L.	Kala watana	<i>Pisum arvense</i> L.
Jambhul	<i>Syzygium cumini</i> (L.) Skeels	Kale moog	<i>Vigna angularis</i> (Willd.) Ohwi & Ohashi
Jangli lendi	<i>Lagerstroemia parviflora</i> Roxb.	Kale til	<i>Guizotia abyssinica</i> (L. f.) Cass.
Jangli math	<i>Vigna trilobata</i> Verdcourt	Kali kudi	<i>Wrightia tinctoria</i> Br.
Jasund	<i>Antiaria toxicaria</i> (Pers.) Lesch.	Kali miri	<i>Piper nigrum</i> L.
Jaswand	<i>Hibiscus rosa-sinensis</i> L.	Kali musali	<i>Curculigo orchoides</i> Gaertn.
Jaswandi	<i>Hibiscus rosa-sinensis</i> L.	Kali shivan	<i>Gmelina asiatica</i> L.
Jatashankar	<i>Dioscorea bulbifera</i> L.	Kali tulas	<i>Ocimum tenuiflorum</i> L.
Jav	<i>Hordeum vulgare</i> L.	Kalkudi	<i>Wrightia tinctoria</i> Br.
Jawas	<i>Linum usitatissimum</i> L.	Kallavi	<i>Gloriosa superba</i> L.
Jeera	<i>Cuminum cyminum</i> L.	Kanchari	<i>Alternanthera sessilis</i> (L.) R. Br. ex DC.
Jhendu	<i>Tagetes erecta</i> L.	Kanda	<i>Allium cepa</i> L.
Jhunjurdhi	<i>Triumfetta malabarica</i> Koen. ex Rottb.	Kandvel	<i>Cissus quadrangularis</i> L.
Jinva	<i>Dicanthium annulatum</i> (Forssk.) Stapf	Kanerballi	<i>Zizyphus oenoplia</i> (L.) Mill.
Jondhra	<i>Antidesma ghaesembilla</i> Gaertn.	Kang	<i>Setaria italicica</i> (L.) Beauv.
Jwari	<i>Sorghum vulgare</i> Pers.	Kanheri	<i>Nerium indicum</i> Mill.
<b>K</b>		Kansar	<i>Albizia amara</i> (Roxb.) Boivin
Kadbar	<i>Canthium coromandelicum</i> (N. Burm.) Alston	Kanthara	<i>Capparis sepiaria</i> L.
Kadhi limb	<i>Murraya koenigii</i> (L.) Spreng.	Kalaphodi	<i>Cardiospermum halicacabum</i> L.
Kadi patta	<i>Murraya koenigii</i> (L.) Spreng.	Kapur	<i>Cinnamomum camphor</i> (L.) Presl.
Kadianag	<i>Gloriosa superba</i> L.	Kapur madhura	<i>Aerva lanata</i> (L.) Juss. ex Schultes
Kadu chirat	<i>Cucumis trigonus</i> L	Kapus	<i>Gossypium herbaceum</i> L.
Kadu dodka	<i>Luffa acutangula</i> (L.) Roxb.	Karale	<i>Guizotia abyssinica</i> (L. f.) Cass.
Kadu indravan	<i>Citrullus colocynthis</i> (L.) Schr.	Karanj	<i>Pongamia pinnata</i> (L.) Pierre
Kadu karand	<i>Dioscorea bulbifera</i> L.	Karanji	<i>Pongamia pinnata</i> (L.) Pierre
Kadu kirayat	<i>Andrographis paniculata</i> (Burm. f.) Wall. ex Nees	Kardodi	<i>Leptadenia reticulata</i> Wt. & Arn.
Kadu limb	<i>Azadirachta indica</i> A. Juss.	Karera	<i>Streblus asper</i> Lour.
Kadu nimb	<i>Azadirachta indica</i> A. Juss.	Kareti	<i>Cucumis trigonus</i> L.
Kadu shanni	<i>Cucumis trigonus</i> L	Kari	<i>Canthium coromandelicum</i> (N. Burm.) Alston
Kagadi limbu	<i>Citrus aurantifolia</i> (Christm. & Panz.) Swingle	Karinda	<i>Dioscorea bulbifera</i> L.
Kaju	<i>Anacardium occidentale</i> L.	Karle	<i>Momordica charantia</i> L.
Kajuri	<i>Curculigo orchoides</i> Gaertn.	Karmugli	<i>Corallocarpus epigaeus</i> (Rottl.) C.B.Cl.
Kakad	<i>Garuga pinnata</i> Roxb.	Kartoli	<i>Momordica dioica</i> Roxb. ex Willd.
Kaker	<i>Flacourtie indica</i> (Burm. f.) Merr.	Karvand	<i>Carissa congesta</i> Wight
Kala hatera	<i>Gardenia latifolia</i> Aiton	Karvi	<i>Carvia callosa</i> (Wall.) Bremek.
		Karvina	<i>Corallocarpus epigaeus</i> (Rottl.) C.B.Cl.
		Kashed	<i>Coix lacryma-jobi</i> L.
		Kaswinda	<i>Cassia occidentalis</i> L.
		Kate kumbhal	<i>Xantolis tomentose</i> (Roxb.) Rafin.
		Kate math	<i>Amaranthus spinosus</i> L.

Marathi	Botanical Name	Marathi	Botanical Name
Kate pathar	<i>Argemone mexicana</i> L.	Kundu	<i>Diospyros montana</i> Roxb.
Kate shewri	<i>Bombax ceiba</i> L.	Kurdu	<i>Celosia argentea</i> L.
Kateri gadda	<i>Lepidagathis cristata</i> Willd.	Kurhadi-cha-pala	<i>Tridax procumbens</i> L.
Kateri kalak	<i>Bambusa arundinacea</i> (Retz.) Willd.	Kurmudi	<i>Tridax procumbens</i> L.
Kathora	<i>Bothriochloa pertusa</i> (L.) A. Camus	Kurule	<i>Garuga pinnata</i> Roxb.
Katleen	<i>Momordica dioica</i> Roxb. ex Willd.	Kusar	<i>Jasminum malabaricum</i> Wt.
Katri nigad	<i>Vitex trifolia</i> L.	Kuvali-cha vel	<i>Mucuna pruriens</i> (L.) DC.
Katri nigadi	<i>Vitex trifolia</i> L.		
Katri nirgudi	<i>Vitex trifolia</i> L.		
Kaundal	<i>Trichosanthes tricuspidata</i> Lour.		
Kavali	<i>Hemidesmus indicus</i> (L.) R. Br.	Lahan shivan	<i>Gmelina asiatica</i> L.
Kavath	<i>Feronia elephantum</i> Correa	Lajalu	<i>Biophytum sensitivum</i> (L.) DC.
Kavli-cha-vel	<i>Hemidesmus indicus</i> (L.) R. Br.	Lajalu	<i>Mimosa pudica</i> L.
Kazra	<i>Strychnos nux-vomica</i> L.	Lal ambadi	<i>Hibiscus sabdariffa</i> L.
Kektd	<i>Agave americana</i> L.	Lal bhopla	<i>Cucurbita maxima</i> Duchesne
Kektd	<i>Agave</i> species	Lalai	<i>Albizia amara</i> (Roxb.) Boivin
Kele	<i>Musa paradisiaca</i> L.	Lambade til	<i>Guizotia abyssinica</i> (L. f.) Cass.
Kena	<i>Commelina benghalensis</i> L.	Lasun	<i>Allium sativum</i> L.
Ketaki	<i>Pandanus odoratissimus</i> L. f.	Lavang	<i>Syzygium aromaticum</i> L. Merr. et Perry
Kewada	<i>Pandanus odoratissimus</i> L. f.	Lavhali	<i>Cyperus iria</i> L.
Khair	<i>Acacia catechu</i> (L. f.) Willd.	Laxmi gadda	<i>Lepidagathis cristata</i> Willd.
Khajkuili	<i>Mucuna pruriens</i> (L.) DC.	Lendi pippali	<i>Piper longum</i> L.
Khand vel	<i>Wattakaka volubilis</i> (L. f.) Stapf	Limb	<i>Azadirachta indica</i> A. Juss.
Khandil pala	<i>Wattakaka volubilis</i> (L. f.) Stapf	Limbara	<i>Melia dubia</i> Cav.
Kharuti	<i>Ficus exasperata</i> Vahl.	Limbu	<i>Citrus aurantifolia</i> (Christm. & Panz.)
Kharvat	<i>Ficus exasperata</i> Vahl.	Lona gavat	Swingle
Khevan	<i>Helicteres isora</i> L.	Longi kasal	<i>Chloris barbata</i> Swartz
Khobar vel	<i>Hemidesmus indicus</i> (L.) R. Br.		<i>Aristida adscensionis</i> L.
Khulkhula	<i>Crotalaria retusa</i> L.		
Khuskhus	<i>Papaver somnifera</i> L.		
Kirmira	<i>Glycosmis pentaphylla</i> (Retz.) Correa		
Kodarsi	<i>Securinega virosa</i> Pax & Hoffm.		
Kokam	<i>Garcinia indica</i> (Du Petit-Thou.) Choisy		
Kolu	<i>Setaria pallidefusca</i> (Schumach.) Stapf & C. E. Hubb.	Maad	<i>Cocos nucifera</i> L.
Kombla	<i>Lepidagathis cristata</i> Willd.	Maaka	<i>Eclipta prostrata</i> (L.) L.
Korphad	<i>Aloe vera</i> (L.) Burm. f.	Maha limb	<i>Ailanthus excelsa</i> Roxb.
Koshtkulayan	<i>Alpinia galanga</i> (L.) Swartz	Maha neem	<i>Melia dubia</i> Cav.
Kotch gavat	<i>Lepidagathis lutea</i> Dalz.	Maha rukh	<i>Ailanthus excelsa</i> Roxb.
Kothimbir	<i>Coriandrum sativum</i> L.	Mahisakshi	<i>Boswellia serrata</i> Roxb.
Krishnasazwa	<i>Ichnocarpus frutescens</i> (L.) R. Br.	Mahua	<i>Madhuca longifolia</i> (Koen.) MacBride
Kuda	<i>Holarrhena pubescens</i> (Buch.-Ham.) Wall. ex G. Don.	Maka	<i>Zea mays</i> L.
Kuili-cha-vel	<i>Mucuna pruriens</i> (L.) DC.	Makad limbu	<i>Atlantia racemosa</i> Wight
Kulith	<i>Dolichos biflorus</i> L.	Makad shingi	<i>Caralluma adscendens</i> (Roxb.) R. Br.
Kumbha	<i>Careya arborea</i> Roxb.	Makor	<i>Zizyphus oenoplia</i> (L.) Mill.
Kumbhal	<i>Xantholis tomentose</i> (Roxb.) Rafin.	Makoti	<i>Caralluma adscendens</i> (Roxb.) R. Br.
		Malkanguni	<i>Celastrus paniculatus</i> Willd.
		Mamijwa	<i>Enicostema axillare</i> (Lam.) Raynal
		Mandara	<i>Calotropis procera</i> (Ait.) R. Br.

Marathi	Botanical Name	Marathi	Botanical Name
Marvel	<i>Dicantium annulatum</i> (Forssk.) Stapf	Nigadi	<i>Vitex negundo</i> L.
Masur	<i>Lens culinaris</i> Medic.	Nilgiri	<i>Eucalyptus</i> species
Matar	<i>Pisum sativum</i> L.	Nilumbi	<i>Phyllanthus reticulatus</i> Poir.
Matki	<i>Vigna aconitifolia</i> (Jacq.) Marechal	Ninai	<i>Diospyros chloroxylon</i> Roxb.
Medshingi	<i>Dolichandrone falcata</i> (Wall. ex DC.) Seem.	Nirgud	<i>Vitex negundo</i> L.
Medwan	<i>Dioscorea oppositifolia</i> L.	Nirgud	<i>Vitex trifolia</i> L.
Mendi	<i>Lawsonia inermis</i> L.	Nirmali	<i>Vitex negundo</i> L.
Mershingi	<i>Dolichandrone falcata</i> (Wall. ex DC.) Seem.	Nivdung	<i>Strychnos potatorum</i> L. f.
Mes	<i>Pseudoxytenanthera stocksii</i> (Munro)	O	<i>Euphorbia ligularia</i> Roxb.
	Naithani	Odha	<i>Pseudoxytenanthera ritcheyi</i> (Munro)
Meshi	<i>Pseudoxytenanthera stocksii</i> (Munro)		Naithani
	Naithani	Oos	<i>Saccharum officinarum</i> L.
Methi	<i>Trigonella foenum-graecum</i> L.	Ova	<i>Carum copticum</i> L. Hiern
Mirchi	<i>Capsicum annum</i> L.	P	
Moha	<i>Madhuca longifolia</i> (Koen.) MacBride	Pachra	<i>Capparis sepiaria</i> L.
Mohari	<i>Brassica juncea</i> (L.) Czern. & Coss.	Pachuda	<i>Capparis sepiaria</i> L.
Mohari (kali)	<i>Brassica nigra</i> (L.) Koch	Pakad	<i>Echinochloa colona</i> (L.) Link
Moi	<i>Lannea coromandelica</i> (Houtt.) Merr.	Paker	<i>Flacourtie indica</i> (Burm. f.) Merr.
Moka	<i>Schrebera swietenoides</i> Roxb.	Palas	<i>Butea monosperma</i> (Lamk.) Taub.
Mokiri	<i>Schrebera swietenoides</i> Roxb.	Palas vel	<i>Butea superba</i> Roxb.
Moog	<i>Vigna radiata</i> (L.) R. Wilczek	Palva	<i>Bothriochloa pertusa</i> (L.) A. Camus
Motha pavana	<i>Sehima sulcatum</i> (Hack.) A. Camus	Pandhar phali	<i>Securinega leucopyrus</i> (Willd.) Muell.-Arg.
Movat	<i>Lannea coromandelica</i> (Houtt.) Merr.	Pandhra chapha	<i>Plumeria rubra</i> L.
Muggus kanda	<i>Corallocarpus epigaeus</i> (Rottl.) C.B.Cl.	Pangara	<i>Erythrina variegata</i> L.
Mukni	<i>Vigna trilobata</i> Verdcourt	Pangli	<i>Pogostemon benghalensis</i> (Burm. f.) O. Ktze
Mungusmungli-cha-gadda	<i>Corallocarpus epigaeus</i> (Rottl.) C.B.Cl.	Pankanis	<i>Typha angustifolia</i> L.
Murudsheng	<i>Helicteres isora</i> L.	Panphuti	<i>Kalanchoe pinnata</i> (Lamk.) Pers.
		Panpoi	<i>Kalanchoe pinnata</i> (Lamk.) Pers.
N		Papada	<i>Holoptelea integrifolia</i> (Roxb.) Planch.
Nachni	<i>Eleusine coracana</i> (L.) Gaertn.	Papai	<i>Carica papaya</i> L.
Nagara-cha-pala	<i>Ximenia americana</i> L.	Parad papadi	<i>Argemone mexicana</i> L.
Nagarmoti	<i>Cyperus rotundus</i> L.	Parijat	<i>Nyctanthes arbor-tristis</i> L.
Nagli	<i>Eleusine coracana</i> (L.) Gaertn.	Parsi peepal	<i>Thespesia populnea</i> (L.) Soland ex Correa
Nagwel	<i>Piper betel</i> L.	Paspoli	<i>Dioscorea oppositifolia</i> L.
Nai	<i>Enicostema axillare</i> (Lam.) Raynal	Pathri	<i>Launaea procumbens</i> (Roxb.) Ram. Raj.
Nana	<i>Lagerstroemia microcarpa</i> Wt.		<i>Hibiscus sabdariffa</i> L.
Naral	<i>Cocos nucifera</i> L.		
Nataknarangi	<i>Atlantia racemosa</i> Wight		
Navi ragi	<i>Dactyloctenium aegyptium</i> Beauv.		
Navnathi	<i>Gardenia turgida</i> Roxb.		
Nensi	<i>Diospyros chloroxylon</i> Roxb.		
Nevli	<i>Euphorbia tirucalli</i> L.		
Nigad	<i>Vitex negundo</i> L.		



Marathi	Botanical Name	Marathi	Botanical Name
Paunava	<i>Dicanthium annulatum</i> (Forssk.) Stapf	Ran bhendi	<i>Thespesia lampas</i> (Cav.) Alef.
Pauri	<i>Aristolochia indica</i> L.	Ran dodka	<i>Luffa acutangula</i> (L.) Roxb.
Pavana	<i>Sehima nervosum</i> (Roth.) Stapf	Ran ghweda	<i>Paracalyx scariosus</i> (Roxb.) Ali
Pawta	<i>Dolichos lablab</i> L.	Ran halad	<i>Curcuma aromatica</i> Salisb.
Pendro	<i>Gardenia latifolia</i> Aiton	Ran kel	<i>Ensete superbum</i> (Roxb.) Chees.
Peru	<i>Psidium guajava</i> L.	Ran limbu	<i>Atalanitia monophylla</i> Corr.
Pervin	<i>Psidium guajava</i> L.	Ran padval	<i>Trichosanthes cucumerina</i> L.
Petari	<i>Abutilon indicum</i> (L.) Sweet	Ran tulsi	<i>Ocimum gratissimum</i> L.
Pewa	<i>Costus speciosus</i> (Koenig ex Retz.) J. E. Smith	Ran turai	<i>Luffa acutangula</i> (L.) Roxb.
Pewa kand	<i>Costus speciosus</i> (Koenig ex Retz.) J. E. Smith	Ranti jhendu	<i>Leonotis nepetifolia</i> (L.) R. Br.
Phanas	<i>Artocarpus heterophyllus</i> Lamk.	Ratale	<i>Ipomoea batatas</i> (L.) Lam.
Phanphanashi	<i>Gloriosa superba</i> L.	Ratamba	<i>Garcinia indica</i> (Du Petit-Thou.) Choisy
Phaphat	<i>Pavetta crassicaulis</i> Bremenk.	Ratambi	<i>Garcinia indica</i> (Du Petit-Thou.) Choisy
Phetra	<i>Gardenia turgida</i> Roxb.	Ringi	<i>Sapindus laurifolius</i> Vahl.
Phulari	<i>Lantana camara</i> L.	Rishi	<i>Gardenia turgida</i> Roxb.
Pichondi	<i>Phyllanthus reticulatus</i> Poir.	Ritha	<i>Sapindus emarginatus</i> Vahl.
Pigavi	<i>Celastrus paniculatus</i> Willd.	Ritha	<i>Sapindus laurifolius</i> Vahl.
Pili bonvari	<i>Ipomoea obscura</i> (L.) Ker-Gawl.	Roega	<i>Digitaria sanguinalis</i> (L.) Scop.
Pilu	<i>Chloroxylon swietenia</i> DC.	Rohini	<i>Soymida febrifuga</i> (Roxb.) A. Juss.
Pimpal	<i>Ficus religiosa</i> L.	Ruchik	<i>Calotropis gigantea</i> (L.) R. Br.
Pindari	<i>Gardenia turgida</i> Roxb.	Rui	<i>Calotropis gigantea</i> (L.) R. Br.
Pingli	<i>Ipomoea obscura</i> (L.) Ker-Gawl.	Rui	<i>Calotropis procera</i> (Ait.) R. Br.
Pippali	<i>Piper longum</i> L.		
Pitumbi	<i>Phyllanthus reticulatus</i> Poir.	Sabja	<i>Ocimum basilicum</i> L.
Piwal vel	<i>Ventilago calyculata</i> Tul.	Sabja	<i>Ocimum gratissimum</i> L.
Piiali tilvan	<i>Cleome viscosa</i> L.	Sag	<i>Tectona grandis</i> L. f.
Piwla dhotra	<i>Argemone mexicana</i> L.	Sagargota	<i>Caesalpinia bonduc</i> (L.) Roxb.
Posheri	<i>Securinega virosa</i> Pax & Hoffm.	Sagunkati	<i>Dichrostachys cinerea</i> (L.) Wt. & Arn.
Potmaari	<i>Tylophora indica</i> (Burm. f.) Merrill	Sakayel	<i>Ventilago calyculata</i> Tul.
Punarnava	<i>Boerhavia diffusa</i> L.	Salai	<i>Boswellia serrata</i> Roxb.
Pungli	<i>Boerhavia chinensis</i> (L.) Heimerl.	Samdad	<i>Prosopis cineraria</i> (L.) Druce
Putputi	<i>Cardiospermum halicacabum</i> L.	Samdar	<i>Prosopis cineraria</i> (L.) Druce
		Sandruk	<i>Litsea glutinosa</i> (Lour.) Robins.
Ragat rohida	<i>Soymida febrifuga</i> (Roxb.) A. Juss.	Saphshindini	<i>Aristolochia indica</i> L.
Rakta chandan	<i>Pterocarpus santalinus</i> L.	Saptaparni	<i>Alstonia scholaris</i> (L.) R. Br.
Rakta rohida	<i>Soymida febrifuga</i> (Roxb.) A. Juss.	Sarap kanda	<i>Pancratium triflorum</i> Roxb.
Ral	<i>Apluda mutica</i> L.	Sarata (herb)	<i>Tribulus terrestris</i> L.
Rala	<i>Setaria italica</i> (L.) Beauv.	Sarata (shrub)	<i>Tamarix ericoides</i> Rottl.
Rale	<i>Setaria italica</i> (L.) Beauv.	Sarsoo	<i>Brassica nigra</i> (L.) Koch
Ram tulsi	<i>Ocimum gratissimum</i> L.	Satu	<i>Hordeum vulgare</i> L.
Ramban	<i>Typha angustifolia</i> L.	Satvin	<i>Alstonia scholaris</i> (L.) R. Br.
Rametha	<i>Gnidia glauca</i> (Fresen.) Gilg.	Sawa	<i>Panicum sumatrense</i> Roth ex Roem. & Schult.
Ramphal	<i>Annona reticulata</i> L.		




Marathi	Botanical Name	Marathi	Botanical Name
Sawar	<i>Bombax ceiba</i> L.	Tambda bhopla	<i>Cucurbita maxima</i> Duchesne
Seta kawali	<i>Cryptolepis buchanani</i> Roem. & Schult.	Tandul	<i>Oryza sativa</i> L.
Shahajeera	<i>Carum carvi</i> L.	Tantani	<i>Lantana camara</i> L.
Shanker vel	<i>Bryonopsis laciniosa</i> (L.) Naud.	Tarota	<i>Cassia tora</i> L.
Shatavari	<i>Asparagus racemosus</i> Willd.	Tarwad	<i>Cassia auriculata</i> L.
Sheda	<i>Sehima nervosum</i> (Roth.) Stapf	Temburni	<i>Diospyros melanoxylon</i> Roxb.
Sheesam	<i>Dalbergia sissoo</i> Roxb.	Temru	<i>Diospyros melanoxylon</i> Roxb.
Shemat	<i>Lannea coromandelica</i> (Houtt.) Merr.	Tendu	<i>Diospyros melanoxylon</i> Roxb.
Shengdana	<i>Arachis hypogea</i> L.	Tentu	<i>Oroxylum indicum</i> (L.) Vent.
Sher	<i>Euphorbia tirucalli</i> L.	Tetak	<i>Oroxylum indicum</i> (L.) Vent.
Shernati	<i>Tamarix ericoides</i> Rottl.	Tetu	<i>Oroxylum indicum</i> (L.) Vent.
Sherni	<i>Tamarix ericoides</i> Rottl.	Til	<i>Sesamum orientale</i> L.
Shetad	<i>Leucas stelligera</i> Wall.	Tirphal	<i>Zanthoxylum rhetsa</i> (Roxb.) DC.
Shewga	<i>Moringa oleifera</i> Lam.	Tivar	<i>Baringtonia acutangula</i> (L.) Gaertn.
Shewra	<i>Alysicarpus longifolius</i> (Rottl. ex Spreng.) Wt. & Arn.	Tondli	<i>Coccinia grandis</i> (L.) Voigt
Shikekai	<i>Acacia sinuata</i> (Lour.) Merr.	Tondsha	<i>Hesperethusa crenulata</i> (Roxb.) Roem.
Shindada-cha-zad	<i>Phoenix sylvestris</i> (L.) Roxb.	Toran	<i>Zizyphus rugosa</i> Lamk.
Shindi	<i>Phoenix sylvestris</i> (L.) Roxb.	Tulas	<i>Ocimum tenuiflorum</i> L.
Shindoli	<i>Phoenix sylvestris</i> (L.) Roxb.	Tur	<i>Cajanus cajan</i> (L.) Millsp.
Shirish	<i>Albizia lebbeck</i> (L.) Willd.	Turda	<i>Arthraxon lancifolius</i> (Trin.) Hochst.
Shisav	<i>Dalbergia latifolia</i> Roxb.		
Shisvi	<i>Dalbergia latifolia</i> Roxb.		
Shisvi	<i>Dalbergia sissoo</i> Roxb.		
Shitod	<i>Leucas stelligera</i> Wall.	Udha	<i>Pseudoxytenanthera ritcheyi</i> (Munro)
Shivalingi	<i>Bryonopsis laciniosa</i> (L.) Naud.		Naithani
Shivan	<i>Gmelina arborea</i> Roxb.	Udid	<i>Vigna mungo</i> (L.) Hepper
Shiwar	<i>Bombax ceiba</i> L.	Umbar	<i>Ficus racemosa</i> L.
Sinri	<i>Allotropis cimicina</i> (L.) Stapf	Undi	<i>Calophyllum inophyllum</i> L.
Sitaphal	<i>Annona squamosa</i> L.	Unhali	<i>Tephrosia purpurea</i> (L.) Pers.
Soneri vel	<i>Cuscuta reflexa</i> Roxb.	Untkatar	<i>Echinops echinatus</i> Roxb.
Soonth	<i>Zingiber officinalis</i> Rosc.	Utanti	<i>Echinops echinatus</i> Roxb.
Sudmaad	<i>Caryota urens</i> L.	Utarandi	<i>Pergularia daemia</i> (Forssk.) Chiov.
Supari	<i>Areca catechu</i> L.		
Surmaad	<i>Caryota urens</i> L.		
Tad	<i>Borassus flabellifer</i> L.	Vad	<i>Ficus benghalensis</i> L.
Tag	<i>Crotalaria juncea</i> L.	Vagara-cha-pala	<i>Diospyros chloroxylon</i> Roxb.
Tagada	<i>Crotalaria juncea</i> L.	Vangi	<i>Solanum melongena</i> L.
Takli	<i>Cassia tora</i> L.	Vanz kartoli	<i>Momordica dioica</i> Roxb. ex Willd.
Takli	<i>Clerodendrum multiflorum</i> (Burm. f.) O. Ktze.	Varai	<i>Panicum miliaceum</i> L.
Talimkhana	<i>Asteracantha longifolia</i> (L.) Nees	Varas	<i>Heterophragma quadriloculare</i> (Roxb.) K. Schum.
Tambakhu	<i>Nicotiana tabacum</i> L.	Vasaka	<i>Justicia adathoda</i> L.
Tambat	<i>Flacourtie indica</i> (Burm. f.) Merr.	Vavding	<i>Embelia ribes</i> Burm. f.
		Vekhand	<i>Acorus calamus</i> L.
		Vel ghugri	<i>Melothria maderaspatana</i> (L.) Roem.

T

U

V



Marathi	Botanical Name	Marathi	Botanical Name
Vidarkand	<i>Pueraria tuberosa</i> DC.	Y	
Vilayati chincha	<i>Pithecelobium dulce</i> Benth.	Yela	<i>Terminalia belerica</i> (Gaertn.) Roxb.
Vilayati jeere	<i>Carum carvi</i> L.	Yesar	<i>Callicarpa tomentosa</i> (L.) Murr.
			
Waal	<i>Dolichos lablab</i> L.	Z	
Waghata	<i>Capparis zeylanica</i> L.	Zadvi	<i>Sphaeranthus indicus</i> L.
Wakhandi	<i>Wattakaka volubilis</i> (L. f.) Stapf	Zipri	<i>Asparagus racemosus</i> Willd.
Warang	<i>Kydia calycina</i> Roxb.		
Warangad	<i>Kydia calycina</i> Roxb.		
Wasansada	<i>Cocculus hirsutus</i> (L.) Diels.		
Wasanvel	<i>Cocculus hirsutus</i> (L.) Diels.		
Watana	<i>Pisum sativum</i> L.		
Wavli	<i>Holoptelea integrifolia</i> (Roxb.) Planch.		
Wayati	<i>Thelepaepale ixiocephala</i> (Bth.) Bremek.		

Sanskrit	Botanical Name	Sanskrit	Botanical Name
<b>A</b>		<b>B</b>	
Abhaya	<i>Terminalia chebula</i> Retz.	Badarah	<i>Zizyphus mauritiana</i> Lamk.
Abhiru	<i>Asparagus racemosus</i> Willd.	Bahuphala	<i>Adina cordifolia</i> (Roxb.) Hook.
Adhaki	<i>Cajanus cajan</i> (L.) Millsp.	Bahuvaraka	<i>Cordia dichotoma</i> Forst. f.
Aghori	<i>Flacourzia indica</i> (Burm. f.) Merr.	Baijaka	<i>Terminalia crenulata</i> Roth.
Agnimasha	<i>Celastrus paniculatus</i> Willd.	Bakuchi	<i>Cyamopsis tetragonoloba</i> (L.) Taub.
Ahifen	<i>Papaver somnifera</i> L.	Balhika	<i>Ferula asafoetida</i> L.
Ahimsra	<i>Capparis zeylanica</i> L.	Banah	<i>Tephrosia purpurea</i> (L.) Pers.
Ahwagandha	<i>Withania somnifera</i> (L.) Dunal	Banapunkkah	<i>Tephrosia purpurea</i> (L.) Pers.
Akashgaruda	<i>Corallocarpus epigaeus</i> (Rottl.) C.B.Cl.	Barbari	<i>Ocimum basilicum</i> L.
Akhsah	<i>Terminalia belerica</i> (Gaertn.) Roxb.	Barburah	<i>Acacia nilotica</i> (L.) Del.
Alkara	<i>Calotropis procera</i> (Ait.) R. Br.	Batada	<i>Anacardium occidentale</i> L.
Alpamarisha	<i>Amaranthus spinosus</i> L.	Bhallatakah	<i>Semecarpus anacardium</i> L. f.
Amalakee	<i>Emblica officinalis</i> Gaertn.	Bhandirah	<i>Clerodendron infortunatum</i> auct. non L.
Amaravela	<i>Cuscuta reflexa</i> Roxb.	Bhang	<i>Cannabis sativa</i> L.
Amlardraka	<i>Dioscorea oppositifolia</i> L.	Bharanji	<i>Callicarpa tomentosa</i> (L.) Murr.
Amlika	<i>Tamarindus indica</i> L.	Bharngi	<i>Clerodendron serratum</i> (L.) Moon
Amra	<i>Mangifera indica</i> L.	Bhringaraja	<i>Eclipta prostrata</i> (L.) L.
Amrardrakam	<i>Curcuma amada</i> Roxb.	Bhuchanakah	<i>Arachis hypogea</i> L.
Amrita	<i>Tinospora cordifolia</i> (Willd.) Miers ex Hook. f. & Thoms.	Bhumisahah	<i>Tectona grandis</i> L. f.
Anantamulah	<i>Hemidesmus indicus</i> (L.) R. Br.	Bhunimbah	<i>Andrographis paniculata</i> (Burm. f.) Wall. ex Nees
Ankodah	<i>Alangium salvifolium</i> (L. f.) Wang.	Bhustrina	<i>Cymbopogon citratus</i> (DC.) Stapf
Ankelah	<i>Alangium salvifolium</i> (L. f.) Wang.	Bijakah	<i>Pterocarpus marsupium</i> Roxb.
Apamargah	<i>Achyranthes aspera</i> L.	Bimba	<i>Coccinia grandis</i> (L.) Voigt
Aparajita	<i>Clitoria ternatea</i> L.	Brahmadanti	<i>Argemone mexicana</i> L.
Aphuka	<i>Papaver somnifera</i> L.	Brihati	<i>Solanum anguivi</i> Lam.
Arangaka	<i>Melia dubia</i> Cav.	Brinda	<i>Ocimum tenuiflorum</i> L.
Ardrakam	<i>Zingiber officinalis</i> Rosc.		
Arimedah	<i>Acacia leucophloea</i> Willd.		
Arishtakah	<i>Sapindus laurifolius</i> Vahl.		
Arjakah	<i>Ocimum basilicum</i> L.		
Arjunah	<i>Terminalia arjuna</i> (Roxb. ex DC.) Wt. & Arn.		
Arka	<i>Calotropis gigantea</i> (L.) R. Br.	Chaha	<i>Camellia sinensis</i> L. (Kuntze)
Aruksharah	<i>Semecarpus anacardium</i> L. f.	Chai	<i>Camellia sinensis</i> L. (Kuntze)
Ashtmabayda	<i>Aerva lanata</i> (L.) Juss. ex Schultes	Chakramarda	<i>Cassia tora</i> L.
Ashvaghra	<i>Zanthoxylum rhetsa</i> (Roxb.) DC.	Chanaka	<i>Cicer arietinum</i> L.
Ashvashakota	<i>Glycosmis pentaphylla</i> (Retz.) Correa	Charmakaraluka	<i>Dioscorea bulbifera</i> L.
Asimbi	<i>Canavalia gladiata</i> (Jacq.) DC.	Chaturangi	<i>Lantana camara</i> L.
Asthisamhara	<i>Cissus quadrangularis</i> L.	Chichindah	<i>Trichosanthes cucumerina</i> L.
Asvatthah	<i>Ficus religiosa</i> L.	Chilihintah	<i>Cocculus hirsutus</i> (L.) Diels.
Atasi	<i>Linum usitatissimum</i> L.	China	<i>Panicum miliaceum</i> L.
Atavijamvira	<i>Atalanitia monophylla</i> Corr.	Chinchha	<i>Tamarindus indica</i> L.
Atibala	<i>Abutilon indicum</i> (L.) Sweet	Chirabilva	<i>Holoptelea integrifolia</i> (Roxb.) Planch.
Atmagupta	<i>Mucuna pruriens</i> (L.) DC.	Chitraka	<i>Plumbago zeylanica</i> L.
Avartaki	<i>Cassia auriculata</i> L.		
Avartani	<i>Helicteres isora</i> L.		

Sanskrit	Botanical Name	Sanskrit	Botanical Name
<b>D</b>		<b>G</b>	
Dadamari	<i>Cassia tora</i> L.	Gumthi	<i>Melothria heterophylla</i> (Lour.) Cogn.
Devanala	<i>Lobelia nicotianaefolia</i> Roth ex Roem. & Schult.	Gunja	<i>Abrus precatorius</i> L.
Dhanurvrikshah	<i>Grewia tiliacefolia</i> Vahl.	<b>H</b>	
Dhanvanganh	<i>Grewia tiliacefolia</i> Vahl.	Haridra	<i>Curcuma longa</i> L.
Dhanyah	<i>Oryza sativa</i> L.	Haripucchah	<i>Thespesia populnea</i> (L.) Soland ex Correa
Dhanyaka	<i>Coriandrum sativum</i> L.	Haritaki	<i>Terminalia chebula</i> Retz.
Dhataki	<i>Woodfordia fruticosa</i> (L.) Kurz	Haritali	<i>Cynodon dactylon</i> (L.) Pers.
Dhatturah	<i>Datura metel</i> L.	Hijjala	<i>Baringtonia acutangula</i> (L.) Gaertn.
Dhavah	<i>Anogeissus latifolia</i> (Roxb. ex DC.) Wall. ex Bedd.	Hingu	<i>Ferula asafoetida</i> L.
Dhoajavriksha	<i>Caryota urens</i> L.	<b>I</b>	
Dhurva	<i>Cynodon dactylon</i> (L.) Pers.	Ikshuh	<i>Saccharum officinarum</i> L.
Dhusturah	<i>Datura metel</i> L.	Indiranika	<i>Vitex negundo</i> L.
Dirghamala	<i>Sorghum vulgare</i> Pers.	Ingudi	<i>Balanites aegyptiaca</i> (L.) Del.
Dirghapatraka	<i>Diospyros melanoxylon</i> Roxb.	Isvari	<i>Aristolochia indica</i> L.
Divya	<i>Hordeum vulgare</i> L.	<b>J</b>	
Dronapushpi	<i>Leucas aspera</i> (Willd.) Link	Jalapushpam	<i>Biophytum sensitivum</i> (L.) DC.
<b>E</b>		Jambira	<i>Citrus aurantifolia</i> (Christm. & Panz.) Swingle
Erandah	<i>Ricinus communis</i> L.	Jambirah	<i>Citrus limon</i> (L.) Burm. f.
Erandakarkati	<i>Carica papaya</i> L.	Jambuh	<i>Syzygium cumini</i> (L.) Skeels
<b>G</b>		Japa	<i>Hibiscus rosa-sinensis</i> L.
Gambhari	<i>Gmelina arborea</i> Roxb.	Jargadi	<i>Coix lacryma-jobi</i> L.
Gandhamadini	<i>Viscum articulatum</i> Burm. f.	Jatipatri	<i>Myristica fragrans</i> Houtt.
Ganduga	<i>Tagetes erecta</i> L.	Jatiphala	<i>Myristica fragrans</i> Houtt.
Gangeruki	<i>Canthium coromandelicum</i> (N. Burm.) Alston	Jhinjhara	<i>Triumfetta malabarica</i> Koen. ex Rottb.
Garalika	<i>Aristolochia indica</i> L.	Jinginee	<i>Lannea coromandelica</i> (Houtt.) Merr.
Gavedhu	<i>Coix lacryma-jobi</i> L.	Jiraka	<i>Cuminum cyminum</i> L.
Ghritakumari	<i>Aloe vera</i> (L.) Burm. f.	Jivanti	<i>Leptadenia reticulata</i> Wt. & Arn.
Girikarnika	<i>Clitoria ternatea</i> L.	Jivantika	<i>Viscum articulatum</i> Burm. f.
Girishalmalika	<i>Cochlospermum religiosum</i> (L.) Alston	Jyotishmati	<i>Celastrus paniculatus</i> Willd.
Godhuma	<i>Triticum aestivum</i> L.	<b>K</b>	
Gojeehva	<i>Elephantopus scaber</i> L.	Kachu	<i>Colocasia esculenta</i> (L.) Schott
Gokshurah	<i>Tribulus terrestris</i> L.	Kadali	<i>Musa paradisiaca</i> L.
Gopabhadra	<i>Gmelina asiatica</i> L.	Kaidarya	<i>Murraya koenigili</i> (L.) Spreng.
Gopalakarkati	<i>Melothria maderaspatana</i> (L.) Roem.	Kakodumbarika	<i>Ficus hispida</i> L. f.
Gristi	<i>Dioscorea bulbifera</i> L.		
Guduchi	<i>Tinospora cordifolia</i> (Willd.) Miers ex Hook. f. & Thoms.		

Sanskrit	Botanical Name	Sanskrit	Botanical Name
Kakubhah	<i>Terminalia arjuna</i> (Roxb. ex DC.) Wt. & Arn.	Krishnasirish	<i>Albizia amara</i> (Roxb.) Boivin
Kala kantala	<i>Agave americana</i> L.	Ksharshreshtha	<i>Schrebera swietenioides</i> Roxb.
Kalanusari	<i>Trigonella foenum-graecum</i> L.	Kshiravidar	<i>Ipomoea mauritiana</i> Jacq.
Kamsamarah	<i>Hugonia mystax</i> L.	Kukkuradry	<i>Blumea lacera</i> (Burm. f.) DC.
Kanachuka	<i>Carissa congesta</i> Wight	Kukundarah	<i>Blumea lacera</i> (Burm. f.) DC.
Kanguh	<i>Setaria italica</i> (L.) Beauv.	Kulanjan	<i>Alpinia galanga</i> (L.) Swartz
Kanguni	<i>Setaria italica</i> (L.) Beauv.	Kulathika	<i>Dolichos biflorus</i> L.
Kantakari	<i>Solanum virginianum</i> L.	Kumari	<i>Aloe vera</i> (L.) Burm. f.
Kantala	<i>Agave americana</i> L.	Kumbhi	<i>Careya arborea</i> Roxb.
Kapikahchhu	<i>Mucuna pruriens</i> (L.) DC.	Kundurushkah	<i>Boswellia serrata</i> Roxb.
Kapiththa	<i>Feronia elephantum</i> Correa	Kutaja	<i>Holarrhena pubescens</i> (Buch.-Ham.) Wall. ex G. Don
Karambah	<i>Capparis zeylanica</i> L.		
Karanja	<i>Pongamia pinnata</i> (L.) Pierre		
Karaskarah	<i>Strychnos nux-vomica</i> L.		
Karavellam	<i>Momordica charantia</i> L.		
Karavira	<i>Nerium indicum</i> Mill.	Laghubadara	<i>Zizyphus oenoplia</i> (L.) Mill.
Karnaphota	<i>Cardiospermum halicacabum</i> L.	Lajjalu	<i>Mimosa pudica</i> L.
Karpas	<i>Gossypium herbaceum</i> L.	Lakshmana	<i>Ipomoea sepia</i> Roxb.
Karpura	<i>Cinnamomum camphora</i> (L.) Presl.	Langli	<i>Gloriosa superba</i> L.
Karpura haridra	<i>Curcuma amada</i> Roxb.	Lasunah	<i>Allium sativum</i> L.
Kasamarda	<i>Cassia occidentalis</i> L.	Latakshiri	<i>Tylophora indica</i> (Burm. f.) Merrill
Kasaraja	<i>Eclipta prostrata</i> (L.) L.	Latapalasha	<i>Butea superba</i> Roxb.
Kashmari	<i>Gmelina arborea</i> Roxb.	Lavanga	<i>Syzygium aromaticum</i> L. Merr. et Perry
Kastadaruh	<i>Polyalthaea longifolia</i> (Sonn.) Thw.	Lingini	<i>Bryonopsis laciniosa</i> (L.) Naud.
Katakah	<i>Strychnos potatorum</i> L. f.		
Kattuvira	<i>Capsicum annuum</i> L.		
Kemuka	<i>Costus speciosus</i> (Koenig ex Retz.) J. E. Smith		
Ketaki	<i>Pandanus odoratissimus</i> L. f.	Madana	<i>Randia spinosa</i> Poir.
Khadirah	<i>Acacia catechu</i> (L. f.) Willd.	Madaniyahetu	<i>Woodfordia fruticosa</i> (L.) Kurz
Khadirah	<i>Acacia farnesiana</i> (L.) Willd.	Madayantika	<i>Lawsonia inermis</i> L.
Kharashakah	<i>Clerodendron serratum</i> (L.) Moon	Madhuika	<i>Madhuca longifolia</i> (Koen.) Mac Bride
Kharjura	<i>Phoenix sylvestris</i> (L.) Roxb.	Madhumalati	<i>Wattakaka volubilis</i> (L. f.) Stapf
Kiratatiktah	<i>Andrographis paniculata</i> (Burm. f.) Wall. ex Nees	Madhunashimi	<i>Gymnema sylvestre</i> (Retz.) R. Br.
Kitamari	<i>Aristolochia bracteolata</i> Lam.	Madhurika	<i>Foeniculum vulgare</i> Mill.
Kokilanayana	<i>Asteracantha longifolia</i> (L.) Nees	Mahakayah	<i>Zea mays</i> L.
Kolah	<i>Zizyphus mauritiana</i> Lamk.	Mahamashah	<i>Vigna unguiculata</i> subspecies <i>cylindrica</i> (L.) van Eseltine
Koli	<i>Zizyphus mauritiana</i> Lamk.	Mahanimba	<i>Ailanthus excelsa</i> Roxb.
Koshataki	<i>Luffa acutangula</i> (L.) Roxb.	Mahasimbi	<i>Canavalia gladiata</i> (Jacq.) DC.
Krishna kambhoji	<i>Phyllanthus reticulatus</i> Poir.	Mahavira	<i>Bridelia retusa</i> (L.) Spreng.
Krishna sariva	<i>Cryptolepis buchanani</i> Roem. & Schult.	Mahendra-varuni	<i>Citrullus colocynthis</i> (L.) Schr.
Krishnabeejam	<i>Annona reticulata</i> L.	Makushthaka	<i>Vigna aconitifolia</i> (Jacq.) Marechal
Krishnamusali	<i>Curculigo orchoides</i> Gaertn.	Malayu	<i>Ficus hispida</i> L. f.
Krishnarjakah	<i>Ocimum basilicum</i> L.	Mamajjakah	<i>Enicostema axillare</i> (Lam.) Raynal
Krishnasarshapah	<i>Brassica nigra</i> (L.) Koch	Mandapi	<i>Arachis hypogea</i> L.
		Mandukaparni	<i>Centella asiatica</i> (L.) Urban.

L

M


Sanskrit	Botanical Name	Sanskrit	Botanical Name
Manjari	<i>Ocimum tenuiflorum</i> L.	P	
Mansarohinee	<i>Soymida febrifuga</i> (Roxb.) A. Juss.	Palanduh	<i>Allium cepa</i> L.
Maricha	<i>Piper nigrum</i> L.	Palasah	<i>Butea monosperma</i> (Lamk.) Taub.
Mashah	<i>Vigna mungo</i> (L.) Hepper	Panasa	<i>Artocarpus heterophyllus</i> Lamk.
Masurah	<i>Lens culinaris</i> Medic.	Panchangulah	<i>Ricinus communis</i> L.
Matachir	<i>Pisum sativum</i> L.	Pandura	<i>Holarrhena pubescens</i> (Buch.-Ham.) Wall. ex G. Don
Matsyakashi	<i>Alternanthera sessilis</i> (L.) R. Br. ex DC	Papata	<i>Pavetta crassicaulis</i> Bremenk.
Meda	<i>Leptadenia reticulata</i> Wt. & Arn.	Paravalli	<i>Ichnocarpus frutescens</i> (L.) R. Br.
Medhini	<i>Lawsonia inermis</i> L.	Paribhadra	<i>Erythrina variegata</i> L.
Meshashrngi	<i>Gymnema sylvestre</i> (Retz.) R. Br.	Prijatah	<i>Nyctanthes arbor-tristis</i> L.
Methi	<i>Trigonella foenum-graecum</i> L.	Parisha	<i>Carica papaya</i> L.
Methika	<i>Trigonella foenum-graecum</i> L.	Parnabijah	<i>Kalanchoe pinnata</i> (Lamk.) Pers.
Mrigashrngi	<i>Helicteres isora</i> L.	Pata	<i>Sida acuta</i> Burm. f.
Mudgah	<i>Vigna radiata</i> (L.) R. Wilczek	Pathala-garudi	<i>Glycosmis pentaphylla</i> (Retz.) Correa
Mudgara	<i>Jasminum malabaricum</i> Wt.	Pathya	<i>Terminalia chebula</i> Retz.
Mukhaluka	<i>Ipomoea batatas</i> (L.) Lam.	Perukah	<i>Psidium guajava</i> L.
Mundi	<i>Sphaeranthus indicus</i> L.	Phenilah	<i>Sapindus emarginatus</i> Vahl.
Mushkakah	<i>Schrebera swietenioides</i> Roxb.	Pila	<i>Sida acuta</i> Burm. f.
Musta	<i>Cyperus rotundus</i> L.	Pindituka	<i>Meyna laxiflora</i> Robyns
<b>N</b>			
Naagadanti	<i>Croton roxburghii</i> Balakr.	Pippalah	<i>Ficus religiosa</i> L.
Nadihingu	<i>Gardenia resinifera</i> Roth	Pippali	<i>Piper longum</i> L.
Nadinish-par	<i>Paracalyx scariosus</i> (Roxb.) Ali	Pit shirish	<i>Albizia lebbeck</i> (L.) Willd.
Naga vala	<i>Canthium coromandelicum</i> (N. Burm.) Alston	Pitakushmandah	<i>Cucurbita maxima</i> Duchesne
Nagabala	<i>Grewia hirsuta</i> Vahl.	Pitasara	<i>Pterocarpus marsupium</i> Roxb.
Nagahantri	<i>Momordica dioica</i> Roxb. ex Willd.	Potuagakara	<i>Momordica dioica</i> Roxb. ex Willd.
Nagajihva	<i>Enicostema axillare</i> (Lam.) Raynal	Prabhadräh	<i>Azadirachta indica</i> A. Juss.
Nakharanjani	<i>Lawsonia inermis</i> L.	Priyal	<i>Buchanania lanza</i> Spreng.
Nali	<i>Pennisetum typhoideum</i> L.	Pugah	<i>Areca catechu</i> L.
Nalita	<i>Hibiscus cannabinus</i> L.	Punarnava	<i>Boerhavia chinensis</i> (L.) Heimerl.
Narikela	<i>Cocos nucifera</i> L.	Pundrakah	<i>Boerhavia diffusa</i> L.
Narttakah	<i>Eleusine coracana</i> (L.) Gaertn.	Punnaja	<i>Saccharum officinarum</i> L.
Nidigdhika	<i>Solanum virginianum</i> L.	Putikaranja	<i>Calophyllum inophyllum</i> L.
Nilaniryasa	<i>Eucalyptus</i> species		<i>Caesalpinia bonduc</i> (L.) Roxb.
Nilishila	<i>Securinega virosa</i> Pax & Hoffm.		
Nimbah	<i>Azadirachta indica</i> A. Juss.		
Nirgundi	<i>Vitex negundo</i> L.		
Nrityakundalah	<i>Eleusine coracana</i> (L.) Gaertn.		
Nyagrodhah	<i>Ficus benghalensis</i> L.		
<b>O</b>			
Ondrapushpi	<i>Hibiscus rosa-sinensis</i> L.	R	
		Ragi	<i>Eleusine coracana</i> (L.) Gaertn.
		Rajamashah	<i>Vigna unguiculata</i> subspecies <i>cylindrica</i> (L.) van Eseltine
		Rajatarih	<i>Mussaenda glabrata</i> (Hook. f.) Hutch. ex Gamble
		Raktachandana	<i>Pterocarpus santalinus</i> L.
		Raktapunarnava	<i>Boerhavia diffusa</i> L.
		Raktavalli	<i>Ventilago calyculata</i> Tul.
		Ram til	<i>Guizotia abyssinica</i> (L. f.) Cass.




Sanskrit	Botanical Name	Sanskrit	Botanical Name
Ramaphalam	<i>Annona reticulata</i> L.	Shyamalata	<i>Ichnocarpus frutescens</i> (L.) R. Br.
Rasna	<i>Alpinia galanga</i> (L.) Swartz	Shyonakah	<i>Oroxylum indicum</i> (L.) Vent.
Rasonah	<i>Allium sativum</i> L.	Sindukah	<i>Vitex negundo</i> L.
Sadaphalah	<i>Ficus racemosa</i> L.	Sinduvarah	<i>Vitex trifolia</i> L.
Sali	<i>Oryza sativa</i> L.	Sitaphalam	<i>Annona squamosa</i> L.
Sallaki	<i>Boswellia serrata</i> Roxb.	Sitarjakah	<i>Ocimum basilicum</i> L.
Samanga	<i>Mimosa pudica</i> L.	Sivadrumah	<i>Aegle marmelos</i> (L.) Corr.
Saptachadah	<i>Alstonia scholaris</i> (L.) R. Br.	Sobhanjanah	<i>Moringa oleifera</i> Lam.
Saptala	<i>Acacia sinuata</i> (Lour.) Merr.	Sriphalah	<i>Aegle marmelos</i> (L.) Corr.
Saptaparnah	<i>Alstonia scholaris</i> (L.) R. Br.	Sugandhamula	<i>Alpinia galanga</i> (L.) Swartz
Sarala	<i>Pinus roxburghii</i> Sarg.	Surabhi nimba	<i>Murraya koenigili</i> (L.) Spreng.
Sarpakhya	<i>Dioscorea oppositifolia</i> L.	Sushavi	<i>Carum carvi</i> L.
Sarshaphah	<i>Brassica juncea</i> (L.) Czern. & Coss.	Suvarnaka	<i>Cassia fistula</i> L.
Satina	<i>Pisum sativum</i> L.	Svadupatolah	<i>Trichosanthes cucumerina</i> L.
Sephalika	<i>Nyctanthes arbor-tristis</i> L.	Svarnakshiri	<i>Argemone mexicana</i> L.
Shakah	<i>Tectona grandis</i> L. f.	Sveta-barbura	<i>Acacia leucophloea</i> Willd.
Shakhota	<i>Streblus asper</i> Lour.	Svetabija	<i>Dolichos biflorus</i> L.
Shalmali	<i>Bombax ceiba</i> L.		
Shami	<i>Prosopis cineraria</i> (L.) Druce	Tailaparnah	<i>Eucalyptus species</i>
Shanarghandika	<i>Crotalaria retusa</i> L.	Taladrumah	<i>Borassus flabellifer</i> L.
Sharapunkhah	<i>Tephrosia purpurea</i> (L.) Pers.	Talah	<i>Borassus flabellifer</i> L.
Shariba	<i>Hemidesmus indicus</i> (L.) R. Br.	Tamakhuh	<i>Nicotiana tabacum</i> L.
Shariva	<i>Ichnocarpus frutescens</i> (L.) R. Br.	Tambula	<i>Piper betel</i> L.
Shatala	<i>Euphorbia tirucalli</i> L.	Thrinaraja	<i>Borassus flabellifer</i> L.
Shatavari	<i>Asparagus racemosus</i> Willd.	Tila	<i>Sesamum orientale</i> L.
Shephalika	<i>Vitex trifolia</i> L.	Tintrini	<i>Tamarindus indica</i> L.
Shigruh	<i>Moringa oleifera</i> Lam.	Tulasi	<i>Ocimum tenuiflorum</i> L.
Shilakarpasika	<i>Cochlospermum religiosum</i> (L.) Alston	Tumala	<i>Diospyros montana</i> Roxb.
Shinshapa	<i>Dalbergia sissoo</i> Roxb.	Tuntukah	<i>Oroxylum indicum</i> (L.) Vent
Shishapa	<i>Dalbergia latifolia</i> Roxb.		
Shivalingi	<i>Bryonopsis laciniosa</i> (L.) Naud.	Udumbarah	<i>Ficus racemosa</i> L.
Shopagni	<i>Boerhavia diffusa</i> L.	Ugragandha	<i>Acorus calamus</i> L.
Shravani	<i>Sphaeranthus indicus</i> L.	Ulkatah	<i>Polyalthaea longifolia</i> (Sonn.) Thw.
Shriparnah	<i>Mussaenda glabrata</i> (L.) Hook. f.		
Shvadamstra	Hutch. ex Gamble	Vacha	<i>Acorus calamus</i> L.
Shvetachampak	<i>Tribulus terrestris</i> L.	Vachagandha	<i>Ipomoea obscura</i> (L.) Ker-Gawl.
Shvetakamboja	<i>Plumeria rubra</i> L.	Vajrasthi	<i>Asteracantha longifolia</i> (L.) Nees
Shvetakanchan	<i>Securinega leucopyrus</i> (Willd.) Muell.-Arg.	Valkala	<i>Antiaria toxicaria</i> (Pers.) Lesch.
Shvetakutajah	<i>Bauhinia racemosa</i> Lamk.	Vamshah	<i>Bambusa arundinacea</i> (Retz.) Willd.
Shvetpushpi	<i>Wrightia tinctoria</i> Br.		
Shyamakah	<i>Trichosanthes tricuspidata</i> Lour.		
	<i>Panicum sumatrense</i> Roth. ex Roem. & Schult.		



Sanskrit	Botanical Name	Sanskrit	Botanical Name
Van tulsi	<i>Ocimum gratissimum</i> L.	Vilvah	<i>Aegle marmelos</i> (L.) Corr.
Vanacchedi	<i>Lantana camara</i> L.	Vishala	<i>Cucumis trigonus</i> L.
Vana-haridra	<i>Curcuma aromatica</i> Salisb.	Vishalya	<i>Gloriosa superba</i> L.
Vananimbu	<i>Glycosmis pentaphylla</i> (Retz.) Correa	Vitunna	<i>Celosia argentea</i> L.
Vanavrintaki	<i>Solanum anguivi</i> Lam.	Vrichhamala	<i>Garcinia indica</i> (Du Petit-Thou.) Choisy
Varada	<i>Dioscorea bulbifera</i> L.	Vrihi	<i>Oryza sativa</i> L.
Varahakarni	<i>Withania somnifera</i> (L.) Dunal	Vrikkabijah	<i>Anacardium occidentale</i> L.
Varahi	<i>Dioscorea bulbifera</i> L.	Vrikkaphala	<i>Anacardium occidentale</i> L.
Varttaki	<i>Solanum melongena</i> L.	Vrishchikali	<i>Heliotropium indicum</i> L.
Vasa	<i>Litsea glutinosa</i> (Lour.) Robins.		
Vasaka	<i>Justicia adhatoda</i> L.		
Vataghni	<i>Clerodendrum multiflorum</i> (Burm. f.) O. Ktze.		
Vatah	<i>Ficus benghalensis</i> L.	Yava	<i>Hordeum vulgare</i> L.
Vellah	<i>Embelia ribes</i> Burm. f.	Yawani	<i>Carum copticum</i> (L.) Hiern.
Venamrah	<i>Anacardium occidentale</i> L.	Yugaphala	<i>Pergularia daemia</i> (Forssk.) Chiov.
Venuh	<i>Bambusa arundinacea</i> (Retz.) Willd.	Yugmaphalothama	<i>Caralluma adscendens</i> (Roxb.) R. Br.
Vibhitakah	<i>Terminalia belerica</i> (Gaertn.) Roxb.		
Vidangah	<i>Embelia ribes</i> Burm. f.		
Vidari	<i>Pueraria tuberosa</i> DC.		
Vikankata	<i>Maytenus senegalensis</i> (Lam.) Excell.		




Telgu	Botanical Name	Telgu	Botanical Name
<b>A</b>		<b>B</b>	
Aari chettu	<i>Bauhinia racemosa</i> Lamk.	Ashwagandha	<i>Withania somnifera</i> (L.) Dunal
Adavi atti	<i>Ficus hispida</i> L. f.	Asoka chettu	<i>Polyalthea longifolia</i> (Sonn.) Thw.
Adavi benda	<i>Thespesia lampas</i> (Cav.) Alef.	Athipathi	<i>Mimosa pudica</i> L.
Adavi chamanthi	<i>Grewia tiliaefolia</i> Vahl.	Atika mamidi	<i>Boerhavia diffusa</i> L.
Adavi chamanti	<i>Helicteres isora</i> L.	Attamamidi	<i>Boerhavia diffusa</i> L.
Adavi chikkudu	<i>Cyamopsis tetragonoloba</i> (L.) Taub.	Avaduta	<i>Trichosanthes tricuspidata</i> Lour.
Adavi donda	<i>Coccinia grandis</i> (L.) Voigt	Avalu	<i>Brassica juncea</i> (L.) Czern. & Coss.
Adavi galli dumpa	<i>Zingiber roseum</i> Roxb. (Rosc.)	Avisi	<i>Linum usitatissimum</i> L.
Adavi ganneru	<i>Plumeria rubra</i> L.		
Adavi janapa	<i>Crotalaria albida</i> Heyne ex Roth		
Adavi nabhi	<i>Gloriosa superba</i> L.	Badanika	<i>Viscum articulatum</i> Burm. f.
Adavi nara dumpa	<i>Dioscorea oppositifolia</i> L.	Baditha	<i>Erythrina variegata</i> L.
Adavi nimma	<i>Atalanitia monophylla</i> Corr.	Balu rakhisa	<i>Argemone mexicana</i> L.
Adavi paleteega	<i>Cryptolepis buchanani</i> Roem. & Schult.	Balusu	<i>Canthium coromandelicum</i> (N. Burm.) Alston
Adavi pasupu	<i>Curcuma aromatica</i> Salisb.	Bandari	<i>Adina cordifolia</i> (Roxb.) Hook.
Adavi patti	<i>Thespesia lampas</i> (Cav.) Alef.	Bandi gurija	<i>Wattakaka volubilis</i> (L. f.) Stapf
Adavi pogaku	<i>Elephantopus scaber</i> L.	Banka nakkeru	<i>Cordia dichotoma</i> Forst. f.
Adavi pogaku	<i>Lobelia nicotianaefolia</i> Roth ex Roem. & Schult.	Bantichettu	<i>Tagetes erecta</i> L.
Adavi teku	<i>Tectona grandis</i> L. f.	Bappayi	<i>Carica papaya</i> L.
Adavi thamma	<i>Canavalia africana</i> Dunn.	Baragadam	<i>Indigofera glandulosa</i> Wendl.
Adavi uchintha	<i>Solanum anguivi</i> Lam.	Barapatalu	<i>Indigofera glandulosa</i> Wendl.
Addasaram	<i>Justicia adathoda</i> L.	Barli	<i>Hordeum vulgare</i> L.
Adonda	<i>Capparis zeylanica</i> L.	Barnika	<i>Streblus asper</i> Lour.
Agakara	<i>Momordica dioica</i> Roxb. ex Willd.	Barukoli-gottu	<i>Heterophragma quadriloculare</i> (Roxb.) K. Schum.
Akasa pandiri	<i>Cuscuta reflexa</i> Roxb.	Batani	<i>Pisum sativum</i> L.
Aku jemudu	<i>Euphorbia ligularia</i> Roxb.	Bedthuru	<i>Dichrostachys cinerea</i> (L.) Wight & Arn.
Alasanda	<i>Vigna unguiculata</i> subspecies <i>cylindrica</i> (L.) van Eseltine	Beedi aku	<i>Diospyros melanoxylon</i> Roxb.
Allamu	<i>Zingiber officinalis</i> Rosc.	Beera	<i>Luffa acutangula</i> (L.) Roxb.
Ambati kura	<i>Boerhavia diffusa</i> L.	Belapaku	<i>Tridax procumbens</i> L.
Amruta	<i>Tinospora cordifolia</i> (Willd.) Miers ex Hook. f. & Thoms.	Besika dumpa	<i>Costus speciosus</i> (Koenig ex Retz.) J. E. Smith
Amruthakada	<i>Commelinia benghalensis</i> L.	Bhallatamu	<i>Semecarpus anacardium</i> L. f.
Amudamu	<i>Ricinus communis</i> L.	Bhimudu dumpa	<i>Colocasia esculenta</i> (L.) Schott
Andugu	<i>Boswellia serrata</i> Roxb.	Bhootalbhairi	<i>Croton roxburghii</i> Balakr.
Anem chettu	<i>Bridelia retusa</i> (L.) Spreng.	Bhringaraja	<i>Eclipta prostrata</i> (L.) L.
Ankolamu	<i>Alangium salvifolium</i> (L. f.) Wang	Bhutulasi	<i>Ocimum basilicum</i> L.
Ankudu	<i>Wrightia tinctoria</i> Br.	Billa	<i>Chloroxylon swietenia</i> DC.
Apamargamu	<i>Achyranthes aspera</i> L.	Billa godisa	<i>Cleistanthus collinus</i> (Roxb.) Bth. ex Hook. f.
Araya	<i>Careya arborea</i> Roxb.	Billudu	<i>Chloroxylon swietenia</i> DC.
Are	<i>Bauhinia racemosa</i> Lamk.	Bilva	<i>Aegle marmelos</i> (L.) Corr.
Arikelu	<i>Paspalum scrobiculatum</i> L.	Bilvamu	<i>Aegle marmelos</i> (L.) Corr.
Ariti	<i>Musa paradisiaca</i> L.	Birakaya	<i>Luffa acutangula</i> (L.) Roxb.
Ashokamu	<i>Polyalthea longifolia</i> (Sonn.) Thw.		
Ashvatthamu	<i>Ficus religiosa</i> L.		

Telgu	Botanical Name	Telgu	Botanical Name
Bitlugu	<i>Chloroxylon swietenia</i> DC.	Chennangi	<i>Lagerstroemia parviflora</i> Roxb.
Bobbasi	<i>Carica papaya</i> L.	Chennem	<i>Lagerstroemia parviflora</i> Roxb.
Bobberlu	<i>Vigna unguiculata</i> subspecies <i>cylindrica</i> (L.) van Eseltine	Cherimanu	<i>Anogeissus latifolia</i> (Roxb. ex DC.) Wall. ex Bedd.
Bodasaramu	<i>Sphaeranthus indicus</i> L.	Cheruku	<i>Saccharum officinarum</i> L.
Bodathamara	<i>Sphaeranthus indicus</i> L.	Chettu badanika	<i>Viscum articulatum</i> Burm. f.
Bodda	<i>Ficus hispida</i> L. f.	Chigara	<i>Albizia amara</i> (Roxb.) Boivin
Boddatarapu	<i>Sphaeranthus indicus</i> L.	Chikkudu	<i>Dolichos lablab</i> L.
Bodhi	<i>Ficus religiosa</i> L.	Chilakadadumpa	<i>Ipomoea batatas</i> (L.) Lam.
Bogachika	<i>Costus speciosus</i> (Koenig ex Retz.) J. E. Smith	Chilakathottakura	<i>Amaranthus spinosus</i> L.
Bomma kachi kai	<i>Zingiber roseum</i> Roxb. (Rosc.)	Chilla chettu	<i>Strychnos potatorum</i> L. f.
Bommalamarri	<i>Clerodendron serratum</i> (L.) Moon	Chindugu	<i>Albizia odoratissima</i> (L. f.) Benth.
Bondgu	<i>Heterophragma quadriloculare</i> (Roxb.) K. Schum.	Chinna palleru	<i>Tribulus terrestris</i> L.
Bontavempali	<i>Tephrosia purpurea</i> (L) Pers.	Chinna panasa	<i>Annona squamosa</i> L.
Bontha	<i>Grewia hirsuta</i> Vahl.	Chinna thantem	<i>Cassia tora</i> L.
Bontha teega	<i>Combretum decandrum</i> Roxb.	Chinnakasinda	<i>Cassia tora</i> L.
Boodariteega	<i>Cissus pallida</i> (Wt. & Arn.)	Chinna-nakkera	<i>Cordia dichotoma</i> Forst. f.
Boomidapu	<i>Indigofera glandulosa</i> Wendl.	Chinta chettu	<i>Tamarindus indica</i> L.
Boraga gaddi	<i>Commelina benghalensis</i> L.	Chinthra	<i>Tamarindus indica</i> L.
Botla benda	<i>Abutilon indicum</i> (L.) Sweet	Chinulli	<i>Allium sativum</i> L.
Brahma dandi	<i>Echinops echinatus</i> Roxb.	Chiratalabaddu	<i>Ventilago calyculata</i> Tul.
Brahma medi	<i>Ficus hispida</i> L. f.	Chirisanagalu	<i>Lens culinaris</i> Medic.
Brahmadandi	<i>Argemone mexicana</i> L.	Chiru vavili	<i>Vitex trifolia</i> L.
Brinda	<i>Ocimum tenuiflorum</i> L.	Chirusitorika	<i>Triumfetta malabarica</i> Koen. ex Rottb.
Buddakaakaraeega	<i>Cardiospermum halicacabum</i> L.	Chitti woddi	<i>Dolichandrone falcata</i> (Wall. ex DC.) Seem.
Buruga	<i>Bombax ceiba</i> L.	Chode	<i>Eleusine coracana</i> (L.) Gaertn.
		Chollu	<i>Eleusine coracana</i> (L.) Gaertn.
		Chouta gaddi	<i>Eragrostis pilosa</i> (L.) P. Beauv.
		Culbay gaddi	<i>Coix lacryma-jobi</i> L.
			
Cegagadda veliki	<i>Meyna laxiflora</i> Robyns	Dabba	<i>Citrus limon</i> (L.) Burm. f.
Chager matta	<i>Agave</i> species	Daddugu	<i>Adina cordifolia</i> (Roxb.) Hook.
Challa budama	<i>Solanum virginianum</i> L.	Dakki	<i>Oroxylum indicum</i> (L.) Vent.
Challagadda	<i>Asparagus racemosus</i> Willd.	Danthe	<i>Maytenus senegalensis</i> (Lam.) Excell.
Challamulaga	<i>Solanum virginianum</i> L.	Danthe pala	<i>Cryptolepis buchanani</i> Roem. & Schult.
Chanagalu	<i>Cicer arietinum</i> L.	Deepam teega	<i>Gloriosa superba</i> L.
Changanara	<i>Agave</i> species	Devadaru	<i>Erythroxylon monogynum</i> Roxb.
Cheekaya	<i>Acacia sinuata</i> (Lour.) Merr.	Devadaru	<i>Polyalthea longifolia</i> (Sonn.) Thw.
Cheepuru gaddi	<i>Aristida adscensionis</i> L.	Devaganneru	<i>Plumeria rubra</i> L.
Cheepurupandla	<i>Grewia hirsuta</i> Vahl.	Dhaniyalu	<i>Coriandrum sativum</i> L.
chetru		Dirisena	<i>Albizia lebbeck</i> (L.) Willd.
Cheetukam	<i>Gloriosa superba</i> L.	Dokki kampa	<i>Sida acuta</i> Burm. f.
dumpa teega		Dommadolu gadda	<i>Withania somnifera</i> (L.) Dunal
Chemakura	<i>Colocasia esculenta</i> (L.) Schott	Dudippa	<i>Careya arborea</i> Roxb.
Chemma teega	<i>Canavalia africana</i> Dunn.		
Chennakai	<i>Arachis hypogaea</i> L.		

**E**

Dumparastramu	<i>Alpinia galanga</i> (L.) Swartz
Dundillum	<i>Oroxylum indicum</i> (L.) Vent.
Duntapesalu	<i>Vigna unguiculata</i> subspecies <i>cylindrica</i> (L.) van Eseltine
Dusara teega	<i>Cocculus hirsutus</i> (L.) Diels.
Dushtuputeega	<i>Pergularia daemia</i> (Forssk.) Chiov.
Dusudu teega	<i>Cocculus hirsutus</i> (L.) Diels.
Dutlaputeega	<i>Pergularia daemia</i> (Forssk.) Chiov.
Duvvenaku	<i>Abutilon indicum</i> (L.) Sweet
Duyipapata	<i>Pavetta crassicaulis</i> Bremen.
Edakula pala	<i>Alstonia scholaris</i> (L.) R. Br.
Edakularati chettu	<i>Alstonia scholaris</i> (L.) R. Br.
Ede gaddi	<i>Bothriochloa pertusa</i> (L.) A. Camus
Edi gaddi	<i>Bothriochloa pertusa</i> (L.) A. Camus
Eetiputchha	<i>Citrullus colocynthis</i> (L.) Schr.
Elithe	<i>Bambusa arundinacea</i> (Retz.) Willd.
Elli gadda	<i>Allium sativum</i> L.
Eramudamu	<i>Ricinus communis</i> L.
Erra garaka	<i>Dactyloctenium aegyptium</i> Beauv.
Erra gatha	<i>Diospyros montana</i> Roxb.
Erra gurivinda	<i>Abrus precatorius</i> L.
Erra jamba	<i>Canavalia gladiata</i> (Jacq.) DC.
Erra kasavinda	<i>Cassia occidentalis</i> L.
Erra maddi	<i>Terminalia arjuna</i> (Roxb. ex DC.) Wt. & Arn.
Erra sengali gaddi	<i>Dicanthium annulatum</i> (Forssk.) Stapf
Errabenu teega	<i>Ventilago calyculata</i> Tul.
Erragadda	<i>Allium cepa</i> L.
Erribiki	<i>Gardenia resinifera</i> Roth.
Esvaraveru	<i>Aristolochia indica</i> L.
Eti gaddi	<i>Dicanthium annulatum</i> (Forssk.) Stapf
Etu gaddi	<i>Sehima nervosum</i> (Roth) Stapf

**G**

Gadda korinda	<i>Caesalpinia decapetala</i> (Roth) Alst.
Gadida gadapa	<i>Aristolochia bracteolata</i> Lam.
Gadida gadapaku	<i>Aristolochia bracteolata</i> Lam.
Gadida gadda para	<i>Aristolochia bracteolata</i> Lam.
Gaga	<i>Pongamia pinnata</i> (L.) Pierre
Gaggara	<i>Ocimum tenuiflorum</i> L.
Gajangi	<i>Pandanus odoratissimus</i> L. f.
Galagara	<i>Eclipta prostrata</i> (L.) L.

Telgu	Botanical Name
Ganara	<i>Albizia odoratissima</i> (L. f.) Benth.
Ganari	<i>Albizia amara</i> (Roxb.) Boivin
Gangaravi	<i>Thespesia populnea</i> (L.) Soland ex Correa
Gangaregu	<i>Zizyphus mauritiana</i> Lamk.
Gangarenu	<i>Thespesia populnea</i> (L.) Soland ex Correa
Ganjayi	<i>Cannabis sativa</i> L.
Ganneru	<i>Nerium indicum</i> Mill.
Ganti	<i>Pennisetum typhoideum</i> L.
Gantubharangi	<i>Clerodendron serratum</i> (L.) Moon
Gara chettu	<i>Balanites aegyptiaca</i> (L.) Del.
Garasi	<i>Ficus tinctoria</i> Forst.
Garika	<i>Cynodon dactylon</i> (L.) Pers.
Garuga	<i>Garuga pinnata</i> Roxb.
Garugudu	<i>Garuga pinnata</i> Roxb.
Gasagasalu	<i>Papaver somnifera</i> L.
Gatsakai	<i>Caesalpinia bonduc</i> (L.) Roxb.
Gayamkura	<i>Tridax procumbens</i> L.
Gayapu mokka	<i>Pavonia zeylanica</i> L.
Gede eswari	<i>Aristolochia indica</i> L.
Gede thantem	<i>Cassia occidentalis</i> L.
Gene gaddi	<i>Themeda quadrivalvis</i> (L.) O. Ktze.
Genusu	<i>Ipomoea batatas</i> (L.) Lam.
Gesarı	<i>Hesperethusa crenulata</i> (Roxb.) Roem.
Gilla theega	<i>Entada pursaetha</i> DC.
Giridi chettu	<i>Antidesma ghaesembilla</i> Gaertn.
Godhumalu	<i>Triticum aestivum</i> L.
Gogunara	<i>Corchorus capsularis</i> L.
Goligi	<i>Glycosmis pentaphylla</i> (Retz.) Correa
Golugulu	<i>Coix lacryma-jobi</i> L.
Gongura	<i>Hibiscus cannabinus</i> L.
Goranta	<i>Lawsonia inermis</i> L.
Gore gummudu	<i>Gmelina asiatica</i> L.
Gorinta	<i>Lawsonia inermis</i> L.
Goru chikkudu	<i>Cyamopsis tetragonoloba</i> (L.) Taub.
Gotte	<i>Zizyphus xylopyra</i> (Retz.) Willd.
Govadi	<i>Careya arborea</i> Roxb.
Guggilam	<i>Boswellia serrata</i> Roxb.
Gummadi teega	<i>Cucurbita maxima</i> Duchesne
Gummadidamagadda	<i>Pueraria tuberosa</i> DC.
Gummudu	<i>Gmelina arborea</i> Roxb.
Gummudu chettu	<i>Gmelina arborea</i> Roxb.
Gumpena	<i>Lannea coromandelica</i> (Houtt.) Merr.
Gundrugu teega	<i>Combretum decandrum</i> Roxb.
Gunta galijeru	<i>Eclipta prostrata</i> (L.) L.
Gunta kalagaraaku	<i>Eclipta prostrata</i> (L.) L.
Gunta kalagaraku	<i>Acanthospermum hispidum</i> DC.


Telgu	Botanical Name	Telgu	Botanical Name
Gunugu	<i>Celosia argentea</i> L.	Kakibira	<i>Hugonia mystax</i> L.
Gunuku chode	<i>Dactyloctenium aegyptium</i> Beauv.	Kakiborra	<i>Trichosanthes tricuspidata</i> Lour.
Gunuku gaddi	<i>Dactyloctenium aegyptium</i> Beauv.	Kakidonda	<i>Coccinia grandis</i> (L.) Voigt
Gurivinda	<i>Abrus precatorius</i> L.	Kalabanda	<i>Aloe vera</i> (L.) Burm. f.
Guruginja	<i>Abrus precatorius</i> L.	Kalimi	<i>Carissa congesta</i> Wight
Gurugu kada	<i>Celosia argentea</i> L.	Kamiremi	<i>Securinega virosa</i> Pax & Hoffm.
Gurugu kura	<i>Celosia argentea</i> L.	Kampugummudu	<i>Ailanthus excelsa</i> Roxb.
Gutagutta	<i>Pergularia daemia</i> (Forssk.) Chiov.	Kanapa	<i>Baringtonia acutangula</i> (L.) Gaertn.
<b>I</b>		Kanapa gaddi	<i>Sorghum halepense</i> (L.) Pers.
Illinthu	<i>Diospyros chloroxylon</i> Roxb.	Kancheri	<i>Maytenus senegalensis</i> (Lam.) Excell.
Indugu chettu	<i>Strychnos potatorum</i> L. f.	Kandi	<i>Cajanus cajan</i> (L.) Millsp.
Ingura	<i>Ferula asafoetida</i> L.	Kanigera alam	<i>Acanthospermum hispidum</i> DC.
Inguva	<i>Ferula asafoetida</i> L.	Kanigi	<i>Baringtonia acutangula</i> (L.) Gaertn.
Ippa	<i>Madhuca longifolia</i> (Koen.) MacBrude	Kanne komali	<i>Boerhavia chinensis</i> (L.) Heimerl.
Iriki	<i>Cordia dichotoma</i> Forst. f.	Kanuga	<i>Pongamia pinnata</i> (L.) Pierre
<b>J</b>		Kanupu gaddi	<i>Chloris barbata</i> Swartz
Jaji vayila	<i>Woodfordia fruticosa</i> (L.) Kurz	Karaka chettu	<i>Terminalia chebula</i> Retz.
Jajikaya	<i>Myristica fragrans</i> Houtt.	Karalluma	<i>Caralluma adscendens</i> (Roxb.) R. Br.
Jajulu	<i>Woodfordia fruticosa</i> (L.) Kurz	Karivepaku	<i>Murraya koenigili</i> (L.) Spreng.
Jama chettu	<i>Psidium guajava</i> L.	Karpuram	<i>Cinnamomum camphora</i> (L.) Presl.
Jammi	<i>Typha angustifolia</i> L.	Karrigaddi	<i>Panicum repens</i> L.
Jammi chettu	<i>Prosopis cineraria</i> (L.) Druce	Karu chode gaddi	<i>Chloris barbata</i> Swartz
Janapa	<i>Crotalaria juncea</i> L.	Karu ulava	<i>Clitoria ternatea</i> L.
Janu gaddi	<i>Bothriochloa pertusa</i> (L.) A. Camus	Karuchikkudu	<i>Canavalia gladiata</i> (Jacq.) DC.
Janumu	<i>Crotalaria juncea</i> L.	Karunimma	<i>Atalantia monophylla</i> Corr.
Jarike	<i>Buchanania lanza</i> Spreng.	Karuvenda	<i>Pavonia zeylanica</i> L.
Jeeditamidi	<i>Anacardium occidentale</i> L.	Kasakasa	<i>Papaver somniferum</i> L.
Jeela karra	<i>Cuminum cyminum</i> L.	Kasintha	<i>Cassia occidentalis</i> L.
Jemudu	<i>Euphorbia ligularia</i> Roxb.	Kasturi tumma	<i>Acacia farnesiana</i> (L.) Willd.
Jeripothu gaddi	<i>Panicum repens</i> L.	Kasurijunj	<i>Pogostemon benghalensis</i> (Burm. f.) O. Ktze
Jidi	<i>Semecarpus anacardium</i> L. f.	Ketaki	<i>Pandanus odoratissimus</i> L. f.
Jilledu	<i>Calotropis gigantea</i> (L.) R. Br.	Kharbujadosa	<i>Cucumis trigonus</i> L.
Jiluga	<i>Caryota urens</i> L.	Kinnera	<i>Nyctanthes arbor-tristis</i> L.
Jivilike	<i>Grewia hirsuta</i> Vahl.	Kithanaramatta	<i>Agave americana</i> L.
Jolidi	<i>Colebrookea oppositifolia</i> Sm.	Kobbari	<i>Cocos nucifera</i> L.
Jonnalu	<i>Sorghum vulgare</i> Pers.	Kodikada	<i>Coccinia grandis</i> (L.) Voigt
Juttuvaku	<i>Pergularia daemia</i> (Forssk.) Chiov.	Kodikki	<i>Heliotropium indicum</i> L.
<b>K</b>		Kokilakshi	<i>Asteracantha longifolia</i> (L.) Nees
Kadalamu	<i>Musa paradisiaca</i> L.	Kokkitha	<i>Gardenia turgida</i> Roxb.
Kakara	<i>Momordica charantia</i> L.	Konda arati	<i>Ensete superbum</i> (Roxb.) Chees.
		Konda buruga	<i>Bombax ceiba</i> L.
		Konda chigara	<i>Albizia odoratissima</i> (L. f.) Benth.
		Konda gogu	<i>Cochlospermum religiosum</i> (L.) Alston
		Konda juvi	<i>Ficus tinctoria</i> Forst.
		Konda papata	<i>Pavetta crassicaulis</i> Bremen.
		Konda patti	<i>Kydia calycina</i> Roxb.
		Konda vepa	<i>Azadirachta indica</i> A. Juss.



Telgu	Botanical Name	Telgu	Botanical Name
Kooturubadama	<i>Melothria maderaspatana</i> (L.) Roem.	Mirapa	<i>Capsicum annuum</i> L.
Korralu	<i>Setaria italica</i> (L.) Beauv.	Miriyalu	<i>Piper nigrum</i> L.
Kothmeera	<i>Coriandrum sativum</i> L.	Mirpakaya	<i>Capsicum annuum</i> L.
Krishna tulasi	<i>Ocimum tenuiflorum</i> L.	Misurappu	<i>Lens culinaris</i> Medic.
Kukka pogaku	<i>Elephantopus scaber</i> L.	Moduga	<i>Butea monosperma</i> (Lamk.) Taub.
Kukundaramu	<i>Blumea lacera</i> (Burm. f.) DC.	Modugu teega	<i>Butea superba</i> Roxb.
Kumbhi	<i>Careya arborea</i> Roxb.	Mokkem	<i>Schrebera swietenioides</i> Roxb.
Kumkulu	<i>Sapindus laurifolius</i> Vahl.	Morri	<i>Buchanania lanza</i> Spreng.
Kumkuti chettu	<i>Sapindus laurifolius</i> Vahl.	Mothuga	<i>Butea monosperma</i> (Lamk.) Taub.
Kummari teega	<i>Smilax zeylanica</i> L.	Mougali	<i>Pandanus odoratissimus</i> L. f.
Kundeetikommulu	<i>Caralluma adscendens</i> (Roxb.) R. Br.	Mucha tumiki	<i>Diospyros montana</i> Roxb.
Kunkudu	<i>Sapindus emarginatus</i> Vahl.	Mukku	<i>Leptadenia reticulata</i> Wt. & Arn.
Kunkuma pesalu	<i>Vigna aconitifolia</i> (Jacq.) Marechal	Mulaga	<i>Moringa oleifera</i> Lam.
Kunkutikaya	<i>Sapindus laurifolius</i> Vahl.	Mulla vankai	<i>Solanum virginianum</i> L.
Kunukudu	<i>Biophytum sensitivum</i> (L.) DC.	Mulla veduru	<i>Bambusa arundinacea</i> (Retz.) Willd.
Kunukudu	<i>Mimosa pudica</i> L.	Mullu buruga	<i>Bombax ceiba</i> L.
<b>L</b>		Munaga	<i>Moringa oleifera</i> Lam.
Laddagaddi	<i>Panicum repens</i> L.	Muni gangaravi	<i>Thespesia populnea</i> (L.) Soland ex Correa
Lavangamu chettu	<i>Syzygium aromaticum</i> L. Merr. et Perry	Munnati karaka	<i>Melia dubia</i> Cav.
Laxmitulasi	<i>Ocimum basilicum</i> L.	Muriki nimma	<i>Atalantia monophylla</i> Corr.
Linga donda	<i>Bryonopsis laciniosa</i> (L.) Naud.	Mushidi	<i>Strychnos nux-vomica</i> L.
Lingapotla	<i>Trichosanthes cucumerina</i> L.	Musti	<i>Strychnos nux-vomica</i> L.
<b>M</b>		Muttavapulagamu chettu	<i>Mimosa pudica</i> L.
Makkabutta	<i>Zea mays</i> L.	<b>N</b>	
Makkajonna	<i>Zea mays</i> L.	Naga danthi	<i>Heliotropium indicum</i> L.
Makkam	<i>Schrebera swietenioides</i> Roxb.	Naga donda	<i>Corallocarpus epigaeus</i> (Rottl.) C.B.Cl.
Mamidi	<i>Mangifera indica</i> L.	Naga pala	<i>Cryptolepis buchanani</i> Roem. & Schult.
Mamidialum	<i>Curcuma amada</i> Roxb.	Naga valli	<i>Mussaenda glabrata</i> (Hook. f.) Hutch. ex Gamble
Mandara	<i>Hibiscus rosa-sinensis</i> L.	Nakka gaddi	<i>Setaria pallidefusca</i> (Schumach.) Stapf & C. E. Hubb.
Manga	<i>Randia spinosa</i> Poir.	Nakka korra	<i>Setaria italica</i> (L.) Beauv.
Manugumaramu	<i>Mimosa pudica</i> L.	Nakka thoka gaddi	<i>Setaria pallidefusca</i> (Schumach.) Stapf & C. E. Hubb.
Maredu	<i>Aegle marmelos</i> (L.) Corr.	Nakkera	<i>Ximenia americana</i> L.
Marri	<i>Ficus benghalensis</i> L.	Nalla avalu	<i>Brassica nigra</i> (L.) Koch
Medi	<i>Ficus racemosa</i> L.	Nalla cheedi	<i>Semicarpus anacardium</i> L. f.
Meduthuti	<i>Ipomoea sepia</i> Roxb.	Nalla eswari	<i>Aristolochia indica</i> L.
Mekameyani teega	<i>Tylophora indica</i> (Burm. f.) Merrill	Nalla gine gaddi	<i>Heteropogon contortus</i> (L.) P. Beauv. ex R. & S.
Mekarayi	<i>Securinega virosa</i> Pax & Hoffm.	Nalla jilledu	<i>Calotropis gigantea</i> (L.) R. Br.
Mentikura	<i>Trigonella foenum-graecum</i> L.	Nalla kada	<i>Cissus quadrangularis</i> L.
Mentulu	<i>Trigonella foenum-graecum</i> L.	Nalla kokkita	<i>Ipomoea obscura</i> (L.) Ker-Gawl.
Metta thuti	<i>Ipomoea sepia</i> Roxb.		
Metta vanga	<i>Solanum melongena</i> L.		
Minumulu	<i>Vigna mungo</i> (L.) Hepper		

Telgu	Botanical Name	Telgu	Botanical Name
Nalla maddi	<i>Terminalia crenulata</i> Roth	P	
Nalla minumulu	<i>Vigna mungo</i> (L.) Hepper	Pagada	<i>Erythroxylon monogynum</i> Roxb.
Nalla rengi	<i>Albizia amara</i> (Roxb.) Boivin	Pagada malli	<i>Nyctanthes arbor-tristis</i> L.
Nalla teega	<i>Ichnocarpus frutescens</i> (L.) R. Br.	Paidi	<i>Ficus racemosa</i> L.
Nalla tulasi	<i>Ocimum tenuiflorum</i> L.	Pala	<i>Holarrhena pubescens</i> (Buch.-Ham.) Wall. ex G. Don.
Nalla tumma	<i>Acacia nilotica</i> (L.) Del.	Pala kodise	<i>Holarrhena pubescens</i> (Buch.-Ham.) Wall. ex G. Don.
Nalla ummetha	<i>Datura metel</i> L.	Pala teega	<i>Ichnocarpus frutescens</i> (L.) R. Br.
Nalla vavili	<i>Vitex negundo</i> L.	Pala teega	<i>Leptadenia reticulata</i> Wt. & Arn.
Nalleda	<i>Cissus quadrangularis</i> L.	Palakula gaddi	<i>Dicanthium annulatum</i> (Forssk.) Stapf
Nalleru	<i>Cissus quadrangularis</i> L.	Palalam	<i>Euphorbia hirta</i> L.
Naramamidi	<i>Litsea glutinosa</i> (Lour.) Robins	Palasengali gaddi	<i>Dicanthium annulatum</i> (Forssk.) Stapf
Nela gummadi	<i>Pueraria tuberosa</i> DC.	Palleru	<i>Tribulus terrestris</i> L.
Nela gummudu	<i>Ipomoea mauritiana</i> Jacq.	Pallerutivva	<i>Celastrus paniculatus</i> Willd.
Nela kakkithe	<i>Randia spinosa</i> Poir.	Palli	<i>Arachis hypogaea</i> L.
Nela mulaka	<i>Solanum virginianum</i> L.	Pampena	<i>Oroxylum indicum</i> (L.) Vent.
Nela thadi	<i>Curculigo orchoides</i> Gaertn.	Panasa	<i>Artocarpus heterophyllus</i> Lamk.
Nela thangedu	<i>Cassia auriculata</i> L.	Panchangi	<i>Securinega virosa</i> Pax & Hoffm.
Nela thappidi	<i>Elephantopus scaber</i> L.	Panneru gadda	<i>Withania somnifera</i> (L.) Dunal
Nela vemu	<i>Andrographis paniculata</i> (Burm. f.) Wall. ex Nees	Paparabundama	<i>Citrullus colocynthis</i> (L.) Schr.
Nellikai	<i>Emblica officinalis</i> Gaertn.	Parijatham	<i>Nyctanthes arbor-tristis</i> L.
Nemali chettu	<i>Holoptelea integrifolia</i> (Roxb.) Planch.	Pariki	<i>Zizyphus oenoplia</i> (L.) Mill.
Nemalinara	<i>Holoptelea integrifolia</i> (Roxb.) Planch.	Parimi	<i>Zizyphus oenoplia</i> (L.) Mill.
Neredu	<i>Syzgium cumini</i> (L.) Skeels	Paringi	<i>Carica papaya</i> L.
Nilgiri	<i>Eucalyptus</i> species	Parka gaddi	<i>Zizyphus oenoplia</i> (L.) Mill.
Nimma	<i>Citrus aurantifolia</i> (Christm. & Panz.) Swingle	Pasiteega	<i>Chloris barbata</i> Swartz
Nimma gaddi	<i>Cymbopogon citratus</i> (DC.) Stapf	Pasupu	<i>Cuscuta reflexa</i> Roxb.
Nimma tulasi	<i>Ocimum gratissimum</i> L.	Patanlu	<i>Curcuma longa</i> L.
Ningi donda	<i>Bryonopsis laciniosa</i> (L.) Naud.	Pattaku	<i>Pisum arvense</i> L.
Niruvanga	<i>Solanum melongena</i> L.	Pedda duchari	<i>Achyranthes aspera</i> L.
Niti gobbi	<i>Asteracantha longifolia</i> (L.) Nees	Pedda dulagondi	<i>Achyranthes aspera</i> L.
Niti mall	<i>Asteracantha longifolia</i> (L.) Nees	Pedda etigaddi	<i>Mucuna pruriens</i> (L.) DC.
Nochili	<i>Vitex trifolia</i> L.	Pedda galinthia	<i>Heteropogon contortus</i> (L.) P. Beauv. ex R. & S.
Noogudosa	<i>Melothria maderaspatana</i> (L.) Roem.	Pedda ita	<i>Ailanthus excelsa</i> Roxb.
Nuvullu	<i>Sesamum orientale</i> L.	Pedda jilakara	<i>Phoenix sylvestris</i> (L.) Roxb.
O		Pedda kandikaraku	<i>Foeniculum vulgare</i> Mill.
Oddimanu	<i>Lannea coromandelica</i> (Houtt.) Merr.	Pedda manga	<i>Alysicarpus longifolius</i> (Rottl. ex Spreng.) Wt. & Arn.
Odise	<i>Cleistanthus collinus</i> (Roxb.) Bth. ex Hook. f.	Pedda manu	<i>Gardenia latifolia</i> Aiton
Oma	<i>Carum copticum</i> L. Hiern.	Pedda marri	<i>Ailanthus excelsa</i> Roxb.
Oodugu	<i>Alangium salvifolium</i> (L. f.) Wang.	Pedda poola gaddi	<i>Ficus benghalensis</i> L.
Otha gaddi	<i>Echinochloa colona</i> (L.) Link	Pedda teku	<i>Allotropis cimicina</i> (L.) Stapf
		Pedda tena	<i>Tectona grandis</i> L. f.
		Pedda thantem	<i>Grewia tiliaefolia</i> Vahl.
			<i>Cassia occidentalis</i> L.

Telgu	Botanical Name	Telgu	Botanical Name
Pedda tulasi	<i>Pogostemon benghalensis</i> (Burm. f.) O. Ktze.	Potti gilligichcha	<i>Crotalaria retusa</i> L.
Pedda vepa	<i>Melia dubia</i> Cav.	Prathi	<i>Gossypium herbaceum</i> L.
Peddathunga gaddi	<i>Cyperus iria</i> L.	Pratti	<i>Gossypium herbaceum</i> L.
Peethiri chekka	<i>Ailanthus excelsa</i> Roxb.	Pulcheri	<i>Phyllanthus reticulatus</i> Poir.
Pegala potriki	<i>Grewia serrulata</i> DC.	Puli	<i>Phyllanthus reticulatus</i> Poir.
Perantalu	<i>Corchorus capsularis</i> L.	Puli chinta	<i>Biophytum sensitivum</i> (L.) DC.
Peresi	<i>Combretum decandrum</i> Roxb.	Puli kampa	<i>Lantana camara</i> L.
Perum tutti	<i>Abutilon indicum</i> (L.) Sweet	Pulleru	<i>Antidesma ghaesembilla</i> Gaertn.
Pesalu	<i>Vigna radiata</i> (L.) R. Wilczek	Pullori	<i>Antidesma ghaesembilla</i> Gaertn.
Pesara	<i>Vigna radiata</i> (L.) R. Wilczek	Pulu gudu	<i>Securinega leucopyrus</i> (Willd.) Muell.-Arg.
Peyyaram baddu	<i>Combretum decandrum</i> Roxb.	Puru gudu	<i>Phyllanthus reticulatus</i> Poir.
Phalagaruda	<i>Alstonia scholaris</i> (L.) R. Br.	Putikatada	<i>Flacourtie indica</i> (Burm. f.) Merr.
Phenilamu	<i>Sapindus laurifolius</i> Vahl.	Pyru	<i>Oryza sativa</i> L.
Piddakajameda	<i>Euphorbia tirucalli</i> L.		
Piduduga	<i>Clerodendron infortunatum</i> auct. non L.		
Pidudukura	<i>Clerodendron infortunatum</i> auct. non L.	Racha manu	<i>Zanthoxylum rhetsa</i> (Roxb.) DC.
Pilli pesara	<i>Vigna trilobata</i> Verdcourt	Ragi	<i>Ficus religiosa</i> L.
Pilli teega	<i>Pueraria tuberosa</i> DC.	Ragulu	<i>Eleusine coracana</i> (L.) Gaertn.
Pilliadugu	<i>Mucuna pruriens</i> (L.) DC.	Rakta gandhamu	<i>Pterocarpus santalinus</i> L.
Pillipeechara	<i>Asparagus racemosus</i> Willd.	Ram tulasi	<i>Ocimum gratissimum</i> L.
Pindi chettu	<i>Aerva lanata</i> (L.) Juss. ex Schultes	Ramaphalamu	<i>Annona reticulata</i> L.
Pindi parimi	<i>Zizyphus rugosa</i> Lamk.	Rana bheri	<i>Leonotis nepetifolia</i> (L.) R. Br.
Pindikura	<i>Aerva lanata</i> (L.) Juss. ex Schultes	Rathna puri teega	<i>Ipomoea batatas</i> (L.) Lam.
Pinnamulaka	<i>Solanum virginianum</i> L.	Ravi	<i>Ficus religiosa</i> L.
Pippali	<i>Piper longum</i> L.	Reddi vari nanubalu	<i>Euphorbia hirta</i> L.
Pippallu	<i>Piper longum</i> L.	Regu	<i>Zizyphus mauritiana</i> Lamk.
Pitta pichukam	<i>Bryonopsis laciniosa</i> (L.) Naud.	Rela	<i>Cassia fistula</i> L.
Piyari	<i>Combretum decandrum</i> Roxb.	Resika	<i>Enicostema axillare</i> (Lam.) Raynal
Podali manu	<i>Acacia catechu</i> (L. f.) Willd.		
Podapatra	<i>Gymnema sylvestre</i> (Retz.) R. Br.	Sabja	<i>Ocimum basilicum</i> L.
Podapatri	<i>Aristolochia indica</i> L.	Saganara	<i>Agave</i> species
Podapatri	<i>Gymnema sylvestre</i> (Retz.) R. Br.	Sajja	<i>Pennisetum typhoideum</i> L.
Pogaku	<i>Nicotiana tabacum</i> L.	Sakarimatta	<i>Agave americana</i> L.
Poka	<i>Areca catechu</i> L.	Samalu	<i>Panicum sumatrense</i> Roth ex Roem. & Schult.
Polari chettu	<i>Antidesma ghaesembilla</i> Gaertn.	Sambrani	<i>Boswellia serrata</i> Roxb.
Ponna chettu	<i>Calophyllum inophyllum</i> L.	Sampenga	<i>Plumeria rubra</i> L.
Ponnaganti kura	<i>Alternanthera sessilis</i> (L.) R. Br. ex DC.	Sanga	<i>Agave</i> species
Ponnai thutti	<i>Abutilon indicum</i> (L.) Sweet	Sannajammudu	<i>Euphorbia tirucalli</i> L.
Poola gaddi	<i>Eragrostis pilosa</i> (L.) P. Beauv.	Sapota	<i>Achras zapota</i> L.
Pooredu	<i>Phyllanthus reticulatus</i> Poir.	Sara	<i>Buchanania lanzae</i> Spreng.
Poothika gaddi	<i>Heteropogon contortus</i> (L.) P. Beauv. ex R. & S.	Saralamu	<i>Pinus roxburghii</i> Sarg.
Poppadi	<i>Carica papaya</i> L.		
Potri chettu	<i>Kydia calycina</i> Roxb.		

Telgu	Botanical Name	Telgu	Botanical Name
Saraswatiaku	<i>Centella asiatica</i> (L.) Urban.	Tellaballi	<i>Securinega virosa</i> Pax & Hoffm.
Satavari	<i>Asparagus racemosus</i> Willd.	Tellaboodariteega	<i>Cissus pallida</i> (Wt. & Arn.)
Seema chinthha	<i>Pithecelobium dulce</i> Benth.	Tellachitramulam	<i>Plumbago zeylanica</i> L.
Seema thunga	<i>Cyperus compressus</i> L.	Telladusara	<i>Cocculus hirsutus</i> (L.) Diels.
Senagalu	<i>Cicer arietinum</i> L.	Tellajilledu	<i>Calotropis procera</i> (Ait.) R. Br.
Shankapushpi	<i>Clitoria ternatea</i> L.	Tellakasinda	<i>Cassia tora</i> L.
Shimaisapu	<i>Carum carvi</i> L.	Tellakudidine	<i>Cissus pallida</i> (Wt. & Arn.)
Shribati	<i>Mussaenda glabrata</i> (Hook. f.) Hutch. ex Gamble	Tellamaddi	<i>Terminalia arjuna</i> (Roxb. ex DC.) Wt. & Arn.
Shwetasarasa	<i>Nyctanthes arbor-tristis</i> L.	Tellapapidi	<i>Pavetta crassicaulis</i> Bremenk.
Sikaya	<i>Acacia sinuata</i> (Lour.) Merr.	Tellatumma	<i>Acacia leucophloea</i> Willd.
Simajamudu	<i>Kalanchoe pinnata</i> (Lamk.) Pers.	Tellummetha	<i>Datura metel</i> L.
Sirikarra	<i>Anogeissus latifolia</i> (Roxb. ex DC.) Wall. ex Bedd.	Tellavarjam	<i>Erythrina variegata</i> L.
Sirimana	<i>Anogeissus latifolia</i> (Roxb. ex DC.) Wall. ex Bedd.	Tellavavili	<i>Vitex negundo</i> L.
Siripunjaramgadda	<i>Typha angustifolia</i> L.	Tendu	<i>Diospyros melanoxylon</i> Roxb.
Sirirellu gaddi	<i>Apluda mutica</i> L.	Tenkai	<i>Cocos nucifera</i> L.
Sisoo	<i>Dalbergia sissoo</i> Roxb.	Thada	<i>Helicteres isora</i> L.
Sitha palam	<i>Annona squamosa</i> L.	Thade	<i>Terminalia belerica</i> (Gaertn.) Roxb.
Sithammavarijada	<i>Asparagus racemosus</i> Willd.	Thakkali chettu	<i>Clerodendrum multiflorum</i> (Burm. f.) O. Ktze.
Sithaphala chettu	<i>Annona squamosa</i> L.	Thalati	<i>Cleome viscosa</i> L.
Somi	<i>Soymida febrifuga</i> (Roxb.) A. Juss.	Thani	<i>Terminalia belerica</i> (Gaertn.) Roxb.
Somintha	<i>Soymida febrifuga</i> (Roxb.) A. Juss.	Tharipi	<i>Gardenia latifolia</i> Aiton
Somuaku	<i>Soymida febrifuga</i> (Roxb.) A. Juss.	Thella gadda	<i>Allium sativum</i> L.
Sonti	<i>Zingiber officinalis</i> Rosc.	Thelu kondi	<i>Heliotropium indicum</i> L.
Sopu	<i>Foeniculum vulgare</i> Mill.	Theta kogila	<i>Mucuna pruriens</i> (L.) DC.
Sugandi pala	<i>Hemidesmus indicus</i> (L.) R. Br.	Thiyyadonda	<i>Melothria heterophylla</i> (Lour.) Cogn.
Sunnam borlu kada	<i>Abutilon indicum</i> (L.) Sweet	Thogari	<i>Cajanus cajan</i> (L.) Millsp.
Suryakantha	<i>Lepidagathis cristata</i> Willd.	Thogirike	<i>Diospyros chloroxylon</i> Roxb.
T		Thorri elaga	<i>Hesperethusa crenulata</i> (Roxb.) Roem.
Tadi chettu	<i>Borassus flabellifer</i> L.	Thotli teega	<i>Capparis zeylanica</i> L.
Tagarai	<i>Cassia tora</i> L.	Thummi	<i>Leucas aspera</i> (Willd.) Link
Tamalapaku	<i>Piper betel</i> L.	Thummudu	<i>Leptadenia reticulata</i> Wt. & Arn.
Tamma	<i>Canavalia gladiata</i> (Jacq.) DC.	Thunga gaddi	<i>Cyperus rotundus</i> L.
Tandra	<i>Terminalia belerica</i> (Gaertn.) Roxb.	Thuttili	<i>Abutilon indicum</i> (L.) Sweet
Tapaakaaya teega	<i>Cardiospermum halicacabum</i> L.	Thydalu	<i>Eleusine coracana</i> (L.) Gaertn.
Tapasi	<i>Holoptelea integrifolia</i> (Roxb.) Planch.	Thydansa	<i>Cassia tora</i> L.
Tati chettu	<i>Borassus flabellifer</i> L.	Tikka tivva	<i>Entada pursaetha</i> DC.
Taviti chettu	<i>Caralluma adscendens</i> (Roxb.) R. Br.	Tippateega	<i>Tinospora cordifolia</i> (Willd.) Miers ex Hook. f. & Thoms.
Teaaku	<i>Camellia sinensis</i> L. (Kuntze)	Tulasi	<i>Ocimum tenuiflorum</i> L.
Teddupala	<i>Wrightia tinctoria</i> Br.	Tuniki	<i>Diospyros melanoxylon</i> Roxb.
Tedlapala	<i>Wrightia tinctoria</i> Br.	Turakavepa	<i>Azadirachta indica</i> A. Juss.
Teku	<i>Tectona grandis</i> L. f.	Turrigaddi	<i>Bothriochloa pertusa</i> (L.) A. Camus
Tela gaddi	<i>Sehima nervosum</i> (Roth) Stapf		



Telgu	Botanical Name	Telgu	Botanical Name
 <b>U</b>		Veduru	<i>Bambusa arundinacea</i> (Retz.) Willd.
Udambaramu	<i>Ficus racemosa</i> L.	Vegisa	<i>Pterocarpus marsupium</i> Roxb.
Uddulu	<i>Vigna mungo</i> (L.) Hepper	Velaga	<i>Feronia elephantum</i> Correa
Uduguchettu	<i>Alangium salvifolium</i> (L. f.) Wang.	Velama	<i>Feronia elephantum</i> Correa
Ulavalu	<i>Dolichos biflorus</i> L.	Vellulli	<i>Allium sativum</i> L.
Ulli binjara	<i>Argemone mexicana</i> L.	Vempali	<i>Tephrosia purpurea</i> (L) Pers.
Ulli gadda	<i>Allium cepa</i> L.	Venkayya puvvu	<i>Gloriosa superba</i> L.
Ullingi	<i>Diospyros chloroxylon</i> Roxb.	Vennu thunga	<i>Cyperus compressus</i> L.
Ullipaya	<i>Allium cepa</i> L.	Ventaku	<i>Lagerstroemia microcarpa</i> Wt.
Ummetha	<i>Datura metel</i> L.	Vepa	<i>Azadirachta indica</i> A. Juss.
Undra	<i>Mimosa hamata</i> Willd.	Verri cheda	<i>Dioscorea bulbifera</i> L.
Ungarala pidimi	<i>Hugonia mystax</i> L.	Verri nuvvulu	<i>Guizotia abyssinica</i> (L. f.) Cass.
Uppi chettu	<i>Capparis sepiaria</i> L.	Veru panasa	<i>Artocarpus heterophyllus</i> Lamk.
Usiri	<i>Emblica officinalis</i> Gaertn.	Veru senaga	<i>Arachis hypogea</i> L.
Usirika	<i>Emblica officinalis</i> Gaertn.	Veru senagalu	<i>Arachis hypogea</i> L.
Uthareni	<i>Achyranthes aspera</i> L.	Vibhudipatri	<i>Ocimum basilicum</i> L.
Utla gaddi	<i>Digitaria sanguinalis</i> (L.) Scop.	Vidanga	<i>Embelia ribes</i> Burm. f.
 <b>V</b>		Virugudu cheva	<i>Dalbergia latifolia</i> Roxb.
Vada ganneru	<i>Plumeria rubra</i> L.	Vrikshamala	<i>Garcinia indica</i> (Du Petit-Thou.) Choisy
Vakka	<i>Areca catechu</i> L.	Vuduga	<i>Alangium salvifolium</i> (L. f.) Wang
Vamiti kura	<i>Cleome viscosa</i> L.		
Vamu	<i>Carum copticum</i> L. Hiern.	 <b>W</b>	
Vankaya	<i>Solanum melongena</i> L.	Welthuru	<i>Dichrostachys cinerea</i> (L.) Wt. & Arn.
Varagalu	<i>Panicum miliaceum</i> L.		
Vari	<i>Oryza sativa</i> L.	 <b>Y</b>	
Variga	<i>Panicum miliaceum</i> L.	Yavaka	<i>Hordeum vulgare</i> L.
Vasa	<i>Acorus calamus</i> L.	Yegi	<i>Pterocarpus marsupium</i> Roxb.
Vavili	<i>Vitex negundo</i> L.	Yerra gogu	<i>Hibiscus sabdariffa</i> L.
Vaviti	<i>Cleome viscosa</i> L.	Yerragandhamu	<i>Pterocarpus santalinus</i> L.
Vayila	<i>Vitex negundo</i> L.		
Vayuvidangamu	<i>Embelia ribes</i> Burm. f.		

Synonym	Main Term
	
<i>Abutilon asiaticum</i> (L.)	<i>Abutilon indicum</i> (L.) Sweet
<i>Acacia concinna</i> (Willd.) DC.	<i>Acacia sinuata</i> (Lour.) Merr.
<i>Acacia odoratissima</i> (L. f.) Willd.	<i>Albizia odoratissima</i> (L. f.) Benth.
<i>Acacia polyacantha</i> Willd.	<i>Acacia catechu</i> (L. f.) Willd.
<i>Achyranthes lanata</i> L.	<i>Aerva lanata</i> (L.) Juss. ex Schultes
<i>Adhatoda vasica</i> Nees.	<i>Justicia adhatoda</i> L.
<i>Adhatoda zeylanica</i> Medic.	<i>Justicia adhatoda</i> L.
<i>Agave cantula</i> Roxb.	<i>Agave americana</i> L.
<i>Alangium lamarckii</i> Thw.	<i>Alangium salvifolium</i> (L. f.) Wang
<i>Aleriana chinensis</i> L.	<i>Boerhavia chinensis</i> (L.) Heimerl.
<i>Aloe barbadensis</i> Mill.	<i>Aloe vera</i> (L.) Burm.f.
<i>Alternanthera triandra</i> Lam.	<i>Alternanthera sessilis</i> (L.) R. Br. ex DC.
<i>Ammi copticum</i> L.	<i>Carum copticum</i> (L.) Hiern.
<i>Amomum roseum</i> Roxb.	<i>Zingiber roseum</i> Roxb. (Rosc.)
<i>Andropogon annulatus</i> Forssk.	<i>Dicanthium annulatum</i> (Forssk.) Stapf
<i>Andropogon contortus</i> L.	<i>Heteropogon contortus</i> (L.) P. Beauv. ex R. & S.
<i>Andropogon halepensis</i> (L.) Brot.	<i>Sorghum halepense</i> (L.) Pers.
<i>Andropogon lancifolius</i> Trin.	<i>Arthraxon lancifolius</i> (Trin.) Hochst.
<i>Andropogon nervosus</i> Rottl.	<i>Sehima nervosum</i> (Roth) Stapf
<i>Andropogon pertusus</i> (L.) Willd.	<i>Bothriochloa pertusa</i> (L.) A. Camus
<i>Andropogon quadrivalvis</i> L.	<i>Themeda quadrivalvis</i> (L.) O. Ktze.
<i>Anthistiria ciliata</i> L. f.	<i>Themeda quadrivalvis</i> (L.) O. Ktze.
<i>Antidesma paniculata</i> Roxb.	<i>Antidesma ghaesembilla</i> Gaertn.
<i>Antidesma pubescens</i> (Willd.)	<i>Antidesma ghaesembilla</i> Gaertn.
<i>Apluda aristata</i> L.	<i>Apluda mutica</i> L.
<i>Apocynum frutescens</i> (L.)	<i>Ichnocarpus frutescens</i> (L.) R. Br.
<i>Aristida depressa</i> Retz.	<i>Aristida adscensionis</i> L.
<i>Aristolochia bracteata</i> Retz.	<i>Aristolochia bracteolata</i> Lam.
<i>Aristolochia lanceolata</i> Wt.	<i>Aristolochia indica</i> L.
<i>Arthraxon microphyllus</i> sensu Hook.	<i>Arthraxon lancifolius</i> (Trin.) Hochst.
<i>Artocarpus integrifolia</i> sensu Gamble	<i>Artocarpus heterophyllus</i> Lamk.
<i>Arum esculentum</i> L.	<i>Colocasia esculenta</i> (L.) Schott
<i>Asclepias daemia</i> Forssk.	<i>Pergularia daemia</i> (Forssk.) Chiov.
<i>Asclepias gigantea</i> L.	<i>Calotropis gigantea</i> (L.) R. Br.
<i>Asclepias procera</i> Ait.	<i>Calotropis procera</i> (Ait.) R. Br.
<i>Asclepias volubilis</i> L. f.	<i>Wattakaka volubilis</i> (L. f.) Stapf
<i>Atalantia malabarica</i> (Rafin.) Tanaka	<i>Atalantia monophylla</i> Corr.
<i>Axonopus cimicinum</i> (L.) P. Beauv. Ess. Agrost.	<i>Alloteropsis cimicina</i> (L.) Stapf
<i>Azanza lampas</i> (Cav.) Dalz. & Gibbs.	<i>Thespisia lampas</i> (Cav.) Alef.
<i>Balanites roxburghii</i> Planch.	<i>Balanites aegyptiaca</i> (L.) Del.

Synonym	Main Term
<b>B</b>	
<i>Balsamaria inophyllum</i> Lour.	<i>Calophyllum inophyllum</i> L.
<i>Bambos arundinacea</i> Retz.	<i>Bambusa arundinaceae</i> (Retz.) Willd.
<i>Bambusa ritcheyi</i> Munro	<i>Pseudodoxyanthera ritcheyi</i> (Munro) Naithani
<i>Bambusa spinosa</i> Roxb.	<i>Bambusa arundinaceae</i> (Retz.) Willd.
<i>Banksia speciosa</i> J. Koenig	<i>Costus speciosus</i> (Koenig ex Retz.) J. E. Smith
<i>Barleria auriculata</i> Schum.	<i>Asteracantha longifolia</i> (L.) Nees
<i>Barleria longifolia</i> L.	<i>Asteracantha longifolia</i> (L.) Nees
<i>Barringtonia spicata</i> Bl.	<i>Barringtonia acutangula</i> (L.) Gaertn.
<i>Bassia longifolia</i> Koen.	<i>Madhuca longifolia</i> (Koen.) MacBride
<i>Behel schulli</i> Buch.-Ham.	<i>Asteracantha longifolia</i> (L.) Nees
<i>Bergera koenigii</i> (L.) Spreng.	<i>Murraya koenigii</i> (L.) Spreng.
<i>Bignonia indica</i> L.	<i>Oroxylum indicum</i> (L.) Vent.
<i>Bigonia quadrilocularis</i> Roxb.	<i>Heterophragma quadriloculare</i> (Roxb.) K. Schum.
<i>Blumea subcapitata</i> DC.	<i>Blumea lacera</i> (Burm. f.) DC.
<i>Boerhavia rependa</i> Willd.	<i>Boerhavia chinensis</i> (L.) Heimerl.
<i>Boerhavia repens</i> L.	<i>Boerhavia diffusa</i> L.
<i>Bombax malabaricum</i> DC.	<i>Bombax ceiba</i> L.
<i>Borassus flabelliformis</i> Roxb.	<i>Borassus flabellifer</i> L.
<i>Brindonia indica</i> Du Petit-Thou.	<i>Garcinia indica</i> (Du Petit-Thou.) Choisy
<i>Bruscha macrocarpa</i> Bertol.	<i>Nyctanthes arbor-tristis</i> L.
<i>Bryonia epigaea</i> Rottl.	<i>Corallocarpus epigaeus</i> (Rottl.) C. B. Cl.
<i>Bryonia laciniosa</i> L.	<i>Bryonopsis laciniosa</i> (L.) Naud.
<i>Bryophyllum calycinum</i> Salisb.	<i>Kalanchoe pinnata</i> (Lamk.) Pers.
<i>Bryophyllum pinnatum</i> (Lam.) Oken.	<i>Kalanchoe pinnata</i> (Lamk.) Pers.
<i>Buchanania latifolia</i> Roxb.	<i>Buchanania lanza</i> Spreng.
<i>Butea frondosa</i> Roxb. ex Willd.	<i>Butea monosperma</i> (Lamk.) Taub.
<b>C</b>	
<i>Caesalpinia cristata</i> L.	<i>Caesalpinia bonduc</i> (L.) Roxb.
<i>Caesalpinia sepiaria</i> Roxb.	<i>Caesalpinia decapetala</i> (Roth) Alst.
<i>Cajanus indicus</i> Spreng.	<i>Cajanus cajan</i> (L.) Millsp.
<i>Callicarpa lanata</i> L.	<i>Callicarpa tomentosa</i> (L.) Murr.
<i>Canavalia ensiformis</i> (L.) DC.	<i>Canavalia gladiata</i> (Jacq.) DC.
<i>Canavalia virosa</i> (Roxb.) Wt. & Arn.	<i>Canavalia africana</i> Dunn.
<i>Cannabis indica</i> Lam.	<i>Cannabis sativa</i> L.
<i>Canthium parviflorum</i> Lam.	<i>Canthium coromandelicum</i> (N. Burm.) Alston
<i>Capparis horrida</i> L. f.	<i>Capparis zeylanica</i> L.
<i>Capparis incanescens</i> DC.	<i>Capparis sepiaria</i> L.
<i>Capsicum frutescens</i> sensu Cl.	<i>Capsicum annuum</i> L.
<i>Caralluma fimbriata</i> Wall.	<i>Caralluma adscendens</i> (Roxb.) R. Br.
<i>Carissa carandas</i> auct. non L.	<i>Carissa congesta</i> Wight.

Synonym	Main Term
<i>Caryophyllus aromaticus</i> L.	<i>Syzygium aromaticum</i> L. Merr. et Perry
<i>Cassia rhombifolia</i> Roxb.	<i>Cassia fistula</i> L.
<i>Celastrus montana</i> Roth	<i>Maytenus senegalensis</i> (Lam.) Excell.
<i>Celastrus senegalensis</i> Lam.	<i>Maytenus senegalensis</i> (Lam.) Excell.
<i>Celosia cristata</i> L.	<i>Celosia argentea</i> L.
<i>Cephaelandra indica</i> (Wight & Arn.) Naudin	<i>Coccinia grandis</i> (L.) Voigt
<i>Ceriscoides turgida</i> (Roxb.) Tirveng.	<i>Gardenia turgida</i> Roxb.
<i>Chamaesyce hirta</i> (L.) Millsp.	<i>Euphorbia hirta</i> L.
<i>Citrus karna</i> Raf.	<i>Citrus limon</i> (L.) Burm. f.
<i>Citrus medica</i> var. <i>limon</i> L.	<i>Citrus limon</i> (L.) Burm. f.
<i>Citrus medica</i> var. <i>limonum</i> (Wight & Arn.) Hook. f.	<i>Citrus limon</i> (L.) Burm. f.
<i>Citrus medica</i> var. <i>acida</i> (Roxb.) Hook. f.	<i>Citrus aurantifolia</i> (Christm. & Panz.) Swingle
<i>Cleome icosandra</i> L.	<i>Cleome viscosa</i> L.
<i>Clerodendron viscosum</i> Vent.	<i>Clerodendron infortunatum</i> auct. non L.
<i>Clerodendrum phlomidis</i> L. f.	<i>Clerodendrum multiflorum</i> (Burm. f.) O. Ktze.
<i>Clutia collina</i> Roxb.	<i>Cleistanthus collinus</i> (Roxb.) Bth. ex Hook. f.
<i>Clutia retusa</i> L.	<i>Bridelia retusa</i> (L.) Spreng.
<i>Coccinia indica</i> Wight & Arn.	<i>Coccinia grandis</i> (L.) Voigt
<i>Cocculus villosus</i> DC.	<i>Cocculus hirsutus</i> (L.) Diels.
<i>Cochlospermum gossypium</i> DC.	<i>Cochlospermum religiosum</i> (L.) Alston
<i>Colocasia antiquorum</i> Schott	<i>Colocasia esculenta</i> (L.) Schott
<i>Combretum roxburghii</i> Spreng.	<i>Combretum decandrum</i> Roxb.
<i>Conocarpus latifolia</i> Roxb. ex DC.	<i>latifolia</i> (Roxb. ex DC.) Wall. ex Bedd.
<i>Convolvulus batatas</i> L.	<i>Ipomoea batatas</i> (L.) Lam.
<i>Convolvulus obscurus</i> L.	<i>Ipomoea obscura</i> (L.) Ker-Gawl.
<i>Conyzza lacera</i> Burm. f.	<i>Blumea lacera</i> (Burm. f.) DC.
<i>Cordia myxa</i> auct. plur. non L.	<i>Cordia dichotoma</i> Forst. f.
<i>Cordia obliqua</i> Willd.	<i>Cordia dichotoma</i> Forst. f.
<i>Cracca purpurea</i> L.	<i>Tephrosia purpurea</i> (L.) Pers.
<i>Crateva marmelos</i> L.	<i>Aegle marmelos</i> (L.) Corr.
<i>Croton laevigatus</i> Vahl.	<i>Croton roxburghii</i> Balakr.
<i>Cucumis acutangula</i> L.	<i>Luffa acutangula</i> (L.) Roxb.
<i>Cucumis callosus</i> Cogn.	<i>Cucumis trigonus</i> L.
<i>Cucumis colocynthis</i> L.	<i>Citrullus colocynthis</i> (L.) Schr.
<i>Cucumis maderaspatanus</i> L.	<i>Melothria maderaspatana</i> (L.) Roem.
<i>Cucumis melo</i> L.	<i>Cucumis trigonus</i> L.
<i>Cucumis melo</i> var. <i>agrestis</i> Naud.	<i>Cucumis trigonus</i> L.
<i>Cucumis pubescens</i> Willd.	<i>Cucumis trigonus</i> L.
<i>Curculigo malabarica</i> Nasir and Ali	<i>Curculigo orchiooides</i> Gaertn.

**D**

Synonym	Main Term
<i>Curcuma pseudomontana</i> Graham	<i>Curcuma aromatica</i> Salisb.
<i>Cyamopsis psoraliooides</i> (L.) DC.	<i>Cyamopsis tetragonoloba</i> (L.) Taub.
<i>Cynosurus coracanus</i> L.	<i>Eleusine coracana</i> (L.) Gaertn.
<i>Cyathoclone lyrata</i> Cass.	<i>Cyathoclone purpurea</i> (Buch.-Ham. ex D. Don) O. Ktze.
<i>Cylista scariosa</i> Roxb.	<i>Paracalyx scariosus</i> (Roxb.) Ali
<i>Cynanchum indicum</i> Burm. f.	<i>Tylophora indica</i> (Burm. f.) Merrill
<i>Cynanchum reticulatum</i> Retz. Obs.	<i>Leptadenia reticulata</i> Wt. & Arn.
<i>Cynosurus aegyptium</i> L.	<i>Dactyloctenium aegyptium</i> (L.) P. Beauv.
<i>Cyperus iria</i> var. <i>parviflorus</i> (Nees)	<i>Cyperus iria</i> L.
<i>Cyperus parviflorus</i> (N. Wight)	<i>Cyperus iria</i> L.
<i>Cytisus pinnatus</i> L.	<i>Pongamia pinnata</i> (L.) Pierre
<i>Daemia extensa</i> R. Br.	<i>Pergularia daemia</i> (Forssk.) Chiov.
<i>Dalbergia emarginata</i> Roxb.	<i>Dalbergia latifolia</i> Roxb.
<i>Dalium coromandelicum</i> Houtt.	<i>Lannea coromandelica</i> (Houtt.) Merr.
<i>Datura fastuosa</i> (L.)	<i>Datura metel</i> (L.)
<i>Datura fastuosa</i> var. <i>alba</i> C. B. Cl.	<i>Datura metel</i> (L.)
<i>Dendrocalamus pertusus</i> (L.)	<i>Bothriochloa pertusa</i> (L.) A. Camus
<i>Derris indica</i> (Lam.) Bennet	<i>Pongamia pinnata</i> (L.) Pierre
<i>Derris pinnata</i> Lour.	<i>Pongamia pinnata</i> (L.) Pierre
<i>Desmanthus cinereus</i> (L.)	<i>Dichrostachys cinerea</i> (L.) Wight & Arn.
<i>Dioscorea glabra</i> Hook. f.	<i>Dioscorea belophylla</i> (Prain) Haines
<i>Dioscorea lanceolata</i> Heyne ex Hook.	<i>Dioscorea oppositifolia</i> L.
<i>Dioscorea nummularia</i> Lam. var. <i>belophylla</i>	<i>Dioscorea belophylla</i> (Prain) Haines
<i>Dioscorea sativa</i> Thunb.	<i>Dioscorea bulbifera</i> L.
<i>Diospyros capitulata</i> Wight	<i>Diospyros chloroxylon</i> Roxb.
<i>Diplocyclos palmatus</i> (L.) C. Jeffrey	<i>Bryonopsis laciniosa</i> (L.) Naud.
<i>Dolichos angularis</i> Willd.	<i>Vigna angularis</i> (Willd.) Ohwi & Ohashi
<i>Dolichos ensiformis</i> L.	<i>Canavalia gladiata</i> (Jacq.) DC.
<i>Dolichos pruriens</i> L.	<i>Mucuna pruriens</i> (L.) DC.
<i>Dolichos trilobatus</i> L.	<i>Vigna trilobata</i> Verdcourt
<i>Dolichos trilobus</i> L.	<i>Vigna trilobata</i> Verdcourt
<i>Dolichos uniflorus</i> Lam.	<i>Dolichos biflorus</i> L.
<i>Dolichos virosus</i> Roxb.	<i>Canavalia africana</i> Dunn.
<i>Dregea volubilis</i> (L. f.) Benth. ex Hook. f.	<i>Wattakaka volubilis</i> (L. f.) Stapf

**E**

<i>Echites pubescens</i> Buch.-Ham.	<i>Holarrhena pubescens</i> (Buch.-Ham.) Wall. ex G. Don.
<i>Echites scholaris</i> L. Mant.	<i>Alstonia scholaris</i> (L.) R. Br.
<i>Eclipta alba</i> (L.) Hassk.	<i>Eclipta prostrata</i> (L.) L.
<i>Elate sylvestris</i> L.	<i>Phoenix sylvestris</i> (L.) Roxb.

Synonym	Main Term
<i>Eleusine aegyptia</i> (L.) Desf.	<i>Dactyloctenium aegyptium</i> (L.) P. Beauv.
<i>Enicostemma hyssopifolium</i> (Willd.) Verdoorn	<i>Enicostema axillare</i> (Lam.) Raynal
<i>Enicostemma littorale</i> non Blume	<i>Enicostema axillare</i> (Lam.) Raynal
<i>Entada rheedei</i> Spreng.	<i>Entada pursaetha</i> DC.
<i>Erythrina indica</i> Lam.	<i>Erythrina variegata</i> L.
<i>Erythrina monosperma</i> Lam.	<i>Butea monosperma</i> (Lamk.) Taub.
<i>Erythroxylon indicum</i> DC.	<i>Erythroxylon monogynum</i> Roxb.
<i>Eucalyptus alba</i> Reinw.	<i>Eucalyptus</i> sp.
<i>Eucalyptus botryoides</i> Sm.	<i>Eucalyptus</i> sp.
<i>Eucalyptus camaldulensis</i> Dehnh.	<i>Eucalyptus</i> sp.
<i>Eucalyptus citriodora</i> Hook.	<i>Eucalyptus</i> sp.
<i>Eucalyptus paniculata</i> Sm.	<i>Eucalyptus</i> sp.
<i>Eucalyptus pilularis</i> Sm.	<i>Eucalyptus</i> sp.
<i>Eucalyptus resinifera</i> Sm.	<i>Eucalyptus</i> sp.
<i>Eucalyptus robusta</i> Sm.	<i>Eucalyptus</i> sp.
<i>Eucalyptus tereticornis</i> Sm.	<i>Eucalyptus</i> sp.
<i>Eucalyptus torelliana</i> F. Muell.	<i>Eucalyptus</i> sp.
<i>Eucalyptus umbellata</i> Dum.	<i>Eucalyptus</i> sp.
<i>Eucalyptus viminalis</i> Labill.	<i>Eucalyptus</i> sp.
<i>Eugenia aromatic</i> Kuntze.	<i>Syzygium aromaticum</i> L. Merr. et Perry
<i>Eugenia caryophyllata</i> Thunb.	<i>Syzygium aromaticum</i> L. Merr. et Perry
<i>Eugenia jambolana</i> Lam.	<i>Syzygium cumini</i> (L.) Skeels
<i>Euphorbia nerifolia</i> L.	<i>Euphorbia ligularia</i> Roxb.
<i>Euphorbia pilulifera</i> L.	<i>Euphorbia hirta</i> L.
<i>Fagara rhetsa</i> Roxb.	<i>Zanthoxylum rhetsa</i> (Roxb.) DC.
<i>Feronia limonia</i> Swingle	<i>Feronia elephantum</i> Correa
<i>Ferula foetida</i> f.	<i>Ferula asafoetida</i> L.
<i>Ficus asperrima</i> Roxb.	<i>Ficus exasperata</i> Vahl.
<i>Ficus daemonicum</i> Koen.	<i>Ficus hispida</i> L. f.
<i>Ficus gibbosa</i> Bl.	<i>Ficus tinctoria</i> Forst. f.
<i>Ficus glomerata</i> Roxb.	<i>Ficus racemosa</i> L.
<i>Ficus indica</i> L.	<i>Ficus benghalensis</i> L.
<i>Ficus oppositifolia</i> Willd.	<i>Ficus hispida</i> L. f.
<i>Ficus parasitica</i> Willd.	<i>Ficus tinctoria</i> Forst. f.
<i>Ficus punctifera</i> Warb.	<i>Ficus exasperata</i> Vahl.
<i>Ficus tuberculata</i> Roxb.	<i>Ficus tinctoria</i> Forst. f.
<i>Flacourtia ramontchi</i> L'Herit.	<i>Flacourtia indica</i> (Burm. f.) Merr.
<i>Flacourtia sepiaria</i> Roxb.	<i>Flacourtia indica</i> (Burm. f.) Merr.
<i>Fluggea leucopyrus</i> Willd.	<i>Securinega leucopyrus</i> (Willd.) Muell.-Arg.



Synonym	Main Term
<i>Fluggea microcarpa</i> Bl. Bijdr.	<i>Securinega virosa</i> Pax & Hoffm.
<i>Fluggea virosa</i> Roxb. ex Willd.	<i>Securinega virosa</i> Pax & Hoffm.
<i>Foeniculum capillaceum</i> Gilib	<i>Foeniculum vulgare</i> Mill.
<i>Foeniculum vulgare</i> All.	<i>Foenicum vulgare</i> Mill.
<b>G</b>	
<i>Gardenia enneandra</i> Koen. ex Roxb.	<i>Gardenia latifolia</i> Aiton.
<i>Gardenia lucida</i> Roxb.	<i>Gardenia resinifera</i> Roth
<i>Gardenia turgida</i> var. <i>montana</i> (Roxb.) Hook. f.	<i>Gardenia turgida</i> Roxb.
<i>Gentiana axillaries</i> Lam.	<i>Ericostema axillare</i> (Lam.) Raynal
<i>Gloriosa rothschildiana</i> O'Brien	<i>Gloriosa superba</i> L.
<i>Glycosmis arborea</i> (Roxb.) DC.	<i>Glycosmis pentaphylla</i> (Retz.) Correa
<i>Gmelina indica</i> Burm. f.	<i>Flacourtie indica</i> (Burm. f.) Merr.
<i>Gmelina parviflora</i> Roxb.	<i>Gmelina asiatica</i> L.
<i>Gossypium africanum</i> (G. Watt) G. Watt.	<i>Gossypium herbaceum</i> L.
<i>Gossypium obtusifolium abyssinicum</i> var. <i>africanum</i> G. Watt.	<i>Gossypium herbaceum</i> L.
<i>Grewia disperma</i> auct. non Rottl. ex Spreng	<i>Grewia serrulata</i> DC.
<i>Grewia helicterifolia</i> Vahl.	<i>Grewia hirsuta</i> Vahl.
<i>Grewia inequalis</i> Bl. Bijdr.	<i>Grewia tiliaefolia</i> Vahl.
<i>Grewia inequalis</i> var. <i>leptopetala</i> (T. Cooke) Almeida	<i>Grewia tiliaefolia</i> Vahl.
<i>Grewia laevigata</i> auct. non Vahl.	<i>Grewia serrulata</i> DC.
<i>Grewia tiliaefolia</i> Vahl. var. <i>leptopetala</i> (Brandis) T. Cooke	<i>Grewia tiliaefolia</i> Vahl.
<i>Gymnosporia emarginata</i> (Willd.) Thw.	<i>Maytenus senegalensis</i> (Lam.) Excell.
<i>Gymnosporia Montana</i> (Roth) Bth.	<i>Maytenus senegalensis</i> (Lam.) Excell.
<b>H</b>	
<i>Haldinia cordifolia</i> (Roxb.) Ridsd.	<i>Adina cordifolia</i> (Roxb.) Hook.
<i>Hedysarum longifolium</i> Rottl. ex Spreng.	<i>Alysicarpus longifolius</i> (Rottl. ex Spreng.) Wight & Arn.
<i>Hedysarum tuberosum</i> Roxb. ex Willd.	<i>Pueraria tuberosa</i> DC.
<i>Heterophragma roxburghii</i> A. DC.	<i>Heterophragma quadriloculare</i> (Roxb.) K. Schum.
<i>Hibiscus lampas</i> Cav.	<i>Thespesia lampas</i> (Cav.) Alef.
<i>Hibiscus populneus</i> L.	<i>Thespesia populnea</i> (L.) Soland ex Correa
<i>Hibiscus zeylanicus</i> L.	<i>Pavonia zeylanica</i> L.
<i>Holarrhena antidysenterica</i> (Roxb. ex Fleming) Wall. ex A. DC.	<i>Holarrhena pubescens</i> (Buch.-Ham.) Wall. ex G. Don.
<i>Holcus halepensis</i> L.	<i>Sorghum halepense</i> (L.) Pers.
<i>Hordeum hexastichon</i> L.	<i>Hordeum vulgare</i> L.
<i>Hordeum sativum</i> (Pers.)	<i>Hordeum vulgare</i> L.
<i>Hydrocotyle asiatica</i> L.	<i>Centella asiatica</i> (L.) Urban.
<i>Hygrophila auriculata</i> (K. Schum.) Heine	<i>Asteracantha longifolia</i> (L.) Nees

Synonym	Main Term
<i>Hygrophila schulli</i> (Buch.-Ham.) M. R. & S. M. Almeida	<i>Asteracantha longifolia</i> (L.) Nees
<i>Hygrophila spinosa</i> T. Anders.	<i>Asteracantha longifolia</i> (L.) Nees
<b>I</b>	
<i>Indigofera glandulosa</i> Roxb. ex Willd.	<i>Indigofera glandulosa</i> Wendl.
<i>Ipomoea curassavica</i> All.	<i>Ipomoea obscura</i> (L.) Ker-Gawl.
<i>Ipomoea digitata</i> auct. non L.	<i>Ipomoea mauritiana</i> Jacq.
<i>Ipomoea fastigiata</i> Choisy	<i>Ipomoea batatas</i> (L.) Lam.
<i>Ipomoea marginata</i> (Desr.) Verdc.	<i>Ipomoea sepiaria</i> Roxb.
<i>Ipomoea maxima</i> auct. non (L. f.) Don ex Sweet	<i>Ipomoea sepiaria</i> Roxb.
<i>Ischaemum laxum</i> R. Br.	<i>Sehima nervosum</i> (Roth) Stapf
<i>Ischaemum sulcatum</i> Hack.	<i>Sehima sulcatum</i> (Hack.) A. Camus
<b>J</b>	
<i>Jasminum latifolium</i> Grah. non Roxb.	<i>Jasminum malabaricum</i> Wt.
<i>Justicia paniculata</i> Burm. f.	<i>Andrographis paniculata</i> (Burm.f.) Wall. ex Nees
<b>K</b>	
<i>Kirganelia reticulata</i> (Poir.) Baill.	<i>Phyllanthus reticulatus</i> Poir.
<b>L</b>	
<i>Lablab purpureus</i> (L.) Sweet	<i>Dolichos lablab</i> L.
<i>Lagerstroemia lanceolata</i> Wall. ex C. B. Cl.	<i>Lagerstroemia microcarpa</i> Wt.
<i>Lannea grandis</i> Engl.	<i>Lannea coramandelica</i> (Houtt.) Merr.
<i>Lantana aculeata</i> L.	<i>Lantana camara</i> L.
<i>Lasiosiphon eriocephalus</i> (Meissn.) Decne.	<i>Gnidia glauca</i> (Fresen.) Gilg.
<i>Lasiosiphon glaucus</i> Fresen.	<i>Gnidia glauca</i> (Fresen.) Gilg.
<i>Lens esculenta</i> Moench	<i>Lens culinaris</i> Medic.
<i>Lepurandra saccidora</i> Nimmo. ex Grah.	<i>Antiaris toxicaria</i> (Pers.) Lesch.
<i>Leucas pluknetii</i> (Roth) Spr.	<i>Leucas aspera</i> (Willd.) Link
<i>Limonia acidissima</i> L.	<i>Feronia elephantum</i> Correa
<i>Limonia aurantifolia</i> Christm. & Panz.	<i>Citrus aurantifolia</i> (Christm. & Panz.) Swingle
<i>Limonia crenulata</i> Roxb.	<i>Hesperethusa crenulata</i> (Roxb.) Roem.
<i>Limonia elephantum</i> Correa	<i>Feronia elephantum</i> Correa
<i>Limonia mauritiana</i> Lam.	<i>Glycosmis pentaphylla</i> (Retz.) Correa
<i>Limonia monophylla</i> L.	<i>Atalantia monophylla</i> Corr.
<i>Litsea chinensis</i> Lam.	<i>Litsea glutinosa</i> (Lour.) Robins
<i>Litsea sebifera</i> Pers.	<i>Litsea glutinosa</i> (Lour.) Robins
<i>Loranthus falcatus</i> L. f.	<i>Dendrophthoe falcata</i> (L. f.) Etting
<i>Loranthus longiflorus</i> Desr.	<i>Dendrophthoe falcata</i> (L. f.) Etting
<i>Loranthus longiflorus</i> var <i>falcatus</i> (L. f.) Kurz	<i>Dendrophthoe falcata</i> (L. f.) Etting
<i>Luffa acutangula</i> var <i>amara</i> (Roxb.) C. B. Clarke.	<i>Luffa acutangula</i> (L.) Roxb.

Synonym	Main Term
<i>Luffa amara</i> Roxb.	<i>Luffa acutangula</i> (L.) Roxb.
<i>Lythrum fruticosum</i> L.	<i>Woodfordia fruticosa</i> (L.) Kurz
	
<i>Macrotyloma uniflorum</i> (Lam.) Verdc.	<i>Dolichos biflorus</i> L.
<i>Madhuca indica</i> J. F. Gmel.	<i>Madhuca longifolia</i> (Koen.) MacBride
<i>Mangifera domestica</i> Gaertn.	<i>Mangifera indica</i> L.
<i>Manilkara achras</i> (Mill.) Fosberg	<i>Achras zapota</i> L.
<i>Manilkara zapota</i> (L.) Van Royen	<i>Achras zapota</i> L.
<i>Maranta galanga</i> L.	<i>Alpinia galanga</i> (L.) Swartz
<i>Marsdenia volubilis</i> T. Cooke	<i>Wattakaka volubilis</i> (L. f.) Stapf
<i>Maytenus emarginata</i> (Willd.) Ding Hou	<i>Maytenus senegalensis</i> (Lam.) Excell.
<i>Melia azadirachta</i> L.	<i>Azadirachta indica</i> A. Juss.
<i>Melia composita</i> Willd.	<i>Melia dubia</i> Cav.
<i>Melothria maderaspatana</i> (L.) Cogn.	<i>Melothria maderaspatana</i> (L.) Roem.
<i>Menispermum cordifolium</i> Willd.	<i>Tinospora cordifolia</i> (Willd.) Miers ex Hook. f. & Thoms.
<i>Menispermum hirsutum</i> L.	<i>Cocculus hirsutus</i> (L.) Diels.
<i>Milium cimicinum</i> (L.) Mant. Alt.	<i>Allotropis cimicina</i> (L.) Stapf
<i>Mimosa amara</i> Roxb.	<i>Albizia amara</i> (Roxb.) Boivin
<i>Mimosa armata</i> Spreng.	<i>Mimosa hamata</i> Willd.
<i>Mimosa astringens</i> Schum. & Thonn.	<i>Acacia nilotica</i> (L.) Del.
<i>Mimosa catechu</i> L. f.	<i>Acacia catechu</i> (L. f.) Willd.
<i>Mimosa cineraria</i> L.	<i>Prosopis cineraria</i> (L.) Druce
<i>Mimosa cinerea</i> (L.)	<i>Dichrostachys cinerea</i> (L.) Wight & Arn.
<i>Mimosa dulcis</i> (Roxb.) Willd.	<i>Pithecellobium dulce</i> Benth.
<i>Mimosa farnesiana</i> L.	<i>Acacia farnesiana</i> (L.) Willd.
<i>Mimosa lebbeck</i> L.	<i>Albizia lebbeck</i> (L.) Willd.
<i>Mimosa leucophloea</i> Roxb.	<i>Acacia leucophloea</i> Willd.
<i>Mimosa nilotica</i> L.	<i>Acacia nilotica</i> (L.) Del.
<i>Mimosa odoratissima</i> L. f.	<i>Albizia odoratissima</i> (L. f.) Benth.
<i>Momordica acutangula</i> L.	<i>Luffa acutangula</i> (L.) Roxb.
<i>Moringa pterygosperma</i> Gaertn.	<i>Moringa oleifera</i> Lam.
<i>Mucuna pruriens</i> (L.) Hook.	<i>Mucuna pruriens</i> (L.) DC.
<i>Mukia scabrella</i> (L. f.) Arn.	<i>Melothria maderaspatana</i> (L.) Roem.
<i>Musa cliffortiana</i> L.	<i>Musa paradisiaca</i> L.
<i>Musa sapientum</i> L. var. <i>paradisiaca</i> Baker	<i>Musa paradisiaca</i> L.
<i>Musa superba</i> Roxb.	<i>Ensete superbum</i> (Roxb.) Chees.
<i>Mussaenda frondosa</i> L.	<i>Mussaenda glabrata</i> (Hook. f.) Hutch. ex Gamble
<i>Mussaenda frondosa</i> var. <i>glabrata</i> Hook. f.	<i>Mussaenda glabrata</i> (Hook. f.) Hutch. ex Gamble
<i>Myristica officinalis</i> L. f.	<i>Myristica fragrans</i> Houtt.
<i>Myrobalanus bellirica</i> Gaertn.	<i>Terminalia bellirica</i> (Gaertn.) Roxb.

Synonym	Main Term
 <i>Myrobalanus chebula</i> (Retz.) Gaertn. Fruct. <i>Myrtus cumini</i> L.	<i>Terminalia chebula</i> Retz. <i>Syzygium cumini</i> (L.) Skeels
 <b>N</b> <i>Naringi crenulata</i> (Roxb.) <i>Nauclea cordifolia</i> Roxb. <i>Nerium odorum</i> Soland. <i>Nerium oleander</i> L. <i>Nicotiana angustifolia</i> Mill. <i>Nicotiana chinensis</i> Fisch. ex Lehm. <i>Nicotiana latissima</i> Mill. <i>Nicotiana macrophylla</i> Spr. <i>Nicotiana tabacum</i> L. var. <i>macrophylla</i> (Lehm.) Schrank <i>Nicotiana virginica</i> Agardh. <i>Nyctanthes arbor-tristis</i> var. <i>dentata</i> Hort. ex Moldenke <i>Nyctanthes dentata</i> Blume <i>Nyctanthes tristis</i> Salisb.	<i>Hesperethusa crenulata</i> (Roxb.) Roem. <i>Adina cordifolia</i> (Roxb.) Hook. <i>Nerium indicum</i> Mill. <i>Nerium indicum</i> Mill. <i>Nicotiana tabacum</i> L. <i>Nicotiana tabacum</i> L. <i>Nicotiana tabacum</i> L. <i>Nicotiana tabacum</i> L. <i>Nicotiana tabacum</i> L. <i>Nicotiana tabacum</i> L. <i>Nyctanthes arbor-tristis</i> L. <i>Nyctanthes arbor-tristis</i> L.
 <b>O</b> <i>Ocimum sanctum</i> L. <i>Ocimum superbum</i> Busc. & Muschl <i>Ocimum thyrsiflorum</i> L. <i>Odina wodier</i> Roxb. <i>Origanum benghalense</i> Burm. f. <i>Oryza nivara</i> Sharma & Shastry <i>Oxalis sensitiva</i> L. <i>Oxytenanthera monostigma</i> Bedd. <i>Oxytenanthera ritcheyi</i> (Munro) Blatt. & McC. <i>Oxytenanthera stocksii</i> Munro	<i>Ocimum tenuiflorum</i> L. <i>Ocimum gratissimum</i> L. <i>Ocimum basilicum</i> L. <i>Lannea coromandelica</i> (Houtt.) Merr. <i>Pogostemon benghalensis</i> (Burm. f.) O. Ktze. <i>Oryza sativa</i> L. <i>Biophytum sensitivum</i> (L.) DC. <i>Pseudoxytenanthera ritcheyi</i> (Munro) Naithani <i>Pseudoxytenanthera ritcheyi</i> (Munro) Naithani <i>Pseudoxytenanthera stocksii</i> (Munro) Naithani
<b>P</b> <i>Pancratium verecundum</i> auct. non Aiton <i>Pandanus tectorius</i> auct. pl. non Soland. ex Parkinson <i>Panicum americanum</i> L. <i>Panicum cimicinum</i> (L.) Retz. <i>Panicum colonum</i> L. <i>Panicum ischaemoides</i> Retz. <i>Panicum italicum</i> L. <i>Panicum miliare</i> Lam. <i>Panicum pallidescum</i> (Schumach.) <i>Panicum sanguinale</i> (L.)	<i>Pancratium triflorum</i> Roxb. <i>Pandanus odoratissimus</i> L. f. <i>Pennisetum typhoideum</i> L. <i>Alloteropsis cimicina</i> (L.) Stapf <i>Echinochloa colona</i> (L.) Link <i>Panicum repens</i> L. <i>Setaria italica</i> (L.) Beauv. <i>Panicum sumatrense</i> Roth ex Roem. & Schult. <i>Setaria pallidefusca</i> (Schumach.) Stapf & C. E. Hubb. <i>Digitaria sanguinalis</i> (L.) Scop.

Synonym	Main Term
<i>Paracaryum coelestinum</i> Benth & Hook. f.	<i>Adelocaryum coelestinum</i> (Lindl.) Brand.
<i>Parilum arbor-tristis</i> Gaertn.	<i>Nyctanthes arbor-tristis</i> L.
<i>Paspalum cartilagineum</i> J. S. ex C.B. Presl.	<i>Paspalum scrobiculatum</i> L.
<i>Paspalum commersonii</i> Lam.	<i>Paspalum scrobiculatum</i> L.
<i>Paspalum obiculare</i> Forst.	<i>Paspalum scrobiculatum</i> L.
<i>Paspalum sanguinale</i> (L.) Lam.	<i>Digitaria sanguinalis</i> (L.) Scop.
<i>Pavetta indica</i> auct. non L.	<i>Pavetta crassicaulis</i> Bremenk.
<i>Pennisetum americanum</i> (L.) K. Schum. C. Rich	<i>Pennisetum typhoideum</i> L.
<i>Pennisetum spicatum</i> R. & S.	<i>Pennisetum typhoideum</i> L.
<i>Pennisetum typhoides</i> (Burm. f.) Stapf & C. E. Hubb.	<i>Pennisetum typhoideum</i> L.
<i>Periploca indica</i> L.	<i>Hemidesmus indicus</i> (L.) R. Br.
<i>Periploca sylvestris</i> Retz.	<i>Gymnema sylvestre</i> (Retz.) R. Br.
<i>Phaseolus aconitifolius</i> Jacq.	<i>Vigna aconitifolia</i> (Jacq.) Marechal
<i>Phaseolus cylindricus</i> L.	<i>Vigna unguiculata</i> subsp. <i>cylindrica</i> (L.) van Eseltine
<i>Phaseolus mungo</i> L.	<i>Vigna mungo</i> (L.) Hepper
<i>Phaseolus radiatus</i> L.	<i>Vigna radiata</i> (L.) R. Wilczek
<i>Phaseolus trilobus</i> Ait.	<i>Vigna trilobata</i> Verdcourt
<i>Phlomis aspera</i> Willd.	<i>Leucas aspera</i> (Willd.) Link
<i>Phlomis nepetifolia</i> L.	<i>Leonotis nepetifolia</i> (L.) R. Br.
<i>Phlomis plukenetti</i> Roth	<i>Leucas aspera</i> (Willd.) Link
<i>Phlomis stricta</i> Heyne ex Hook. f.	<i>Leucas stricta</i> Bth.
<i>Phyllanthus emblica</i> L.	<i>Emblica officinalis</i> Gaertn.
<i>Phyllanthus virosus</i> Roxb. ex Willd.	<i>Securinega virosa</i> Pax & Hoffm.
<i>Physalis somnifera</i> L.	<i>Withania somnifera</i> (L.) Dunal
<i>Pinus longifolia</i> Roxb. ex Lamb	<i>Pinus roxburghii</i> Sarg.
<i>Pinus longifolia</i> Roxb. non Salisb.	<i>Pinus roxburghii</i> Sarg.
<i>Pisum sativum arvense</i> L. (Poir.)	<i>Pisum arvense</i> L.
<i>Plectronia parviflora</i> (Lam.) Bedd.	<i>Canthium coromandelicum</i> (N. Burm.) Alston
<i>Plumeria acutifolia</i> Poir.	<i>Plumeria rubra</i> L.
<i>Poa pilosa</i> L.	<i>Eragrostis pilosa</i> (L.) P. Beauv.
<i>Pogostemon parviflorus</i> Bth.	<i>Pogostemon benghalensis</i> (Burm. f.) O. Ktze.
<i>Pogostemon plectranthoides</i> auct. pro maj. non Desf.	<i>Pogostemon benghalensis</i> (Burm. f.) O. Ktze.
<i>Polymia abyssinica</i> L. f.	<i>Guizotia abyssinica</i> (L. f.) Cass.
<i>Pongamia glabra</i> Vent.	<i>Pongamia pinnata</i> (L.) Pierre
<i>Prenanthes procumbens</i> Roxb.	<i>Launaea procumbens</i> (Roxb.) Ram. Raj.
<i>Prosopis spicata</i> Burm. f.	<i>Prosopis cineraria</i> (L.) Druce
<i>Prosopis spicicera</i> L.	<i>Prosopis cineraria</i> (L.) Druce
<i>Pseudotetenanthera ritcheyi</i> (Munro) R. Majumdar	<i>Pseudoxytenanthera ritcheyi</i> (Munro) Naithani

Synonym	Main Term
<i>Pseudotenanthera stocksii</i> (Munro) R. Majumdar <i>Psoralea leichardtii</i> F. Muell.	<i>Pseudoxytenanthera stocksii</i> (Munro) Naithani <i>Indigofera glandulosa</i> Wendl.
<b>R</b> <i>Randia dumetorum</i> Poir. <i>Reichardia decapetala</i> Roth <i>Rhamnus oenoplia</i> L. <i>Rhamnus xylopyrus</i> Retz. Obs. <i>Ruellia callosa</i> Wall. <i>Ruellia longifolia</i> (L.) Roxb.	<i>Randia spinosa</i> Poir. <i>Caesalpinia decapetala</i> (Roth) Alst. <i>Zizyphus oenoplia</i> (L.) Mill. <i>Zizyphus xylopyra</i> (Retz.) Willd. <i>Carvia callosa</i> (Wall.) Bremek. <i>Asteracantha longifolia</i> (L.) Nees
<b>S</b> <i>Salmalia malabarica</i> (DC.) Sch. Endl. <i>Sapindus trifoliate</i> sensu Hiern. <i>Sapindus trifoliatus</i> auct. non L. <i>Scabrita triflora</i> L. <i>Sebifera glutinosa</i> Lour. <i>Senna occidentalis</i> Roxb. <i>Sesamum indicum</i> L. <i>Sesamum mulayanum</i> Nair <i>Setaria pumila</i> (Poir.) R. & S. <i>Sida carpinifolia</i> Mast. <i>Sida indica</i> L. <i>Sideroxylum tomentosum</i> Roxb. <i>Sinapsis juncea</i> L. <i>Sison ammi</i> L. <i>Smilax microphylla</i> Roxb. <i>Smilax ovalifolia</i> Roxb. <i>Solanum coagulans</i> Forsk. <i>Solanum incanum</i> L. <i>Solanum indicum</i> auct. non L. <i>Solanum surattense</i> Burm. f <i>Solanum xanthocarpum</i> Schrad. & Wendl. <i>Solena heterophylla</i> Lour. <i>Sorghum bicolor</i> (L.) Moench. <i>Sorghum miliaceum</i> (Roxb.) Snowden <i>Spathodea falcata</i> Wall. ex DC. <i>Sphaeranthus indicus</i> auct. non L. <i>Strobilanthes callosus</i> Nees <i>Strobilanthes ixiocephalus</i> Bth. <i>Swietenia chloroxylon</i> Roxb. <i>Swietenia febrifuga</i> Roxb.	<i>Bombax ceiba</i> L. <i>Sapindus emarginatus</i> Vahl. <i>Sapindus laurifolius</i> Vahl. <i>Nyctanthes arbor-tristis</i> L. <i>Litsea glutinosa</i> (Lour.) Robins <i>Cassia occidentalis</i> L. <i>Sesamum orientale</i> L. <i>Sesamum orientale</i> L. <i>Setaria pallidefusca</i> (Schumach.) Stapf & C. E. Hubb. <i>Sida acuta</i> Burm. f. <i>Abutilon indicum</i> (L.) Sweet <i>Xantolis tomentosa</i> (Roxb.) Rafin. <i>Brassica juncea</i> (L.) Czern. & Coss. <i>Carum copticum</i> (L.) Hiern. <i>Smilax zeylanica</i> L. <i>Smilax zeylanica</i> L. <i>Solanum melongena</i> L. <i>Solanum melongena</i> L. <i>Solanum anguivi</i> Lam. <i>Solanum virginianum</i> L. <i>Solanum virginianum</i> L. <i>Melothria heterophylla</i> (Lour.) Cogn. <i>Sorghum vulgare</i> Pers. <i>Sorghum halepense</i> (L.) Pers. <i>Dolichandrone falcata</i> (Wall. ex DC.) Seem. <i>Sphaeranthus indicus</i> L. <i>Carvia callosa</i> (Wall.) Bremek. <i>Thelepaepale ixiocephala</i> (Bth.) Bremek. <i>Chloroxylon swietenia</i> DC. <i>Soymida febrifuga</i> (Roxb.) A. Juss.

	Synonym	Main Term
<b>T</b>	<i>Tanacetum purpureum</i> Buch.-Ham. ex D. Don <i>Tephrosia hamiltonii</i> J. R. Drumm. ex Gamble <i>Tephrosia purpurea</i> var. <i>pubescens</i> Baker <i>Terminalia alata</i> B. Heyne ex Roth <i>Terminalia arjuna</i> var. <i>angustifolia</i> (Roxb.) C. B. Cl. <i>Terminalia bellirica</i> var. <i>laurinoides</i> C. B. Cl. <i>Terminalia chebula</i> var. <i>tomentella</i> (Kurz) C. B. Cl. <i>Terminalia coriacea</i> (Roxb.) Wight & Arn. <i>Terminalia tomentosa</i> (Roxb. ex DC.) Wight & Arn. <i>Terminalia tomentosa</i> var. <i>coriacea</i> (Roxb.) C. B. Cl. <i>Terminalia tomentosa</i> var. <i>crenulata</i> (Roth) C. B. Cl. <i>Thea sinensis</i> L. <i>Themeda ciliata</i> (L. f.) Hack. <i>Thespesia macrophylla</i> Bl. <i>Tiaradium indicum</i> Lehm. <i>Tomex tomentosa</i> L. <i>Trachyspermum ammi</i> (L.) Sprague ex Tumil <i>Tribulus lanuginosus</i> L. <i>Tribulus terrestris</i> Edgew. & Hook. f. p. p. non L. <i>Trichosanthes bracteata</i> (Lam.) Voigt <i>Trichosanthes bracteata</i> var. <i>tomentosa</i> (Heyne ex C. B. Cl.) Chakr. <i>Trichosanthes lobata</i> H. <i>Trichosanthes palmata</i> Roxb. <i>Trichosanthes palmata</i> var. <i>tomentosa</i> Heyne ex C. B. Cl. <i>Triticum sativum</i> Lam. <i>Triticum vulgare</i> Vill. <i>Triumfetta rotundifolia</i> Lamk. <i>Tylophora asthamatica</i> Wight & Arn. <i>Typha angustata</i> Bory & Chaub. T.	<i>Cyathocline purpurea</i> (Buch.-Ham. ex D. Don) O. Ktze. <i>Tephrosia purpurea</i> (L.) Pers. <i>Tephrosia purpurea</i> (L.) Pers. <i>Terminalia crenulata</i> Roth <i>Terminalia arjuna</i> (Roxb. ex DC.) Wt. & Arn. <i>Terminalia bellirica</i> (Gaertn.) Roxb. <i>Terminalia chebula</i> Retz. <i>Terminalia crenulata</i> Roth <i>Terminalia crenulata</i> Roth <i>Terminalia crenulata</i> Roth <i>Camellia sinensis</i> L. (Kuntze) <i>Themeda quadrivalvis</i> (L.) O. Ktze. <i>Thespesia lampas</i> (Cav.) Alef. <i>Heliotropium indicum</i> L. <i>Callicarpa tomentosa</i> (L.) Murr. <i>Carum copticum</i> (L.) Hiern. <i>Tribulus terrestris</i> L. <i>Tribulus terrestris</i> L. <i>Trichosanthes tricuspidata</i> Lour. <i>Trichosanthes tricuspidata</i> Lour. <i>Trichosanthes cucumerina</i> L. <i>Trichosanthes tricuspidata</i> Lour. <i>Trichosanthes tricuspidata</i> Lour. <i>Triticum aestivum</i> L. <i>Triticum aestivum</i> L. <i>Triumfetta malabarica</i> Koen. ex Rottb. <i>Tylophora indica</i> (Burm. f.) Merrill <i>Typha angustifolia</i> L.
<b>U</b>	<i>Ulmus integrifolia</i> Roxb. Pl. Cor. <i>Urostigma benghalense</i> L. <i>Urostigma religiosum</i> (L.) <i>Uvaria longifolia</i> Sonn.	<i>Holoptelea integrifolia</i> (Roxb.) Planch. <i>Ficus benghalensis</i> L. <i>Ficus religiosa</i> L. <i>Polyalthia longifolia</i> (Sonn.) Thw.
<b>V</b>	<i>Vangueria spinosa</i> Roxb. <i>Ventilago denticulata</i> Willd. <i>Ventilago madraspatana</i> var. <i>calyculata</i> (Tul.) King	<i>Meyna laxiflora</i> Robyns <i>Ventilago calyculata</i> Tul. <i>Ventilago calyculata</i> Tul.

Synonym	Main Term
<i>Verbesina prostrata</i> L.	<i>Eclipta prostrata</i> (L.) L.
<i>Vigna catjang</i> (Burm. f.) Walp.	<i>Vigna unguiculata</i> subsp. <i>cylindrica</i> (L.) van Eseltine
<i>Viscum nepalense</i> (Spreng.)	<i>Viscum articulatum</i> Burm. f.
<i>Vitis pallida</i> Wall. ex Wight	<i>Cissus pallida</i> (Wight & Arn.)
<i>Vitis quadrangularis</i> (L.) Wall. ex Wight	<i>Cissus quadrangularis</i> L.
<i>Volkameria multiflorum</i> Burm. f.	<i>Clerodendrum multiflorum</i> (Burm. f.) O. Ktze.
<i>Volkameria serrata</i> L.	<i>Clerodendrum serratum</i> (L.) Moon
 <b>W</b> <i>Woodfordia floribunda</i> Salisb.	<i>Woodfordia fruticosa</i> (L.) Kurz
 <b>Z</b> <i>Wrightia rothii</i> G. Don.	<i>Wrightia tinctoria</i> Br.
<i>Zanthoxylum budruna</i> (Roxb.) DC.	<i>Zanthoxylum rhetsa</i> (Roxb.) DC.
<i>Zehneria marginata</i> (Blume) Keraudren	<i>Melothria heterophylla</i> (Lour.) Cogn.
<i>Zizyphus jujuba</i> Lam.	<i>Zizyphus mauritiana</i> Lamk.

Veterinary Use	Botanical Name	Veterinary Use	Botanical Name
<b>A</b>			
Abortion	<i>Cuscuta reflexa</i> Roxb. <i>Grewia tiliaceifolia</i> Vahl. See also Boils	Anorexia	<i>Leucas stelligera</i> Wall. <i>Pergularia daemia</i> (Forssk.) Chiov. <i>Piper nigrum</i> L.
Abscess	<i>Calotropis gigantea</i> (L.) R. Br. <i>Calotropis procera</i> (Ait.) R. Br.		<i>Saccharum officinarum</i> L.
Abscess	<i>Careya arborea</i> Roxb. <i>Ficus hispida</i> L. f. <i>Ficus religiosa</i> L. <i>Hibiscus rosa-sinensis</i> L. <i>Ipomoea obscura</i> (L.) Ker-Gawl.		<i>Securinega virosa</i> Pax & Hoffm.
Abscess in mouth	<i>Meyna laxiflora</i> Robyns	Anthrax	<i>Sesamum orientale</i> L.
Abscess in neck	<i>Curcuma longa</i> L. <i>Arachis hypogea</i> L. <i>Gloriosa superba</i> L. <i>Oroxylum indicum</i> (L.) Vent. <i>Pancratium triflorum</i> Roxb. <i>Semecarpus anacardium</i> L. f.		<i>Zingiber officinalis</i> Rosc.
Acute colic	See Colic, acute		<i>Caralluma adscendens</i> (Roxb.) R. Br.
Agalactia	See also Galactagogue, Milk yield, increase in		<i>Curcuma longa</i> L.
Agalactia	<i>Curcuma longa</i> L. <i>Euphorbia geniculata</i> Orteg. <i>Sesamum orientale</i> L. <i>Tinospora cordifolia</i> (Willd.) Miers ex Hook. f. & Thoms.		<i>Holoptelea integrifolia</i> (Roxb.) Planch.
Alopecia	See also Hair loss		<i>Piper nigrum</i> L.
Alopecia	<i>Cocos nucifera</i> L.		See also Poisoning
Anoestrus	<i>Arachis hypogea</i> L. <i>Bridelia retusa</i> (L.) Spreng. <i>Dalbergia latifolia</i> Roxb. <i>Dolichos biflorus</i> L.		<i>Syzygium cumini</i> (L.) Skeels
	<i>Pueraria tuberosa</i> DC. <i>Solanum melongena</i> L. <i>Strychnos potatorum</i> L. f.		See also Rheumatism
Anorexia	<i>Allium sativum</i> L. <i>Alpinia galanga</i> (L.) Swartz <i>Brassica juncea</i> (L.) Czern. & Coss. <i>Caralluma adscendens</i> (Roxb.) R. Br.		<i>Cassia tora</i> L.
	<i>Carum copticum</i> (L.) Hiern. <i>Curcuma longa</i> L. <i>Cyathocline purpurea</i> (Buch.-Ham. ex D. Don) O. Ktze.		<i>Clerodendrum multiflorum</i> (Burm. f.) O. Ktze.
	<i>Ensete superbum</i> (Roxb.) Chees. <i>Ferula asafoetida</i> L. <i>Gardenia turgida</i> Roxb. <i>Gymnema sylvestre</i> (Retz.) R. Br.		<i>Cuminum cyminum</i> L.
			<i>Diospyros montana</i> Roxb.
			<i>Litsea glutinosa</i> (Lour.) Robins
			<i>Piper nigrum</i> L.
			<i>Plumbago zeylanica</i> L.
			<i>Pongamia pinnata</i> (L.) Pierre
			<i>Solanum anguivi</i> Lam.
			<i>Tridax procumbens</i> L.
			<i>Vitex negundo</i> L.
			<i>Typha angustifolia</i> L.
		<b>B</b>	
			Bacillary white diarrhoea (poultry)
			See Diarrhoea, bacillary white (poultry)
		Back ache	<i>Ailanthus excelsa</i> Roxb.
			<i>Capparis zeylanica</i> L.
			<i>Eucalyptus</i> species
		Bites, cobra	<i>Ventilago calyculata</i> Tul.
		Bites, dog	<i>Colebrookea oppositifolia</i> Sm.
			<i>Piper betel</i> L.
			<i>Psidium guajava</i> L.
		Bites, fly	<i>Ailanthus excels</i> . Roxb.
		Bites, scorpion	<i>Achyranthes aspera</i> L.
			<i>Arachis hypogea</i> L.
			<i>Crotalaria retusa</i> L.
			<i>Cyperus iria</i> L.
		Bites, snake	<i>Securinega virosa</i> Pax & Hoffm.
			<i>Abrus precatorius</i> L.
			<i>Achyranthes aspera</i> L.

Veterinary Use	Botanical Name	Veterinary Use	Botanical Name
Bites, snake	<i>Acorus calamus</i> L. <i>Anacardium occidentale</i> L. <i>Arachis hypogea</i> L. <i>Aristolochia indica</i> L. <i>Azadirachta indica</i> A. Juss.	Black quarter	<i>Capsicum annuum</i> L. <i>Careya arborea</i> Roxb. <i>Curcuma longa</i> L. <i>Cynodon dactylon</i> (L.) Pers. <i>Dalbergia latifolia</i> Roxb.
Bites, snake	<i>Bambusa arundinacea</i> (Retz.) Willd. <i>Brassica juncea</i> (L.) Czern. & Coss. <i>Calotropis gigantea</i> (L.) R. Br. <i>Capsicum annuum</i> L. <i>Cissus pallida</i> (Wight & Arn.) <i>Cocculus hirsutus</i> (L.) Diels. <i>Colebrookea oppositifolia</i> Sm. <i>Corallocarpus epigaeus</i> (Rottl.) C.B.Cl. <i>Cyperus iria</i> L. <i>Cyperus rotundus</i> L. <i>Gymnema sylvestre</i> (Retz.) R. Br. <i>Holarrhena pubescens</i> (Buch.-Ham.) Wall. ex G. Don <i>Leucas stelligera</i> Wall. <i>Momordica dioica</i> Roxb. ex Willd. <i>Musa paradisiaca</i> L. <i>Ocimum tenuiflorum</i> L. <i>Plumeria rubra</i> L. <i>Sapindus laurifolius</i> Vahl. <i>Tephrosia purpurea</i> (L.) Pers. <i>Terminalia bellerica</i> (Gaertn.) Roxb. <i>Trichosanthes tricuspidata</i> Lour. <i>Wrightia tinctoria</i> Br.		<i>Datura metel</i> (L.) <i>Diospyros chloroxylon</i> Roxb. <i>Dolichandrone falcata</i> (Wall. ex DC.) Seem. <i>Ficus hispida</i> L. f. <i>Gloriosa superba</i> L. <i>Gmelina arborea</i> Roxb. <i>Gymnema sylvestre</i> (Retz.) R. Br. <i>Myristica fragrans</i> Houtt. <i>Pergularia daemia</i> (Forssk.) Chiov. <i>Phyllanthus reticulatus</i> Poir. <i>Pinus roxburghii</i> Sarg. <i>Piper nigrum</i> L. <i>Psidium guajava</i> L. <i>Pterocarpus marsupium</i> Roxb. <i>Ricinus communis</i> L. <i>Semecarpus anacardium</i> L. f. <i>Smilax zeylanica</i> L. <i>Sorghum vulgare</i> Pers. <i>Strychnos potatorum</i> L. f. <i>Tamarindus indica</i> L. <i>Tinospora cordifolia</i> (Willd.) Miers ex Hook.f. & Thoms.
Bites, spider	<i>Atalantia racemosa</i> Wight	Ventilago calyculata	Tul.
Bites, viper	<i>Croton roxburghii</i> Balakr.	Vitex negundo	L.
Black quarter	<i>Acacia leucophloea</i> Willd. <i>Acacia nilotica</i> (L.) Del. <i>Aegle marmelos</i> (L.) Corr. <i>Ailanthus excelsa</i> Roxb. <i>Allium cepa</i> L. <i>Alstonia scholaris</i> (L.) R. Br. <i>Andrographis paniculata</i> (Burm. f.) Wall. ex Nees <i>Areca catechu</i> L. <i>Argemone mexicana</i> L. <i>Bambusa arundinacea</i> (Retz.) Willd. <i>Biophytum sensitivum</i> (L.) DC. <i>Bombax ceiba</i> L. <i>Brassica nigra</i> (L.) Koch <i>Caesalpinia bonduc</i> (L.) Roxb. <i>Canavalia gladiata</i> (Jacq.) DC. <i>Capparis sepiaria</i> L. <i>Capparis zeylanica</i> L.	Blistering	<i>Wattakaka volubilis</i> (L. f.) Stapf <i>Woodfordia fruticosa</i> (L.) Kurz <i>Zizyphus mauritiana</i> Lamk. See Haemorrhage
		Blisters in mouth	<i>Eleusine coracana</i> (L.) Gaertn. <i>Oryza sativa</i> L. <i>Leonotis nepetifolia</i> (L.) R. Br.
		Bloat	<i>Abutilon indicum</i> (L.) Sweet <i>Agave americana</i> L. <i>Alangium salvifolium</i> (L. f.) Wang <i>Allium sativum</i> L. <i>Alpinia galanga</i> (L.) Swartz <i>Alstonia scholaris</i> (L.) R. Br. <i>Antiaris toxicaria</i> (Pers.) Lesch. <i>Arachis hypogea</i> L. <i>Areca catechu</i> L. <i>Aristolochia indica</i> L. <i>Atalantia racemosa</i> Wight

Veterinary Use	Botanical Name	Veterinary Use	Botanical Name	
Bloat	<i>Azadirachta indica</i> A. Juss. <i>Baringtonia acutangula</i> (L.) Gaertn. <i>Brassica nigra</i> (L.) Koch <i>Bryonopsis laciniosa</i> (L.) Naud. <i>Butea monosperma</i> (Lamk.) Taub. <i>Callicarpa tomentosa</i> (L.) Murr. <i>Capparis sepiaria</i> L. <i>Capparis zeylanica</i> L. <i>Capsicum annuum</i> L. <i>Caralluma adscendens</i> (Roxb.) R. Br. <i>Cardiospermum halicacabum</i> L. <i>Carum copticum</i> (L.) Hiern. <i>Cassia fistula</i> L. <i>Cassia occidentalis</i> L. <i>Cissus quadrangularis</i> L. <i>Citrullus colocynthis</i> (L.) Schr. <i>Clerodendrum serratum</i> (L.) Moon <i>Coccinia hirsutus</i> (L.) Diels. <i>Cocos nucifera</i> L. <i>Corallocarpus epigaeus</i> (Rottl.) C.B.Cl. <i>Coriandrum sativum</i> L. <i>Cuminum cyminum</i> L. <i>Curcuma longa</i> L. <i>Dalbergia latifolia</i> Roxb. <i>Dioscorea belophylla</i> (Prain) Haines <i>Dolichandrone falcata</i> (Wall. ex DC.) Seem. <i>Emblica officinalis</i> Gaertn. <i>Enicostema axillare</i> (Lam.) Raynal <i>Eucalyptus</i> species <i>Ferula asafoetida</i> L. <i>Foeniculum vulgare</i> Mill. <i>Gloriosa superba</i> L. <i>Gmelina arborea</i> Roxb. <i>Hemidesmus indicus</i> (L.) R. Br. <i>Hesperethusa crenulata</i> (Roxb.) Roem. <i>Holarrhena pubescens</i> (Buch-Ham.) Wall. ex G. Don <i>Jatropha curcas</i> L. <i>Jatropha gossypifolia</i> L. <i>Lannea coromandelica</i> (Houtt.) Merr. <i>Leucas stelligera</i> Wall. <i>Linum usitatissimum</i> L. <i>Mangifera indica</i> L. <i>Meyna laxiflora</i> Robyns <i>Moringa oleifera</i> Lam. <i>Oroxylum indicum</i> (L.) Vent. <i>Papaver somniferum</i> L.	Bloat	<i>Pavetta crassicaulis</i> Bremenk. <i>Pergularia daemia</i> (Forssk.) Chiov. <i>Phyllanthus reticulatus</i> Poir. <i>Pinus roxburghii</i> Sarg. <i>Piper nigrum</i> L. <i>Plumeria rubra</i> L. <i>Pogostemon benghalensis</i> (Burm. f.) O. Ktze. <i>Pterocarpus marsupium</i> Roxb. <i>Saccharum officinarum</i> L. <i>Sapindus emarginatus</i> Vahl. <i>Sesamum orientale</i> L. <i>Solanum anguivi</i> Lam. <i>Solanum melongena</i> L. <i>Soymida febrifuga</i> (Roxb.) A. Juss. <i>Syzygium aromaticum</i> L. Merr. et Perry <i>Syzygium cumini</i> (L.) Skeels <i>Tamarindus indica</i> L. <i>Tephrosia purpurea</i> (L.) Pers. <i>Terminalia chebula</i> Retz. <i>Trichosanthes tricuspidata</i> Lour. <i>Tylophora indica</i> (Burm. f.) Merrill <i>Vitex negundo</i> L. <i>Vitex trifolia</i> L. <i>Wattakaka volubilis</i> (L. f.) Stapf <i>Woodfordia fruticosa</i> (L.) Kurz <i>Ximenia americana</i> L. <i>Zanthoxylum rhetsa</i> (Roxb.) DC. <i>Zingiber officinalis</i> Rosc. <i>Zingiber roseum</i> Roxb. (Rosc.) Agave species <i>Grewia tiliifolia</i> Vahl. Bloody diarrhoea Bloody urine Boils Boils	Blood pressure Bloody diarrhoea Bloody urine Boils Boils
		Bring on heat	<i>Calotropis gigantea</i> (L.) R. Br. <i>Calotropis procera</i> (Ait.) R. Br. <i>Arachis hypogaea</i> L. <i>Citrus aurantifolia</i> (Christm. & Panz.) Swingle <i>Ricinus communis</i> L. <i>Saccharum officinarum</i> L. <i>Thespesia populnea</i> (L.) Soland ex Correa <i>Vigna aconitifolia</i> (Jacq.) Marechal See also Cuts, Injuries, Wounds	
		Bruises		


Veterinary Use	Botanical Name	Veterinary Use	Botanical Name
Bruises	<i>Brassica nigra</i> (L.) Koch <i>Camellia sinensis</i> L. (Kuntze) <i>Cassia fistula</i> L. <i>Citrus aurantifolia</i> (Christm. & Panz.) Swingle <i>Coccinia grandis</i> (L.) Voigt <i>Costus speciosus</i> (Koenig ex Retz.) J. E. Smith <i>Curcuma longa</i> L. <i>Pavonia zeylanica</i> L. <i>Piper nigrum</i> L. <i>Sesamum orientale</i> L. <i>Tamarindus indica</i> L.	Colic	<i>Atalantia racemosa</i> Wight <i>Bambusa arundinacea</i> (Retz.) Willd. <i>Baringtonia acutangula</i> (L.) Gaertn. <i>Brassica nigra</i> (L.) Koch <i>Bryonopsis laciniosa</i> (L.) Naud. <i>Calotropis procera</i> (Ait.) R. Br. <i>Capsicum annuum</i> L. <i>Carum copticum</i> (L.) Hiern. <i>Cassia fistula</i> L. <i>Cassia occidentalis</i> L. <i>Cleome viscosa</i> L. <i>Cocos nucifera</i> L. <i>Cuminum cyminum</i> L. <i>Curcuma longa</i> L. <i>Emblica officinalis</i> Gaertn.
Buffalo pox	<i>Azadirachta indica</i> A. Juss. <i>Curcuma longa</i> L.	Building immunity	<i>Gloriosa superba</i> L.
Burns	See Immunity stimulator <i>Cassia auriculata</i> L. <i>Cocos nucifera</i> L. <i>Phoenix sylvestris</i> (L.) Roxb. <i>Ximenia americana</i> L.		<i>Glycosmis pentaphylla</i> (Retz.) Correa <i>Hesperethusa crenulata</i> (Roxb.) Roem. <i>Holarrhena pubescens</i> (Buch.-Ham.) Wall. ex G. Don <i>Mangifera indica</i> L. <i>Musa paradisiaca</i> L. <i>Oroxylum indicum</i> (L.) Vent. <i>Oryza sativa</i> L.
Chest congestion	See also Pneumonia <i>Ipomoea mauritiana</i> Jacq. <i>Vitex trifolia</i> L.		<i>Pancreatum triflorum</i> Roxb. <i>Pergularia daemia</i> (Forssk.) Chiov. <i>Phyllanthus reticulatus</i> Poir. <i>Piper nigrum</i> L. <i>Pseudoxytenanthera stocksii</i> (Munro) Naithani <i>Randia spinosa</i> Poir. <i>Saccharum officinarum</i> L. <i>Sapindus laurifolius</i> Vahl. <i>Semecarpus anacardium</i> L. f. <i>Sesamum orientale</i> L. <i>Smilax zeylanica</i> L.
Cobra bites	See Bites, cobra		<i>Syzygium aromaticum</i> L. Merr. et Perry
Cold	See also Cough & cold		<i>Syzygium cumini</i> (L.) Skeels
Cold	<i>Allium sativum</i> L. <i>Areca catechu</i> L. <i>Capsicum annuum</i> L. <i>Eucalyptus</i> species <i>Saccharum officinarum</i> L.		<i>Tamarindus indica</i> L.
Cold (poultry)	<i>Syzygium aromaticum</i> L. Merr. et Perry <i>Allium cepa</i> L. <i>Allium sativum</i> L. <i>Azadirachta indica</i> A. Juss. <i>Carum copticum</i> (L.) Hiern. <i>Pergularia daemia</i> (Forssk.) Chiov.		<i>Tephrosia purpurea</i> (L.) Pers. <i>Ventilago calyculata</i> Tul.
Colic	<i>Abrus precatorius</i> L. <i>Acacia farnesiana</i> (L.) Willd. <i>Aegle marmelos</i> (L.) Corr. <i>Ailanthus excelsa</i> Roxb. <i>Allium cepa</i> L. <i>Allium sativum</i> L. <i>Alpinia galanga</i> (L.) Swartz <i>Aristolochia bracteolata</i> Lam.	Colic, acute	<i>Withania somnifera</i> (L.) Dunal <i>Woodfordia fruticosa</i> (L.) Kurz <i>Zingiber roseum</i> Roxb. (Rosc.) <i>Abrus precatorius</i> L. <i>Adina cordifolia</i> (Roxb.) Hook. <i>Aegle marmelos</i> (L.) Corr. <i>Ailanthus excelsa</i> Roxb.



C


Veterinary Use	Botanical Name	Veterinary Use	Botanical Name					
Colic, acute	<i>Allium sativum</i> L. <i>Aristolochia bracteolata</i> Lam. <i>Baringtonia acutangula</i> (L.) Gaertn. <i>Brassica nigra</i> (L.) Koch <i>Bryonopsis laciniosa</i> (L.) Naud. <i>Calotropis procera</i> (Ait.) R. Br. <i>Carum copticum</i> (L.) Hiern. <i>Cassia fistula</i> L. <i>Cassia occidentalis</i> L. <i>Cleome viscosa</i> L. <i>Cuminum cyminum</i> L. <i>Curcuma longa</i> L. <i>Glycosmis pentaphylla</i> (Retz.) Correa <i>Hesperethusa crenulata</i> (Roxb.) Roem. <i>Holarrhena pubescens</i> (Buch.-Ham.) Wall. ex G. Don <i>Lannea coromandelica</i> (Houtt.) Merr. <i>Mangifera indica</i> L. <i>Momordica dioica</i> Roxb. ex Willd. <i>Musa paradisiaca</i> L. <i>Oroxylum indicum</i> (L.) Vent. <i>Oryza sativa</i> L. <i>Pergularia daemia</i> (Forssk.) Chiov. <i>Phyllanthus reticulatus</i> Poir. <i>Piper nigrum</i> L. <i>Randia spinosa</i> Poir. <i>Saccharum officinarum</i> L. <i>Semecarpus anacardium</i> L. f. <i>Sesamum orientale</i> L. <i>Syzygium cumini</i> (L.) Skeels <i>Tamarindus indica</i> L. <i>Tephrosia purpurea</i> (L.) Pers. <i>Ventilago calyculata</i> Tul. <i>Withania somnifera</i> (L.) Dunal <i>Woodfordia fruticosa</i> (L.) Kurz <i>Zingiber roseum</i> Roxb. (Rosc.) <i>Atalanitia racemosa</i> Wight <i>Bauhinia racemosa</i> Lamk. <i>Butea monosperma</i> (Lamk.) Taub. <i>Calotropis gigantea</i> (L.) R. Br. <i>Capsicum annuum</i> L. <i>Chloroxylon swietenia</i> DC. <i>Coccinia hirsutus</i> (L.) Diels <i>Curcuma longa</i> L. <i>Eleusine coracana</i> (L.) Gaertn. <i>Euphorbia geniculata</i> Orteg. <i>Gymnema sylvestre</i> (Retz.) R. Br. <i>Hemidesmus indicus</i> (L.) R. Br.	Conjunctivitis	<i>Holarrhena pubescens</i> (Buch.-Ham.) Wall. ex G. Don <i>Leucas stelligera</i> Wall. <i>Moringa oleifera</i> Lam. <i>Nicotiana tabacum</i> L. <i>Pergularia daemia</i> (Forssk.) Chiov. <i>Phoenix sylvestris</i> (L.) Roxb. <i>Pterocarpus marsupium</i> Roxb. <i>Pterocarpus santalinus</i> L. <i>Ricinus communis</i> L. <i>Saccharum officinarum</i> L. <i>Solanum melongena</i> L. <i>Syzygium aromaticum</i> L. Merr. et Perry <i>Wrightia tinctoria</i> Br. <i>Zingiber officinalis</i> Rosc. Constipation	<i>Caralluma adscendens</i> (Roxb.) R. Br. <i>Enicostema axillare</i> (Lam.) Raynal <i>Ficus hispida</i> L. f. <i>Helicteres isora</i> L. <i>Melothria maderaspatana</i> (L.) Roem. <i>Sesamum orientale</i> L. <i>Solanum melongena</i> L. <i>Terminalia chebula</i> Retz. Contagious ecthyma	<i>Annona squamosa</i> L. <i>Arachis hypogaea</i> L. <i>Azadirachta indica</i> A. Juss. <i>Capsicum annuum</i> L. <i>Cassia fistula</i> L. <i>Chloroxylon swietenia</i> DC. <i>Cleistanthus collinus</i> (Roxb.) Bth. ex Hook. f. <i>Cocos nucifera</i> L. <i>Curcuma amada</i> Roxb. <i>Curcuma longa</i> L. <i>Dolichos biflorus</i> L. <i>Emblica officinalis</i> Gaertn. <i>Hemidesmus indicus</i> (L.) R. Br. <i>Mangifera indica</i> L. <i>Oryza sativa</i> L. <i>Sorghum vulgare</i> Pers. <i>Strychnos nux-vomica</i> L. <i>Tamarindus indica</i> L. <i>Terminalia chebula</i> Retz. <i>Ximenia americana</i> L.	Convulsive seizures	See also Epileptic attack Convulsive seizures	<i>Aegle marmelos</i> (L.) Corr. <i>Leucas stelligera</i> Wall. <i>Piper nigrum</i> L.
Conjunctivitis								

Veterinary Use	Botanical Name	Veterinary Use	Botanical Name
Convulsive seizures	<i>Saccharum officinarum</i> L. <i>Vitex negundo</i> L.		<i>Trigonella foenum-graecum</i> L. <i>Vitex negundo</i> L.
Cooling	<i>Cuscuta reflexa</i> Roxb.		<i>Ximenia americana</i> L.
Corneal opacity	<i>Allium cepa</i> L. <i>Balanites aegyptiaca</i> (L.) Del. <i>Calotropis procera</i> (Ait.) R. Br. <i>Semecarpus anacardium</i> L. f. <i>Solanum virginianum</i> L. <i>Wrightia tinctoria</i> Br.	Cuts	<i>Zingiber officinalis</i> Rosc. See also Bruises, Injuries, Wounds <i>Adelocaryum coelestinum</i> (Lindl.) Brand.
Corneal ulcer	See Keratitis		<i>Lantana camara</i> L.
Cough	<i>Allium sativum</i> L. <i>Arachis hypogea</i> L. <i>Calotropis gigantea</i> (L.) R. Br. <i>Colocasia esculenta</i> (L.) Schott <i>Cuminum cyminum</i> L. <i>Eleusine coracana</i> (L.) Gaertn. <i>Justicia adathoda</i> L. <i>Leonotis nepetifolia</i> (L.) R. Br. <i>Meyna laxiflora</i> Robyns <i>Solanum virginianum</i> L. <i>Typha angustifolia</i> L.		<i>Tridax procumbens</i> L. <i>Typha angustifolia</i> L.
Cough & cold	<i>Achyranthes aspera</i> L. <i>Aegle marmelos</i> (L.) Corr. <i>Ailanthus excelsa</i> Roxb. <i>Allium cepa</i> L. <i>Allium sativum</i> L. <i>Andrographis paniculata</i> (Burm. f.) Wall. ex Nees <i>Anogeissus latifolia</i> (Roxb. ex DC.) Wall. ex Bedd. <i>Boerhavia chinensis</i> (L.) Heimerl. <i>Capsicum annuum</i> L. <i>Carum copticum</i> (L.) Hiern. <i>Chloroxylon swietenia</i> DC. <i>Citrus aurantifolia</i> (Christm. & Panz.) Swingle <i>Cleome viscosa</i> L. <i>Curcuma longa</i> L. <i>Dolichos biflorus</i> L. <i>Ferula asafoetida</i> L. <i>Heliotropium indicum</i> L. <i>Momordica charantia</i> L. <i>Ocimum tenuiflorum</i> L. <i>Pergularia daemia</i> (Forssk.) Chiov. <i>Piper nigrum</i> L. <i>Sesamum orientale</i> L. <i>Solanum melongena</i> L. <i>Tamarindus indica</i> L.	Debility	See also Strength <i>Aegle marmelos</i> (L.) Corr. <i>Allium sativum</i> L. <i>Carum copticum</i> (L.) Hiern. <i>Cleome viscosa</i> L. <i>Cocos nucifera</i> L. <i>Curcuma longa</i> L. <i>Dolichos lablab</i> L. <i>Eleusine coracana</i> (L.) Gaertn. <i>Ficus hispida</i> L. f. <i>Justicia adathoda</i> L. <i>Piper nigrum</i> L. <i>Pueraria tuberosa</i> DC. <i>Vigna mungo</i> (L.) Hepper <i>Euphorbia tirucalli</i> L. <i>Abrus precatorius</i> L. <i>Abutilon indicum</i> (L.) Sweet <i>Acacia catechu</i> (L. f.) Willd. <i>Acacia farnesiana</i> (L.) Willd. <i>Acacia nilotica</i> (L.). Del. <i>Achras zapota</i> L. <i>Adina cordifolia</i> (Roxb.) Hook. <i>Aegle marmelos</i> (L.) Corr. <i>Agave americana</i> L. <i>Ailanthus excelsa</i> Roxb. <i>Allium cepa</i> L. <i>Alstonia scholaris</i> (L.) R. Br. <i>Andrographis paniculata</i> (Burm. f.) Wall. ex Nees <i>Annona squamosa</i> L. <i>Anogeissus latifolia</i> (Roxb. ex DC.) Wall. ex Bedd. <i>Antiaris toxicaria</i> (Pers.) Lesch. <i>Arachis hypogea</i> L.




Veterinary Use	Botanical Name	Veterinary Use	Botanical Name
Diarrhoea	<i>Areca catechu</i> L. <i>Aristolochia indica</i> L. <i>Atalanitia racemosa</i> Wight <i>Azadirachta indica</i> A. Juss. <i>Bambusa arundinacea</i> (Retz.) Willd. <i>Baringtonia acutangula</i> (L.) Gaertn. <i>Bauhinia racemosa</i> Lamk. <i>Biophytum sensitivum</i> (L.) DC. <i>Bombax ceiba</i> L. <i>Brassica nigra</i> (L.) Koch <i>Bryonopsis laciniosa</i> (L.) Naud. <i>Buchanania lanza</i> Spreng. <i>Cajanus cajan</i> (L.) Millsp. <i>Callicarpa tomentosa</i> (L.) Murr. <i>Canavalia africana</i> Dunn. <i>Cannabis sativa</i> L. <i>Canthium coromandelicum</i> (N. Burm.) Alston <i>Capparis sepiaria</i> L. <i>Capparis zeylanica</i> L. <i>Careya arborea</i> Roxb. <i>Cassia auriculata</i> L. <i>Cassia fistula</i> L. <i>Cassia tora</i> L. <i>Chloroxylon swietenia</i> DC. <i>Cissus quadrangularis</i> L. <i>Citrus aurantifolia</i> (Christm. & Panz.) Swingle <i>Cocculus hirsutus</i> (L.) Diels. <i>Cocos nucifera</i> L. <i>Cuminum cyminum</i> L. <i>Curcuma aromatica</i> Salisb. <i>Curcuma longa</i> L. <i>Cuscuta reflexa</i> Roxb. <i>Dalbergia latifolia</i> Roxb. <i>Dalbergia sissoo</i> Roxb. <i>Dioscorea bulbifera</i> L. <i>Diospyros montana</i> Roxb. <i>Dolichandrone falcata</i> (Wall. ex DC.) Seem. <i>Eleusine coracana</i> (L.) Gaertn. <i>Erythrina variegata</i> L. <i>Euphorbia geniculata</i> Orteg. <i>Feronia elephantum</i> Correa <i>Ferula asafoetida</i> L. <i>Ficus hispida</i> L. f. <i>Garcinia indica</i> (Du Petit-Thou.) Choisy 	Diarrhoea	<i>Gardenia turgida</i> Roxb. <i>Glycosmis pentaphylla</i> (Retz.) Correa <i>Gmelina arborea</i> Roxb. <i>Gossypium herbaceum</i> L. <i>Grewia hirsuta</i> Vahl. <i>Grewia tiliacefolia</i> Vahl. <i>Helicteres isora</i> L. <i>Hesperethusa crenulata</i> (Roxb.) Roem. <i>Hibiscus rosa-sinensis</i> L. <i>Holarrhena pubescens</i> (Buch.-Ham.) Wall. ex G. Don <i>Ipomoea obscura</i> (L.) Ker-Gawl. <i>Jatropha curcas</i> L. <i>Jatropha gossypifolia</i> L. <i>Lagerstroemia microcarpa</i> Wt. <i>Lagerstroemia parviflora</i> Roxb. <i>Lantana camara</i> L. <i>Mangifera indica</i> L. <i>Momordica charantia</i> L. <i>Moringa oleifera</i> Lam. <i>Mucuna pruriens</i> (L.) DC. <i>Musa paradisiaca</i> L. <i>Nicotiana tabacum</i> L. <i>Oroxylum indicum</i> (L.) Vent. <i>Oryza sativa</i> L. <i>Panicum sumatrense</i> Roth ex Roem. & Schult. <i>Paracalyx scariosus</i> (Roxb.) Ali <i>Pergularia daemia</i> (Forssk.) Chiov. <i>Phyllanthus reticulatus</i> Poir. <i>Piper longum</i> L. <i>Piper nigrum</i> L. <i>Pogostemon benghalensis</i> (Burm. f.) O. Ktze. <i>Pongamia pinnata</i> (L.) Pierre <i>Psidium guajava</i> L. <i>Pterocarpus marsupium</i> Roxb. <i>Pueraria tuberosa</i> DC. <i>Saccharum officinarum</i> L. <i>Securinega leucopyrus</i> (Willd.) Muell.-Arg. <i>Semecarpus anacardium</i> L. f. <i>Smilax zeylanica</i> L. <i>Solanum melongena</i> L. <i>Soymida febrifuga</i> (Roxb.) A. Juss. <i>Strychnos potatorum</i> L. f. <i>Syzygium cumini</i> (L.) Skeels <i>Tamarindus indica</i> L.

Veterinary Use	Botanical Name	Veterinary Use	Botanical Name
Diarrhoea	<i>Terminalia bellerica</i> (Gaertn.) Roxb. <i>Terminalia chebula</i> Retz. <i>Terminalia crenulata</i> Roth <i>Tridax procumbens</i> L. <i>Vigna radiata</i> (L.) R. Wilczek <i>Vitex negundo</i> L. <i>Vitex trifolia</i> L. <i>Withania somnifera</i> (L.) Dunal <i>Woodfordia fruticosa</i> (L.) Kurz <i>Wrightia tinctoria</i> Br. <i>Ximenia americana</i> L. <i>Zizyphus xylopyra</i> (Retz.) Willd.	Diarrhoea Diarrhoea, bloody	<i>Madhuca longifolia</i> (Koen.) MacBride <i>Mangifera indica</i> L. <i>Musa paradisiaca</i> L. <i>Oroxylum indicum</i> (L.) Vent. <i>Semecarpus anacardium</i> L. f. <i>Ventilago calyculata</i> Tul. Diarrhoea, infectious
Diarrhoea, bacillary white (poultry)	<i>Ailanthus excelsa</i> Roxb.  <i>Allium cepa</i> L. <i>Allium sativum</i> L. <i>Andrographis paniculata</i> (Burm. f.) Wall. ex Nees  <i>Arachis hypogaea</i> L. <i>Azadirachta indica</i> A. Juss. <i>Capsicum annuum</i> L. <i>Coriandrum sativum</i> L. <i>Curcuma longa</i> L. <i>Cuscuta reflexa</i> Roxb. <i>Dioscorea bulbifera</i> L. <i>Eclipta prostrata</i> (L.) L. <i>Momordica charantia</i> L. <i>Moringa oleifera</i> Lam. <i>Murraya koenigii</i> (L.) Spreng. <i>Ocimum tenuiflorum</i> L. <i>Panicum miliaceum</i> L. <i>Securinega virosa</i> Pax & Hoffm. <i>Tamarindus indica</i> L. <i>Terminalia bellerica</i> (Gaertn.) Roxb. <i>Achras zapota</i> L. <i>Aegle marmelos</i> (L.) Corr. <i>Agave americana</i> L. <i>Allium cepa</i> L. <i>Antidesma ghaesembilla</i> Gaertn. <i>Cassia occidentalis</i> L. <i>Curcuma longa</i> L. <i>Eleusine coracana</i> (L.) Gaertn. <i>Eucalyptus</i> species <i>Gardenia latifolia</i> Aiton <i>Helicteres isora</i> L. <i>Hemidesmus indicus</i> (L.) R. Br.	Difficult birthing Digestive disorders Disease, prevention of Dog bites	<i>Bauhinia racemosa</i> Lamk. <i>Bridelia retusa</i> (L.) Spreng. <i>Cassia fistula</i> L. <i>Curcuma longa</i> L. <i>Gardenia latifolia</i> Aiton <i>Piper nigrum</i> L. See Dystokia <i>Alpinia galanga</i> (L.) Swartz <i>Gardenia turgida</i> Roxb. <i>Gardenia turgida</i> Roxb. See Bites, dog  <i>Abutilon indicum</i> (L.) Sweet <i>Acacia catechu</i> (L. f.) Willd. <i>Asteracantha longifolia</i> (L.) Nees <i>Bombax ceiba</i> L. <i>Bridelia retusa</i> (L.) Spreng. <i>Cannabis sativa</i> L. <i>Careya arborea</i> Roxb. <i>Cinnamomum camphora</i> (L.) Presl. <i>Citrus aurantifolia</i> (Christm. & Panz.) Swingle <i>Curcuma longa</i> L. <i>Datura metel</i> (L.) <i>Ensete superbum</i> (Roxb.) Chees. <i>Ficus hispida</i> L. f. <i>Gardenia latifolia</i> Aiton <i>Grewia tiliacefolia</i> Vahl. <i>Gymnema sylvestre</i> (Retz.) R. Br. <i>Jatropha curcas</i> L. <i>Lagerstroemia parviflora</i> Roxb. <i>Phyllanthus reticulatus</i> Poir. <i>Piper nigrum</i> L. <i>Psidium guajava</i> L. <i>Pterocarpus marsupium</i> Roxb. <i>Saccharum officinarum</i> L. <i>Semecarpus anacardium</i> L. f. <i>Setaria italica</i> (L.) Beauv. <i>Smilax zeylanica</i> L. <i>Solanum melongena</i> L. <i>Terminalia chebula</i> Retz.



Veterinary Use	Botanical Name	Veterinary Use	Botanical Name
Dog bites	<i>Terminalia crenulata</i> Roth	Ephemeral fever	<i>Cucurbita maxima</i> Duchesne
Dysentery (poultry)	<i>Murraya koenigii</i> (L.) Spreng.		<i>Curcuma longa</i> L.
Dystokia	<i>Allium sativum</i> L. <i>Arachis hypogaea</i> . <i>Brassica nigra</i> (L.) Koch <i>Bridelia retusa</i> (L.) Spreng. <i>Calotropis gigantea</i> (L.) R. Br. <i>Cyamopsis tetragonoloba</i> (L.) Taub. <i>Gloriosa superba</i> L. <i>Grewia tiliacea</i> Vahl. <i>Linum usitatissimum</i> L. <i>Pueraria tuberosa</i> DC. <i>Ricinus communis</i> L. <i>Strychnos potatorum</i> L. f. <i>Trichosanthes tricuspidata</i> Lour.		<i>Dalbergia sisoo</i> Roxb. <i>Dolichos biflorus</i> L. <i>Eucalyptus</i> species <i>Gmelina arborea</i> Roxb. <i>Hesperethusa crenulata</i> (Roxb.) Roem. <i>Holarrhena pubescens</i> (Buch.-Ham.) Wall. ex G. Don <i>Leucas stelligera</i> Wall. <i>Leucas stricta</i> Bth. <i>Litsea glutinosa</i> (Lour.) Robins <i>Melothria maderaspatana</i> (L.) Roem. <i>Momordica charantia</i> L. <i>Musa paradisiaca</i> L. <i>Nicotiana tabacum</i> L. <i>Oryza sativa</i> L. <i>Pergularia daemia</i> (Forssk.) Chiov. <i>Phyllanthus reticulatus</i> Poir. <i>Piper nigrum</i> L. <i>Saccharum officinarum</i> L. <i>Sesamum orientale</i> L. <i>Smilax zeylanica</i> L. <i>Solanum melongena</i> L. <i>Streblus asper</i> Lour. <i>Tamarindus indica</i> L. <i>Tinospora cordifolia</i> (Willd.) Miers ex Hook. f. & Thoms. <i>Tribulus terrestris</i> L. <i>Trichosanthes tricuspidata</i> Lour. <i>Tridax procumbens</i> L. <i>Ventilago calyculata</i> Tul. <i>Vigna unguiculata</i> sub species <i>cylindrica</i> (L.) van Eseltine <i>Zingiber officinalis</i> Rosc.
Ear ache	<i>Tridax procumbens</i> L.	Ephemeral fever	<i>Anacardium occidentale</i> L.
Ear infection	<i>Cinnamomum camphora</i> (L.) Presl		<i>See also</i> Convulsive seizures
Ear, maggots in	<i>Citrus aurantifolia</i> (Christm. & Panz.) Swingle <i>Azadirachta indica</i> A. Juss. <i>Cinnamomum camphora</i> (L.) Presl		<i>See also</i> Conjunctivitis
Ectoparasites	<i>Gardenia resinifera</i> Roth		<i>Eye injury</i>
Ectoparasites	See also Fleas, Lice, Mange, Ticks		<i>Albizia lebbek</i> (L.) Willd. <i>Aristolochia indica</i> L. <i>Cocculus hirsutus</i> (L.) Diels. <i>Curcuma longa</i> L. <i>Flacouria indica</i> (Bur. f.) Merr. <i>Gymnema sylvestre</i> (Retz.) R. Br. <i>Lobelia nicotianaefolia</i> Roth ex Roem. & Schult. <i>Meyna laxiflora</i> Robyns <i>Nicotiana tabacum</i> L.
Ephemeral fever	<i>Allium cepa</i> L. <i>Chloroxylon swietenia</i> DC. <i>Nicotiana tabacum</i> L. <i>Saccharum officinarum</i> L. <i>Vitex negundo</i> L. <i>Vitex trifolia</i> L. See also Fever	Epilepsy	<i>See also</i> Epileptic attack
	<i>Abrus precatorius</i> L. <i>Abutilon indicum</i> (L.) Sweet	Epileptic attack	<i>Eye infection</i>
	<i>Allium cepa</i> L.	Eye infection	<i>Eye injury</i>
	<i>Allium sativum</i> L.		
	<i>Atalantia racemosa</i> Wight		
	<i>Bauhinia racemosa</i> Lamk.		
	<i>Borassus flabellifer</i> L.		
	<i>Capsicum annuum</i> L.		
	<i>Caralluma adscendens</i> (Roxb.) R. Br.		
	<i>Cassia fistula</i> L.		
	<i>Cassia occidentalis</i> L.		
	<i>Cissus quadrangularis</i> L.		
	<i>Citrullus colocynthis</i> (L.) Schr.		
	<i>Cocos nucifera</i> L.		


Veterinary Use	Botanical Name	Veterinary Use	Botanical Name
Eye injury	<i>Pergularia daemia</i> (Forssk.) Chiov. <i>Pterocarpus santalinus</i> L. <i>Semecarpus anacardium</i> L. f. <i>Zizyphus rugosa</i> Lamk.	Fever	<i>Zingiber officinalis</i> Rosc.
Eyes, drooping	<i>Allium cepa</i> L.	Fleas	See also Ectoparasites, Lice, Mange, Ticks <i>Acorus calamus</i> L. <i>Boswellia serrata</i> Roxb. <i>Cassia tora</i> L. <i>Eleusine coracana</i> (L.) Gaertn. <i>Euphorbia ligularia</i> Roxb. <i>Oryza sativa</i> L. <i>Pogostemon benghalensis</i> (Burm. f.) O. Ktze.
Failure to conceive	See also Repeat breeding	Fleas (poultry)	<i>Acorus calamus</i> L. <i>Ocimum gratissimum</i> L. <i>Vitex negundo</i> L.
Failure to conceive	<i>Thespesia populnea</i> (L.) Soland ex Correa	Fly bites	See Bites, fly
Fatigue	<i>Ipomoea mauritiana</i> Jacq. <i>Vigna mungo</i> (L.) Hepper	Fly infestation	<i>Cassia fistula</i> L. <i>Cynodon dactylon</i> (L.) Pers.
Feeble contractions	<i>Sapindus laurifolius</i> Vahl.	Foot & mouth disease	<i>Acacia nilotica</i> (L.). Del. <i>Aegle marmelos</i> (L.) Corr. <i>Aloe vera</i> (L.) Burm. f. <i>Anacardium occidentale</i> L. <i>Andrographis paniculata</i> (Burm. f.) Wall. ex Nees <i>Annona squamosa</i> L. <i>Arachis hypogea</i> L. <i>Atalantia racemosa</i> Wight <i>Azadirachta indica</i> A. Juss.
Fever	See also Ephemeral fever <i>Acacia sinuata</i> (Lour.) Merr. <i>Ailanthus excelsa</i> Roxb. <i>Allium sativum</i> L. <i>Atalantia racemosa</i> Wight <i>Cassia fistula</i> L. <i>Curcuma longa</i> L. <i>Cynodon dactylon</i> (L.) Pers. <i>Dolichos biflorus</i> L. <i>Elephantopus scaber</i> L. <i>Emblica officinalis</i> Gaertn. <i>Ensete superbum</i> (Roxb.) Chees. <i>Ferula asafoetida</i> L. <i>Gmelina arborea</i> Roxb. <i>Leucas stelligera</i> Wall. <i>Mangifera indica</i> L. <i>Musa paradisiaca</i> L. <i>Ocimum tenuiflorum</i> L. <i>Oryza sativa</i> L. <i>Phyllanthus reticulatus</i> Poir. <i>Piper nigrum</i> L. <i>Saccharum officinarum</i> L. <i>Securinega leucopyrus</i> (Willd.) Muell.-Arg. <i>Soymida febrifuga</i> (Roxb.) A. Juss. <i>Strychnos potatorum</i> L. f. <i>Syzigium cumini</i> (L.) Skeels <i>Tephrosia purpurea</i> (L.) Pers. <i>Tinospora cordifolia</i> (Willd.) Miers ex Hook.f. & Thoms. <i>Vigna unguiculata</i> subspecies <i>cylindrica</i> (L.) van Eseltine <i>Vitex trifolia</i> L.	Foot & mouth disease, mouth ulcers	<i>Cocos nucifera</i> L. <i>Coriandrum sativum</i> L. <i>Curcuma longa</i> L. <i>Eleusine coracana</i> (L.) Gaertn. <i>Erythrina variegata</i> L. <i>Lantana camara</i> L. <i>Luffa acutangula</i> (L.) Roxb. <i>Oryza sativa</i> L. <i>Pandanus odoratissimus</i> L. f. <i>Semecarpus anacardium</i> L. f. <i>Sesamum orientale</i> L. <i>Tamarindus indica</i> L. <i>Tectona grandis</i> L. f. <i>Vigna unguiculata</i> sub species <i>cylindrica</i> (L.) van Eseltine <i>Vitex negundo</i> L. <i>Zizyphus rugosa</i> Lamk. <i>Musa paradisiaca</i> L. <i>Trigonella foenum-graecum</i> L.



Veterinary Use	Botanical Name	Veterinary Use	Botanical Name
Foot & mouth disease, mouth ulcers, prevention of	<i>Musa paradisiaca</i> L.	Fowl pox	<i>Piper nigrum</i> L. <i>Securinega virosa</i> Pax & Hoffm. <i>Tamarix ericoides</i> Rottl.
Foot rot	<i>Trigonella foenum-graecum</i> L. <i>Acacia nilotica</i> (L.) Del. <i>Aegle marmelos</i> (L.) Corr. <i>Allium sativum</i> L. <i>Anacardium occidentale</i> L. <i>Andrographis paniculata</i> (Burm. f.) Wall. ex Nees <i>Annona squamosa</i> L. <i>Arachis hypogaea</i> L. <i>Azadirachta indica</i> A. Juss. <i>Buchanania lanza</i> Spreng. <i>Calophyllum inophyllum</i> L. <i>Cleistanthus collinus</i> (Roxb.) Bth. ex Hook. f. <i>Cocos nucifera</i> L. <i>Colocasia esculenta</i> (L.) Schott <i>Curcuma longa</i> L. <i>Emblia officinalis</i> Gaertn. Eucalyptus species <i>Ficus bengalensis</i> L. <i>Gymnema sylvestre</i> (Retz.) R. Br. <i>Hesperethusa crenulata</i> (Roxb.) Roem. <i>Heterophragma quadriloculare</i> (Roxb.) K. Schum. <i>Holarrhena pubescens</i> (Buch.-Ham.) Wall. ex G. Don <i>Jatropha curcas</i> L. <i>Jatropha gossypifolia</i> L. <i>Leonotis nepetifolia</i> (L.) R. Br. <i>Nicotiana tabacum</i> L. <i>Pergularia daemia</i> (Forssk.) Chiov. <i>Saccharum officinarum</i> L. <i>Semecarpus anacardium</i> L. f. <i>Sesamum orientale</i> L. <i>Soymida febrifuga</i> (Roxb.) A. Juss. <i>Strychnos nux-vomica</i> L. <i>Tamarindus indica</i> L. <i>Tectona grandis</i> L. f. <i>Terminalia bellerica</i> (Gaertn.) Roxb. <i>Terminalia chebula</i> Retz. <i>Abrus precatorius</i> L. <i>Azadirachta indica</i> A. Juss. <i>Boswellia serrata</i> Roxb. <i>Croton roxburghii</i> Balakr. <i>Curcuma longa</i> L.		
Fowl pox		Fractures	<i>Acacia leucophloea</i> Willd. <i>Achyranthes aspera</i> L. <i>Adina cordifolia</i> (Roxb.) Hook. <i>Albizia amara</i> (Roxb.) Boivin <i>Albizia lebbeck</i> (L.) Willd. <i>Bambusa arundinacea</i> (Retz.) Willd. <i>Biophytum sensitivum</i> (L.) DC. <i>Bombax ceiba</i> L. <i>Boswellia serrata</i> Roxb. <i>Brassica juncea</i> (L.) Czern. & Coss. <i>Brassica nigra</i> (L.) Koch <i>Buchanania lanza</i> Spreng. <i>Butea monosperma</i> (Lamk.) Taub. <i>Canthium coromandelicum</i> (N. Burm.) Alston <i>Careya arborea</i> Roxb. <i>Cissus pallida</i> (Wight & Arn.) <i>Cocculus hirsutus</i> (L.) Diels. <i>Cryptolepis buchanani</i> Roem. & Schult. <i>Curculigo orchioides</i> Gaertn. <i>Curcuma longa</i> L. <i>Dendrophthoe falcata</i> (L. f.) Etting. <i>Diospyros montana</i> Roxb. <i>Eleusine coracana</i> (L.) Gaertn. <i>Ficus hispida</i> L. f. <i>Ficus racemosa</i> L. <i>Gnidia glauca</i> (Fresen.) Gilg. <i>Grewia tiliifolia</i> Vahl. <i>Holarrhena pubescens</i> (Buch.-Ham.) Wall. ex G. Don <i>Lannea coromandelica</i> (Houtt.) Merr. <i>Leucas aspera</i> (Willd.) Link <i>Litsea glutinosa</i> (Lour.) Robins <i>Oryza sativa</i> L. <i>Pergularia daemia</i> (Forssk.) Chiov. <i>Ricinus communis</i> L. <i>Semecarpus anacardium</i> L. f. <i>Sesamum orientale</i> L. <i>Tamarindus indica</i> L. <i>Vigna mungo</i> (L.) Hepper <i>Viscum articulatum</i> Burm. f.


Veterinary Use	Botanical Name	Veterinary Use	Botanical Name
G		Haematuria	<i>Typha angustifolia</i> L. <i>Ventilago calyculata</i> Tul. <i>Woodfordia fruticosa</i> (L.) Kurz <i>Ximenia americana</i> L. <i>Vigna mungo</i> (L.) Hepper
Galactagogue	See also Agalactia, Milk yield, increase in		
Galactagogue	<i>Arachis hypogea</i> L. <i>Momordica charantia</i> L. <i>Saccharum officinarum</i> L. <i>Sesamum orientale</i> L. <i>Tinospora cordifolia</i> (Willd.) Miers ex Hook.f. & Thoms.	Haemorrhage	See also post-partum haemorrhage
H		Haemorrhage	<i>Tectona grandis</i> L. f.
Haematuria	<i>Abrus precatorius</i> L. <i>Abutilon indicum</i> (L.) Sweet <i>Alstonia scholaris</i> (L.) R. Br. <i>Artocarpus heterophyllus</i> Lamk. <i>Boerhavia chinensis</i> (L.) Heimerl. <i>Bombax ceiba</i> L. <i>Brassica nigra</i> (L.) Koch <i>Butea monosperma</i> (Lamk.) Taub. <i>Caryota urens</i> L. <i>Citrus aurantifolia</i> (Christm. & Panz.) Swingle <i>Cuminum cyminum</i> L. <i>Cynodon dactylon</i> (L.) Pers. <i>Eleusine coracana</i> (L.) Gaertn. <i>Ficus hispida</i> L. f. <i>Gardenia latifolia</i> Aiton <i>Gossypium herbaceum</i> L. <i>Grewia tiliaefolia</i> Vahl. <i>Helicteres isora</i> L. <i>Hibiscus rosa-sinensis</i> L. <i>Holarrhena pubescens</i> (Buch.-Ham.) Wall. ex G. Don <i>Linum usitatissimum</i> L. <i>Oryza sativa</i> L. <i>Paracalyx scariosus</i> (Roxb.) Ali <i>Phyllanthus reticulatus</i> Poir. <i>Piper nigrum</i> L. <i>Polyalthaea longifolia</i> (Sonn.) Thw. <i>Pterocarpus marsupium</i> Roxb. <i>Ricinus communis</i> L. <i>Saccharum officinarum</i> L. <i>Securinega leucopyrus</i> (Willd.) Muell.-Arg. <i>Setaria italica</i> (L.) Beauv.	Haemorrhagic septicaemia	<i>Achyranthes aspera</i> L. <i>Agave</i> species <i>Ailanthus excelsa</i> Roxb. <i>Aloe vera</i> (L.) Burm. f. <i>Arachis hypogea</i> L. <i>Argemone mexicana</i> L. <i>Aristolochia indica</i> L. <i>Brassica nigra</i> (L.) Koch <i>Callicarpa tomentosa</i> (L.) Murr. <i>Calotropis gigantea</i> (L.) R. Br. <i>Capparis sepiaria</i> L. <i>Carum copticum</i> (L.) Hiern. <i>Cissus pallida</i> (Wight & Arn.) <i>Coccinia hirsutus</i> (L.) Diels. <i>Curcuma longa</i> L. <i>Datura metel</i> (L.) <i>Eucalyptus</i> species <i>Ficus bengalensis</i> L. <i>Foeniculum vulgare</i> Mill. <i>Gardenia turgida</i> Roxb. <i>Leonotis nepetifolia</i> (L.) R. Br. <i>Maytenus senegalensis</i> (Lam.) Excell. <i>Oryza sativa</i> L. <i>Pancratium triflorum</i> Roxb. <i>Pandanus odoratissimus</i> L. f. <i>Pergularia daemia</i> (Forssk.) Chiov. <i>Piper nigrum</i> L. <i>Saccharum officinarum</i> L. <i>Soymida febrifuga</i> (Roxb.) A. Juss. <i>Tagetes erecta</i> L. <i>Tamarindus indica</i> L. <i>Terminalia bellerica</i> (Gaertn.) Roxb. <i>Tinospora cordifolia</i> (Willd.) Miers ex Hook. f. & Thoms. <i>Trichosanthes tricuspidata</i> Lour. <i>Vitex trifolia</i> L. <i>Wattakaka volubilis</i> (L. f.) Stapf <i>Zingiber officinalis</i> Rosc.
		Hair loss	See also Alopecia <i>Arachis hypogea</i> L. <i>Areca catechu</i> L.

Veterinary Use	Botanical Name	Veterinary Use	Botanical Name
Hair loss	<i>Azadirachta indica</i> A. Juss. <i>Calotropis gigantea</i> (L.) R. Br. <i>Curcuma amada</i> Roxb. <i>Semecarpus anacardium</i> L. f.	Injuries	<i>Sesamum orientale</i> L. <i>Tamarindus indica</i> L. <i>Terminalia arjuna</i> (Roxb. ex DC.) Wt. & Arn.
Heat stroke	<i>Careya arborea</i> Roxb. <i>Eleusine coracana</i> (L.) Gaertn. <i>Ocimum basilicum</i> L.	Intestinal worms	See Worms, intestinal
Hepatitis	<i>Ferula asafoetida</i> L.		
Hiccups	<i>Alpinia galanga</i> (L.) Swartz <i>Camellia sinensis</i> L. (Kuntze)	K	
Horn cancer	<i>Psidium guajava</i> L. <i>Carum copticum</i> (L.) Hiern. <i>Ferula asafoetida</i> L. <i>Foeniculum vulgare</i> Mill. <i>Piper nigrum</i> L. <i>Saccharum officinarum</i> L. <i>Vitex trifolia</i> L.	Keratitis	<i>Balanites aegyptiaca</i> (L.) Del. <i>Calotropis procera</i> (Ait.) R. Br. <i>Eleusine coracana</i> (L.) Gaertn. <i>Moringa oleifera</i> Lam. <i>Semecarpus anacardium</i> L. f. <i>Solanum virginianum</i> L. <i>Wrightia tinctoria</i> Br.
Horn fracture	<i>Curcuma longa</i> L. <i>Euphorbia ligularia</i> Roxb.	L	
Immunity (poultry)	<i>Murraya koenigii</i> (L.) Spreng.	Lice	See also Ectoparasites, Fleas, Mange, ticks
Immunity stimulator	<i>Launaea procumbens</i> (Roxb.) Ram. Raj. <i>Securinega leucopyrus</i> (Willd.) Muell.-Arg.		<i>Acorus calamus</i> L. <i>Annona squamosa</i> L. <i>Azadirachta indica</i> A. Juss. <i>Chloroxylon swietenia</i> DC. <i>Curcuma longa</i> L. <i>Dalbergia latifolia</i> Roxb. <i>Gardenia latifolia</i> Aiton <i>Nicotiana tabacum</i> L. <i>Heliotropium indicum</i> L.
Impaction	<i>Enicostema axillare</i> (Lam.) Raynal <i>Solanum melongena</i> L.	Lice (poultry)	<i>Ocimum basilicum</i> L. <i>Ocimum tenuiflorum</i> L. <i>Vitex negundo</i> L.
Indigestion	<i>Ferula asafoetida</i> L.		<i>Pergularia daemia</i> (Forssk.) Chiov.
Indigestion due to excess milk consumption	<i>Cassia tora</i> L.	Limping	<i>Piper nigrum</i> L.
Infectious diarrhoea	See Diarrhoea, infectious	Lumps on body with itching	
Infestation	See Ectoparasites		
Inflammation of joints	See Arthritis		
Injuries	See also Bruises, Cuts, Wounds <i>Brassica nigra</i> (L.) Koch <i>Camellia sinensis</i> L. (Kuntze) <i>Cassia fistula</i> L. <i>Citrus aurantifolia</i> (Christm. & Panz.) Swingle <i>Coccinia grandis</i> (L.) Voigt <i>Costus speciosus</i> (Koenig ex Retz.) J. E. Smith <i>Curcuma longa</i> L. <i>Pavonia zeylanica</i> L. <i>Piper nigrum</i> L.	M	
		Maggot wounds	See Wounds, maggot
		Mange	<i>Annona squamosa</i> L. <i>Azadirachta indica</i> A. Juss. <i>Clerodendrum multiflorum</i> (Burm. f.) O. Krze. <i>Curcuma longa</i> L. <i>Feronia elephantum</i> Correa

Veterinary Use	Botanical Name	Veterinary Use	Botanical Name
Mange	See also Ectoparasites, Fleas, Lice, Ticks <i>Strychnos nux-vomica</i> L. <i>Strychnos potatorum</i> L. f. <i>Achyranthes aspera</i> L. <i>Arachis hypogea</i> L. <i>Argemone mexicana</i> L. <i>Calotropis gigantea</i> (L.) R. Br. <i>Capparis sepiaria</i> L. <i>Capparis zeylanica</i> L. <i>Coccinia grandis</i> (L.) Voigt <i>Curcuma longa</i> L. <i>Diospyros montana</i> Roxb. <i>Hemidesmus indicus</i> (L.) R. Br. <i>Tylophora indica</i> (Burm. f.) Merrill <i>Wattakaka volubilis</i> (L. f.) Stapf <i>Zingiber officinalis</i> Rosc. See also Agalactia, Galactagogue <i>Asparagus racemosus</i> Willd. <i>Cajanus cajan</i> (L.) Millsp. <i>Cuminum cyminum</i> L. <i>Gossypium herbaceum</i> L. <i>Hemidesmus indicus</i> (L.) R. Br. <i>Oryza sativa</i> L. <i>Phoenix sylvestris</i> (L.) Roxb. <i>Sorghum vulgare</i> Pers. <i>Tephrosia purpurea</i> (L.) Pers. <i>Terminalia crenulata</i> Roth <i>Trigonella foenum-graecum</i> L. <i>Zea mays</i> L.	Newcastle disease	<i>Coriandrum sativum</i> L. <i>Curcuma longa</i> L. <i>Panicum miliaceum</i> L. <i>Piper nigrum</i> L. <i>Terminalia bellerica</i> (Gaertn.) Roxb.
Mastitis	 Oedema		<i>Agave</i> species <i>Carissa congesta</i> Wight <i>Cuminum cyminum</i> L. <i>Eleusine coracana</i> (L.) Gaertn. <i>Mangifera indica</i> L. <i>Piper nigrum</i> L. <i>Tectona grandis</i> L. f.
Milk yield, increase in		 Paralysis	<i>Alangium salvifolium</i> (L. f.) Wang <i>Gardenia turgida</i> Roxb. <i>Mussaenda glabrata</i> (Hook. f.) Hutch. ex Gamble <i>Myristica fragrans</i> Houtt. <i>Piper longum</i> L. <i>Piper nigrum</i> L. <i>Zanthoxylum rhetsa</i> (Roxb.) DC.
		Parturition	See Feeble contraction, Dystokia, Post-partum haemorrhage <i>Allium sativum</i> L.
		Placenta, expelling of retained	<i>Artocarpus heterophyllus</i> Lamk. <i>Azadirachta indica</i> A. Juss. <i>Bambusa arundinacea</i> (Retz.) Willd. <i>Borassus flabellifer</i> L. <i>Carum copticum</i> (L.) Hiern. <i>Cassia fistula</i> L. <i>Coccinia grandis</i> (L.) Voigt <i>Dolichos biflorus</i> L. <i>Enicostema axillare</i> (Lam.) Raynal <i>Ficus exasperata</i> Vahl. <i>Foeniculum vulgare</i> Mill. <i>Grewia tiliifolia</i> Vahl. <i>Holarrhena pubescens</i> (Buch.-Ham.) Wall. ex G. Don <i>Linum usitatissimum</i> L. <i>Mangifera indica</i> L. <i>Musa paradisiaca</i> L.
Nervous disorders	 <i>Allium cepa</i> L. <i>Alpinia galanga</i> (L.) Swartz <i>Anacardium occidentale</i> L. <i>Andrographis paniculata</i> (Burm. f.) Wall. ex Nees <i>Arachis hypogea</i> L. <i>Cassia fistula</i> L. <i>Leucas stelligera</i> Wall. <i>Myristica fragrans</i> Houtt. <i>Allium sativum</i> L. <i>Aristolochia bracteolata</i> Lam. <i>Brassica juncea</i> (L.) Czern. & Coss. <i>Citrus aurantifolia</i> (Christm. & Panz.) Swingle		
Nervous disorders		Placenta, expelling of retained	
Newcastle disease			

Veterinary Use	Botanical Name	Veterinary Use	Botanical Name
Placenta, expelling of retained	<i>Oryza sativa</i> L. <i>Panicum miliaceum</i> L. <i>Pennisetum typhoideum</i> L. <i>Pergularia daemia</i> (Forssk.) Chiov. <i>Piper nigrum</i> L. <i>Pseudoxytenanthera stocksii</i> (Munro) Naithani <i>Ricinus communis</i> L. <i>Saccharum officinarum</i> L. <i>Sorghum vulgare</i> Pers. See also Chest congestion	Pneumonia	<i>Syzygium aromaticum</i> L. Merr. et Perry <i>Tamarindus indica</i> L. <i>Terminalia bellerica</i> (Gaertn.) Roxb. <i>Terminalia chebula</i> Retz. <i>Tinospora cordifolia</i> (Willd.) Miers ex Hook. f. & Thoms. <i>Tylophora indica</i> (Burm. f.) Merrill <i>Ventilago calyculata</i> Tul. <i>Vitex negundo</i> L. <i>Withania somnifera</i> (L.) Dunal <i>Zingiber officinalis</i> Rosc.
Pneumonia	<i>Acacia leucophloea</i> Willd. <i>Agave americana</i> L. <i>Albizia amara</i> (Roxb.) Boivin <i>Allium sativum</i> L. <i>Andrographis paniculata</i> (Burm. f.) Wall. ex Nees <i>Arachis hypogaea</i> L. <i>Aristolochia bracteolata</i> Lam. <i>Atalantia racemosa</i> Wight <i>Azadirachta indica</i> A. Juss. <i>Brassica nigra</i> (L.) Koch <i>Cajanus cajan</i> (L.) Millsp. <i>Capsicum annuum</i> L. <i>Carum copticum</i> (L.) Hiern. <i>Cissus quadrangularis</i> L. <i>Cleome viscosa</i> L. <i>Coriandrum sativum</i> L. <i>Curcuma longa</i> L. <i>Cuscuta reflexa</i> Roxb. <i>Dolichos biflorus</i> L. <i>Echinops echinatus</i> Roxb. <i>Eleusine coracana</i> (L.) Gaertn. <i>Emblica officinalis</i> Gaertn. <i>Holarrhena pubescens</i> (Buch.-Ham.) Wall. ex G. Don <i>Holoptelea integrifolia</i> (Roxb.) Planch. <i>Hugonia mystax</i> L. <i>Oroxylum indicum</i> (L.) Vent. <i>Oryza sativa</i> L. <i>Pergularia daemia</i> (Forssk.) Chiov. <i>Piper longum</i> L. <i>Piper nigrum</i> L. <i>Pueraria tuberosa</i> DC. <i>Saccharum officinarum</i> L. <i>Sesamum orientale</i> L. <i>Solanum melongena</i> L. <i>Strychnos nux-vomica</i> L.	Poisoning	<i>Allium cepa</i> L. <i>Allium sativum</i> L. <i>Anacardium occidentale</i> L. <i>Areca catechu</i> L. <i>Aristolochia indica</i> L. <i>Camellia sinensis</i> L. (Kuntze) <i>Carum copticum</i> (L.) Hiern. <i>Cinnamomum camphora</i> (L.) Presl. <i>Cocos nucifera</i> L. <i>Cuminum cyminum</i> L. <i>Eleusine coracana</i> (L.) Gaertn. <i>Eucalyptus</i> species <i>Leucas stelligera</i> Wall. <i>Piper nigrum</i> L. <i>Psidium guajava</i> L. <i>Pterocarpus marsupium</i> Roxb. <i>Pterocarpus santalinus</i> L. <i>Saccharum officinarum</i> L. <i>Syzygium aromaticum</i> L. Merr. et Perry <i>Vitex trifolia</i> L. <i>Zingiber officinalis</i> Rosc.
Pneumonia		Poisoning by hydrocyanic acid	<i>Annona squamosa</i> L.  <i>Azadirachta indica</i> A. Juss. <i>Coriandrum sativum</i> L. <i>Plumeria rubra</i> L. <i>Tephrosia purpurea</i> (L.) Pers. <i>Calotropis gigantea</i> (L.) R. Br.  <i>Tylophora indica</i> (Burm. f.) Merrill <i>Cucurbita maxima</i> Duchesne
Pneumonia		Poisoning by ingestion of Ficus tjakela	<i>Psidium guajava</i> L.  <i>Atalantia racemosa</i> Wight
Pneumonia		Poisoning by ingestion of snails	
Pneumonia		Poisoning by ingestion of Strychnos nux-vomica L.	<i>Allium sativum</i> L.


Veterinary Use	Botanical Name	Veterinary Use	Botanical Name
Poisoning by ingestion of <i>Strychnos nux-vomica</i> L.	<i>Alpinia galanga</i> (L.) Swartz <i>Atalanitia racemosa</i> Wight <i>Blumea lacera</i> (Burm. f.) DC. <i>Curcuma longa</i> L. <i>Meyna laxiflora</i> Robyns <i>Saccharum officinarum</i> L. <i>Smilax zeylanica</i> L. <i>Zanthoxylum rhetsa</i> (Roxb.) DC.	Ringworm	<i>Cassia fistula</i> L. <i>Ocimum tenuiflorum</i> L.
Post-partum feed	<i>Oryza sativa</i> L.	Salivation	<i>Areca catechu</i> L.
Post-partum haemorrhage	<i>Sorghum vulgare</i> Pers. See also Haemorrhage <i>Acacia nilotica</i> (L.). Del. <i>Achras zapota</i> L. <i>Brassica nigra</i> (L.) Koch <i>Feronia elephantum</i> Correa <i>Oryza sativa</i> L.	Salivation	<i>Atalanitia racemosa</i> Wight <i>Oroxylum indicum</i> (L.) Vent. <i>Pterocarpus marsupium</i> Roxb. <i>Trichosanthes tricuspidata</i> Lour. <i>Wattakaka volubilis</i> (L. f.) Stapf
Pox	See Buffalo pox, Fowl pox	Scorpion bites	See Bites, scorpion <i>Abrus precatorius</i> L.
Ranikhet	See Newcastle Disease (poultry)	Skin allergies	<i>Alangium salvifolium</i> (L. f.) Wang <i>Albizia lebbeck</i> (L.) Willd. <i>Allium sativum</i> L. <i>Andrographis paniculata</i> (Burm. f.) Wall. ex Nees <i>Annona squamosa</i> L.
Rejection of calf	<i>Brassica juncea</i> (L.) Czern. & Coss. <i>Mimosa pudica</i> L.		<i>Azadirachta indica</i> A. Juss. <i>Brassica nigra</i> (L.) Koch <i>Cassia fistula</i> L. <i>Cocos nucifera</i> L.
Repeat breeding	See also Failure to conceive		<i>Curcuma longa</i> L. <i>Piper nigrum</i> L.
Repeat breeding	<i>Citrus aurantifolia</i> (Christm. & Panz.) Swingle <i>Guizotia abyssinica</i> (L. f.) Cass. <i>Sesamum orientale</i> L.		<i>Plumbago zeylanica</i> L. <i>Tamarindus indica</i> L. <i>Tylophora indica</i> (Burm. f.) Merrill <i>Wattakaka volubilis</i> (L. f.) Stapf
Respiratory disorders	See Chest congestion, Pneumonia		<i>Zingiber officinalis</i> Rosc.
Retained placenta	See Placenta, expelling of retained	Skin diseases	<i>Carum copticum</i> (L.) Hiern.
Rheumatism	See also Arthritis <i>Ailanthus excelsa</i> Roxb. <i>Cocos nucifera</i> L.		<i>Cinnamomum camphora</i> (L.) Presl. <i>Foeniculum vulgare</i> Mill.
	<i>Cuminum cyminum</i> L. <i>Diospyros montana</i> Roxb. <i>Litsea glutinosa</i> (Lour.) Robins <i>Phoenix sylvestris</i> (L.) Roxb. <i>Piper nigrum</i> L. <i>Plumbago zeylanica</i> L.		<i>Piper nigrum</i> L. <i>Vitex trifolia</i> L.
	<i>Pogostemon benghalensis</i> (Burm. f.) O. Krze. <i>Pongamia pinnata</i> (L.) Pierre <i>Smilax zeylanica</i> L. <i>Solanum anguivi</i> Lam. <i>Vitex negundo</i> L. <i>Vitex trifolia</i> L.	Snake bites	See Bites, snake, Bites, viper See Bites, spider
		Spleen, enlarged	<i>Bryonopsis laciniata</i> (L.) Naud. <i>Capsicum annuum</i> L. <i>Cissus quadrangularis</i> L. <i>Cleome viscosa</i> L. <i>Euphorbia tirucalli</i> L. <i>Justicia adhatoda</i> L. <i>Pergularia daemia</i> (Forssk.) Chiov. <i>Semecarpus anacardium</i> L. f.
		Sprains	<i>Achyranthes aspera</i> L. <i>Annona squamosa</i> L.

Veterinary Use	Botanical Name	Veterinary Use	Botanical Name
Sprains	<i>Aristolochia indica</i> L. <i>Azadirachta indica</i> A. Juss. <i>Bombax ceiba</i> L. <i>Cassia auriculata</i> L. <i>Cassia tora</i> L. <i>Clerodendrum multiflorum</i> (Burm. f.) O. Krze. <i>Coccinia grandis</i> (L.) Voigt <i>Cochlospermum religiosum</i> (L.) Alston <i>Cocos nucifera</i> L. <i>Eleusine coracana</i> (L.) Gaertn. <i>Embelia ribes</i> Burm. f. <i>Eucalyptus</i> species <i>Ferula asafoetida</i> L. <i>Holoptelea integrifolia</i> (Roxb.) Planch. <i>Piper nigrum</i> L. <i>Ricinus communis</i> L. <i>Securinega virosa</i> Pax & Hoffm. <i>Tamarindus indica</i> L. <i>Vitex negundo</i> L. <i>Wattakaka volubilis</i> (L. f.) Stapf <i>Ailanthes excelsa</i> Roxb. <i>Capsicum annuum</i> L. <i>Pterocarpus marsupium</i> Roxb. <i>Ricinus communis</i> L. <i>Semecarpus anacardium</i> L. f. <i>Dolichandrone falcata</i> (Wall. ex DC.) Seem. <i>Capsicum annuum</i> L. <i>Caralluma adscendens</i> (Roxb.) R. Br. <i>Carum carvi</i> L. <i>Coccinia grandis</i> (L.) Voigt <i>Coriandrum sativum</i> L. <i>Curcuma longa</i> L. <i>Leonotis nepetifolia</i> (L.) R. Br. <i>Lobelia nicotianaefolia</i> Roth ex Roem. & Schult. <i>Mangifera indica</i> L. <i>Momordica dioica</i> Roxb. ex Willd. <i>Oryza sativa</i> L. <i>Smilax zeylanica</i> L. <i>Kalanchoe pinnata</i> (Lamk.) Pers. <i>Vigna mungo</i> (L.) Hepper See also Debility <i>Cannabis sativa</i> L. <i>Mucuna pruriens</i> (L.) DC. <i>Aloe vera</i> (L.) Burm. f. <i>Aristolochia indica</i> L.	Swelling	<i>Balanites aegyptiaca</i> (L.) Del. <i>Curcuma longa</i> L. <i>Gymnema sylvestre</i> (Retz.) R. Br. <i>Plumbago zeylanica</i> L. <i>Tamarindus indica</i> L. <i>Tectona grandis</i> L. f. <i>Wattakaka volubilis</i> (L. f.) Stapf <i>Pergularia daemia</i> (Forssk.) Chiov. <i>Aristolochia indica</i> L. <i>Capparis sepiaria</i> L.
Stomach ache	 Stomach disorders <i>Stomatitis</i>	Swelling on neck Swelling under ear Swelling, erratic	Tail gangrene Tail rot Teeth, caries Ticks
			<i>Arachis hypogea</i> L. <i>Semecarpus anacardium</i> L. f. <i>Canthium coromandelicum</i> (N. Burm.) Alston <i>Trichosanthes tricuspidata</i> Lour. <i>Semecarpus anacardium</i> L. f. See also Ectoparasites, Fleas, Lice, Mange <i>Ailanthes excelsa</i> Roxb. <i>Allium cepa</i> L. <i>Annona reticulata</i> L. <i>Argemone mexicana</i> L. <i>Azadirachta indica</i> A. Juss. <i>Bauhinia racemosa</i> Lamk. <i>Cinnamomum camphora</i> (L.) Presl. <i>Cocos nucifera</i> L. <i>Cucumis trigonus</i> L. <i>Curcuma longa</i> L. <i>Cymbopogon citratus</i> (DC.) Stapf <i>Eucalyptus</i> species <i>Holoptelea integrifolia</i> (Roxb.) Planch. <i>Leucas stelligera</i> Wall. <i>Madhuca longifolia</i> (Koen.) MacBride <i>Momordica charantia</i> L. <i>Nicotiana tabacum</i> L. <i>Ricinus communis</i> L. <i>Sphaeranthus indicus</i> L. <i>Lobelia nicotianaefolia</i> Roth ex Roem. & Schult. <i>Foeniculum vulgare</i> Mill. See Poisoning <i>Citrus limon</i> (L.) Burm. f.
Stools, blockage of Stools, bloody Strength Strength		Ticks (poultry) Tongue cracks Toxaemia Toxicity Traumatic reticulo-peritonitis Trypanosomiasis	<i>Alangium salvifolium</i> (L. f.) Wang
Swelling			

Veterinary Use	Botanical Name	Veterinary Use	Botanical Name
Trypanosomiasis	<i>Carum copticum</i> (L.) Hiern. <i>Crotalaria albida</i> Heyne ex Roth <i>Curcuma longa</i> L. <i>Diospyros chloroxylon</i> Roxb. <i>Piper nigrum</i> L. <i>Pongamia pinnata</i> (L.) Pierre <i>Agave</i> species	V Vaginal bleeding Viper bites	<i>Ferula asafoetida</i> L. See Bites, Viper
Tumour		W Weakness White bacillary diarrhoea (poultry) Worms	See Debility See Diarrhoea, bacillary white (poultry) <i>Allium cepa</i> L. <i>Allium sativum</i> L. <i>Andrographis paniculata</i> (Burm. f.) Wall. ex Nees <i>Arachis hypogea</i> L. <i>Aristolochia bracteolata</i> Lam. <i>Azadirachta indica</i> A. Juss. <i>Baringtonia acutangula</i> (L.) Gaertn. <i>Capsicum annuum</i> L. <i>Carica papaya</i> L. <i>Carum copticum</i> (L.) Hiern. <i>Cassia tora</i> L. <i>Chloroxylon swietenia</i> DC. <i>Curcuma longa</i> L. <i>Enicostema axillare</i> (Lam.) Raynal <i>Erythrina variegata</i> L. <i>Ferula asafoetida</i> L. <i>Glycosmis pentaphylla</i> (Retz.) Correa <i>Holarrhena pubescens</i> (Buch.-Ham.) Wall. ex G. Don <i>Lepidagathis cristata</i> Willd. <i>Lepidagathis lutea</i> Dalz. <i>Luffa acutangula</i> (L.) Roxb. <i>Pergularia daemia</i> (Forssk.) Chiov. <i>Piper nigrum</i> L. <i>Pongamia pinnata</i> (L.) Pierre <i>Saccharum officinarum</i> L. <i>Semecarpus anacardium</i> L. f. <i>Soymida febrifuga</i> (Roxb.) A. Juss. <i>Tamarindus indica</i> L. <i>Terminalia crenulata</i> Roth <i>Trichosanthes cucumerina</i> L. Worms in calves Worms, intestinal
Urinary calculi	<i>Cardiospermum halicacabum</i> L. <i>Cocos nucifera</i> L. <i>Cynodon dactylon</i> (L.) Pers. <i>Litsea glutinosa</i> (Lour.) Robins <i>Butea monosperma</i> (Lamk.) Taub. <i>Ensete superbum</i> (Roxb.) Chees. <i>Kalanchoe pinnata</i> (Lamk.) Pers. <i>Musa paradisiaca</i> L. <i>Piper nigrum</i> L. <i>Sapindus laurifolius</i> Vahl.	U	
Urinary infection	See <i>Haematuria</i>		
Urine, blockage of	<i>Allium sativum</i> L. <i>Carum copticum</i> (L.) Hiern. <i>Foeniculum vulgare</i> Mill.		
Urine, bloody	<i>Ficus bengalensis</i> L.		
Urticaria	<i>Sesamum orientale</i> L.		
Uterine infection	<i>Bombax ceiba</i> L.		
Uterus, prolapsed	<i>Brassica nigra</i> (L.) Koch <i>Caesalpinia decapetala</i> (Roth) Alst. <i>Celosia argentea</i> L. <i>Cissus quadrangularis</i> L. <i>Cocculus hirsutus</i> (L.) Diels. <i>Cordia dichotoma</i> Forst. f. <i>Eleusine coracana</i> (L.) Gaertn. <i>Ficus hispida</i> L. f. <i>Ficus racemosa</i> L. <i>Grewia tiliacefolia</i> Vahl. <i>Madhuca longifolia</i> (Koen.) MacBride <i>Mimosa pudica</i> L. <i>Nerium indicum</i> Mill. <i>Piper nigrum</i> L. <i>Smilax zeylanica</i> L. <i>Sphaeranthus indicus</i> L.		

Veterinary Use	Botanical Name	Veterinary Use	Botanical Name	
Wounds	See also Bruises, Cuts, Injuries <i>Abrus precatorius</i> L. <i>Acanthospermum hispidum</i> DC. <i>Achyranthes aspera</i> L. <i>Anacardium occidentale</i> L. <i>Annona squamosa</i> L. <i>Arachis hypogaea</i> L. <i>Aristolochia bracteolata</i> Lam. <i>Aristolochia indica</i> L. <i>Atalanitia racemosa</i> Wight <i>Azadirachta indica</i> A. Juss. <i>Biophytum sensitivum</i> (L.) DC. <i>Calophyllum inophyllum</i> L. <i>Calotropis gigantea</i> (L.) R. Br. <i>Capparis sepiaria</i> L. <i>Cassia tora</i> L. <i>Chloroxylon swietenia</i> DC. <i>Cissus pallida</i> (Wight & Arn.) <i>Coccinia grandis</i> (L.) Voigt <i>Cocos nucifera</i> L. <i>Colebrookea oppositifolia</i> Sm. <i>Cryptolepis buchanani</i> Roem. & Schult. <i>Curculigo orchoides</i> Gaertn. <i>Curcuma amada</i> Roxb. <i>Curcuma longa</i> L. <i>Cynodon dactylon</i> (L.) Pers. <i>Emblema officinalis</i> Gaertn. <i>Eucalyptus</i> species <i>Ficus bengalensis</i> L. <i>Grewia hirsuta</i> Vahl. <i>Grewia tiliacea</i> Vahl. <i>Justicia adhatoda</i> L. <i>Lantana camara</i> L. <i>Lawsonia inermis</i> L. <i>Leucas stelligera</i> Wall. <i>Litsea glutinosa</i> (Lour.) Robins <i>Lobelia nicotianaefolia</i> Roth ex Roem. & Schult. <i>Luffa acutangula</i> (L.) Roxb. <i>Madhuca longifolia</i> (Koen.) MacBride <i>Ocimum gratissimum</i> L. <i>Oroxylum indicum</i> (L.) Vent. <i>Oryza sativa</i> L. <i>Pavonia zeylanica</i> L. <i>Pergularia daemia</i> (Forssk.) Chiov. <i>Phyllanthus reticulatus</i> Poir. <i>Piper longum</i> L.	Wounds	<i>Piper nigrum</i> L. <i>Pterocarpus marsupium</i> Roxb. <i>Semecarpus anacardium</i> L. f. <i>Sesamum orientale</i> L. <i>Soymida febrifuga</i> (Roxb.) A. Juss. <i>Tamarindus indica</i> L. <i>Terminalia arjuna</i> (Roxb. ex DC.) Wt. & Arn. <i>Terminalia bellerica</i> (Gaertn.) Roxb. <i>Terminalia chebula</i> Retz. <i>Tridax procumbens</i> L. <i>Typha angustifolia</i> L. <i>Vitex negundo</i> L. <i>Ximenia americana</i> L. <i>Zizyphus oenoplia</i> (L.) Mill. <i>Zizyphus rugosa</i> Lamk. Wounds, bleeding	<i>Camellia sinensis</i> L. (Kuntze) <i>Cinnamomum camphora</i> (L.) Presl. <i>Emblema officinalis</i> Gaertn. <i>Gardenia resinifera</i> Roth <i>Madhuca longifolia</i> (Koen.) MacBride <i>Nyctanthes arbor-tristis</i> L. <i>Ximenia americana</i> L. Wounds, maggot
		Wounds, Dog bite	<i>Acanthospermum hispidum</i> DC. <i>Achyranthes aspera</i> L. <i>Aegle marmelos</i> (L.) Corr. <i>Annona squamosa</i> L. <i>Aristolochia bracteolata</i> Lam. <i>Atalanitia racemosa</i> Wight <i>Azadirachta indica</i> A. Juss. <i>Boerhavia diffusa</i> L. <i>Calophyllum inophyllum</i> L. <i>Calotropis gigantea</i> (L.) R. Br. <i>Careya arborea</i> Roxb. <i>Carissa congesta</i> Wight <i>Cassia tora</i> L. <i>Cinnamomum camphora</i> (L.) Presl. <i>Cissus pallida</i> (Wight & Arn.) <i>Clerodendron infortunatum</i> auct. non L. <i>Curculigo orchoides</i> Gaertn. <i>Curcuma longa</i> L. <i>Datura metel</i> (L.) <i>Elephantopus scaber</i> L. <i>Erythrina variegata</i> L. <i>Eucalyptus</i> species <i>Ficus bengalensis</i> L. <i>Ficus hispida</i> L. f.	

Veterinary Use	Botanical Name	Veterinary Use	Botanical Name
Wounds, maggot	<i>Gardenia resinifera</i> Roth <i>Gloriosa superba</i> L. <i>Gnidia glauca</i> (Fresen.) Gilg. <i>Lagerstroemia microcarpa</i> Wt. <i>Lantana camara</i> L. <i>Leucas stelligera</i> Wall. <i>Lobelia nicotianaefolia</i> Roth ex Roem. & Schult. <i>Luffa acutangula</i> (L.) Roxb. <i>Meyna laxiflora</i> Robyns <i>Momordica charantia</i> L. <i>Nicotiana tabacum</i> L. <i>Ocimum tenuiflorum</i> L. <i>Oroxylum indicum</i> (L.) Vent. <i>Pergularia daemia</i> (Forssk.) Chiov. <i>Pinus roxburghii</i> Sarg. <i>Piper longum</i> L. <i>Plumeria rubra</i> L. <i>Semecarpus anacardium</i> L. f. <i>Sesamum orientale</i> L. <i>Tagetes erecta</i> L. <i>Tamarindus indica</i> L. <i>Terminalia arjuna</i> (Roxb. ex DC.) Wt. & Arn. <i>Ximenia americana</i> L. <i>Zizyphus oenoplia</i> (L.) Mill. <i>Zizyphus rugosa</i> Lamk.	Y	<i>Anacardium occidentale</i> L. <i>Arachis hypogaea</i> L. <i>Brassica nigra</i> (L.) Koch <i>Calophyllum inophyllum</i> L. <i>Calotropis gigantea</i> (L.) R. Br. <i>Cocos nucifera</i> L. <i>Curcuma longa</i> L. <i>Datura metel</i> (L.) <i>Eleusine coracana</i> (L.) Gaertn. <i>Ficus religiosa</i> L. <i>Jatropha gossypifolia</i> L. <i>Lantana camara</i> L. <i>Launaea procumbens</i> (Roxb.) Ram. Raj. <i>Leptadenia reticulata</i> Wt. & Arn. <i>Leucas stelligera</i> Wall. <i>Linum usitatissimum</i> L. <i>Mucuna pruriens</i> (L.) DC. <i>Oryza sativa</i> L. <i>Pergularia daemia</i> (Forssk.) Chiov. <i>Pongamia pinnata</i> (L.) Pierre <i>Saccharum officinarum</i> L. <i>Tridax procumbens</i> L. <i>Triumfetta malabarica</i> Koen. ex Rottb. <i>Wattakaka volubilis</i> (L. f.) Stapf
Wounds, maggot			

Fodder Index	Fodder Index
 <b>A</b> <i>Abutilon indicum</i> (L.) Sweet <i>Acacia catechu</i> (L. f.) Willd. <i>Acacia farnesiana</i> (L.) Willd. <i>Acacia leucophloea</i> Willd. <i>Acacia nilotica</i> (L.) Del. <i>Acacia sinuata</i> (Lour.) Merr. <i>Acanthospermum hispidum</i> DC. <i>Achras zapota</i> L. <i>Achyranthes aspera</i> L. <i>Adina cordifolia</i> (Roxb.) Hook. <i>Aegle marmelos</i> (L.) Corr. <i>Aerva lanata</i> (L.) Juss. ex Schultes <i>Ailanthus excelsa</i> Roxb. <i>Alangium salvifolium</i> (L. f.) Wang. <i>Albizia amara</i> (Roxb.) Boivin <i>Albizia lebbeck</i> (L.) Willd. <i>Albizia odoratissima</i> (L. f.) Benth. <i>Allium cepa</i> L. <i>Allotropis cimicina</i> (L.) Stapf <i>Alstonia scholaris</i> (L.) R. Br. <i>Alternanthera sessilis</i> (L.) R. Br. ex DC. <i>Alysicarpus longifolius</i> (Rottl. ex Spreng.) Wight & Arn. <i>Amaranthus spinosus</i> L. <i>Anacardium occidentale</i> L. <i>Andrographis paniculata</i> (Burm. f.) Wall. ex Nees <i>latifolia</i> (Roxb. ex DC.) Wall. ex Bedd. <i>Antiaris toxicaria</i> (Pers.) Lesch. <i>Antidesma ghaesembilla</i> Gaertn. <i>Apluda mutica</i> L. <i>Arachis hypogaea</i> L. <i>Aristida adscensionis</i> L. <i>Arthraxon lancifolius</i> (Trin.) Hochst. <i>Artocarpus heterophyllus</i> Lamk. <i>Asparagus Racemosus</i> Willd. <i>Atalantia monophylla</i> Corr. <i>Atalantia racemosa</i> Wight <i>Azadirachta indica</i> A. Juss.	 <b>C</b> <i>Boerhavia diffusa</i> L. <i>Bombax ceiba</i> L. <i>Borassus flabellifer</i> L. <i>Bothriochloa pertusa</i> (L.) A. Camus <i>Brassica juncea</i> (L.) Czern. & Coss. <i>Brassica nigra</i> (L.) Koch. <i>Bridelia retusa</i> (L.) Spreng. <i>Bryonopsis laciniosa</i> (L.) Naud. <i>Buchanania lanza</i> Spreng. <i>Butea monosperma</i> (Lamk.) Taub. <i>Butea superba</i> Roxb.
 <b>B</b> <i>Balanites aegyptiaca</i> (L.) Del. <i>Bambusa arundinacea</i> (Retz.) Willd. <i>Bauhinia racemosa</i> Lamk. <i>Biophytum sensitivum</i> (L.) DC. <i>Boerhavia chinensis</i> (L.) Heimerl.	<i>Caesalpinia bonduc</i> (L.) Roxb. <i>Cajanus cajan</i> (L.) Millsp. <i>Calotropis gigantea</i> (L.) R. Br. <i>Calotropis procera</i> (Ait.) R. Br. <i>Canavalia africana</i> Dunn. <i>Canavalia gladiata</i> (Jacq.) DC. <i>Canthium coromandelicum</i> (N. Burm.) Alston <i>Capparis sepiaria</i> L. <i>Capparis zeylanica</i> L. <i>Capsicum annuum</i> L. <i>Carica papaya</i> L. <i>Carvia callosa</i> (Wall.) Bremek. <i>Cassia fistula</i> L. <i>Cassia occidentalis</i> L. <i>Cassia tora</i> L. <i>Celastrus paniculatus</i> Willd. <i>Celosia argentea</i> L. <i>Centella asiatica</i> (L.) Urban. <i>Chloris barbata</i> Swartz <i>Cicer arietinum</i> L. <i>Cissus quadrangularis</i> L. <i>Cleistanthus collinus</i> (Roxb.) Benth. ex Hook. f. <i>Clitoria ternatea</i> L. <i>Coccinia grandis</i> (L.) Voigt <i>Cocculus hirsutus</i> (L.) Diels. <i>Cochlospermum religiosum</i> (L.) Alston <i>Cocos nucifera</i> L. <i>Coix lacryma-jobi</i> L. <i>Combretum decandrum</i> Roxb. <i>Commelina benghalensis</i> L. <i>Corchorus capsularis</i> L. <i>Cordia dichotoma</i> Forst. f. <i>Crotalaria albida</i> Heyne ex Roth.

Fodder Index	Fodder Index
<p><i>Crotalaria juncea</i> L.  <i>Cuscuta reflexa</i> Roxb.  <i>Cyamopsis tetragonoloba</i> (L.) Taub.  <i>Cymbopogon citratus</i> (DC.) Stapf  <i>Cynodon dactylon</i> (L.) Pers.  <i>Cyperus compressus</i> L.  <i>Cyperus iria</i> L.  <i>Cyperus rotundus</i> L.</p> 	<p><i>Ficus religiosa</i> L.  <i>Ficus tinctoria</i> Forst. f.  <i>Flacourtie indica</i> (Burm. f.) Merr.</p> 
<p><i>Dactyloctenium aegyptium</i> (L.) P. Beauv.  <i>Dalbergia latifolia</i> Roxb.  <i>Dalbergia sisoo</i> Roxb.  <i>Dicanthium annulatum</i> (Forssk.) Stapf  <i>Dichrostachys cinerea</i> (L.) Wight &amp; Arn.  <i>Digitaria sanguinalis</i> (L.) Scop.  <i>Dioscorea belophylla</i> (Prain) Haines  <i>Dioscorea bulbifera</i> L.  <i>Dioscorea oppositifolia</i> L.  <i>Diospyros chloroxylon</i> Roxb.  <i>Diospyros melanoxylon</i> Roxb.  <i>Diospyros montana</i> Roxb.  <i>Dolichos biflorus</i> L.  <i>Dolichos lablab</i> L.</p> 	<p><i>Gardenia latifolia</i> Aiton  <i>Gardenia turgida</i> Roxb.  <i>Garuga pinnata</i> Roxb.  <i>Gmelina arborea</i> Roxb.  <i>Gmelina asiatica</i> L.  <i>Gossypium herbaceum</i> L.  <i>Grewia hirsuta</i> Vahl.  <i>Grewia serrulata</i> DC.  <i>Grewia tiliaefolia</i> Vahl.  <i>Guizotia abyssinica</i> (L. f.) Cass.</p> 
<p><i>Echinochloa colona</i> (L.) Link  <i>Eleusine coracana</i> (L.) Gaertn.  <i>Emblica officinalis</i> Gaertn.  <i>Ensete superbum</i> (Roxb.) Chees.  <i>Eragrostis pilosa</i> (L.) P. Beauv.  <i>Erythrina variegata</i> L.  <i>Erythroxylon monogynum</i> Roxb.  <i>Eucalyptus</i> species  <i>Euphorbia geniculata</i> Orteg.  <i>Euphorbia hirta</i> L.</p> 	<p><i>Helicteres isora</i> L.  <i>Hemidesmus indicus</i> (L.) R. Br.  <i>Hesperethusa crenulata</i> (Roxb.) Roem.  <i>Heteropogon contortus</i> (L.) P. Beauv. ex R. &amp; S.  <i>Hibiscus cannabinus</i> L.  <i>Hibiscus rosa-sinensis</i> L.  <i>Hibiscus sabdariffa</i> L.  <i>Holarrhena pubescens</i> (Buch.-Ham.) Wall. ex G. Don  <i>Holoptelea integrifolia</i> (Roxb.) Planch.  <i>Hordeum vulgare</i> L.  <i>Hugonia mystax</i> L.</p> 
<p><i>Feronia elephantum</i> Correa  <i>Ficus bengalensis</i> L.  <i>Ficus exasperata</i> Vahl.  <i>Ficus hispida</i> L. f.  <i>Ficus racemosa</i> L.</p>	<p><i>Ichnocarpus frutescens</i> (L.) R. Br.  <i>Indigofera glandulosa</i> Wendl.  <i>Ipomoea batatas</i> (L.) Lam.  <i>Ipomoea sepia</i> Roxb.  <i>Ischaemum tumidum</i> Stapf ex Bor</p>  <p><i>Jasminum malabaricum</i> Wt.</p>

Fodder Index	Fodder Index
<b>K</b>  Kydia calycina Roxb.	<i>Panicum sumatrense</i> Roth. ex Roem. & Schult. <i>Paracalyx scariosus</i> (Roxb.) Ali <i>Paspalum scrobiculatum</i> L. <i>Pavetta crassicaulis</i> Bremenk. <i>Pennisetum typhoideum</i> L. <i>Pergularia daemia</i> (Forssk.) Chiov. <i>Phyllanthus reticulatus</i> Poir. <i>Pisum arvense</i> L. <i>Pisum sativum</i> L. <i>Pithecellobium dulce</i> Benth. <i>Plumbago zeylanica</i> L. <i>Pogostemon benghalensis</i> (Burm. f.) O. Ktze. <i>Pongamia pinnata</i> (L.) Pierre <i>Prosopis cineraria</i> (L.) Druce <i>Pseudoxytenanthera ritcheyi</i> (Munro) Naithani <i>Pseudoxytenanthera stocksii</i> (Munro) Naithani <i>Psidium guava</i> L. <i>Pterocarpus marsupium</i> Roxb. <i>Pueraria tuberosa</i> DC. <i>Randia spinosa</i> Poir.
<b>L</b>  Lagerstroemia parviflora Roxb. <i>Lannea coromandelica</i> (Houtt.) Merr. <i>Launaea procumbens</i> (Roxb.) Ram. Raj. <i>Lens culinaris</i> Medic. <i>Lepidagathis cristata</i> Willd. <i>Lepidagathis lutea</i> Dalz. <i>Leptadenia reticulata</i> Wt. & Arn. <i>Leucas aspera</i> (Willd.) Link <i>Litsea glutinosa</i> (Lour.) Robins. <i>Luffa acutangula</i> (L.) Roxb.	
<b>M</b>  <i>Madhuca longifolia</i> (Koen.) MacBrude <i>Mangifera indica</i> L. <i>Maytenus senegalensis</i> (Lam.) Excell. <i>Melia dubia</i> Cav. <i>Melothria heterophylla</i> (Lour.) Cogn. <i>Melothria maderaspatana</i> (L.) Roem. <i>Meyna laxiflora</i> Robyns <i>Mimosa hamata</i> Willd. <i>Mimosa pudica</i> L. <i>Momordica charantia</i> L. <i>Momordica dioica</i> Roxb. ex Willd. <i>Moringa oleifera</i> Lam. <i>Mucuna pruriens</i> (L.) DC. <i>Musa paradisiaca</i> L. <i>Mussaenda glabrata</i> (Hook. f.) Hutch. ex Gamble	<b>S</b>  <i>Saccharum officinarum</i> L. <i>Sapindus emarginatus</i> Vahl. <i>Schrebera swietenioides</i> Roxb. <i>Securinega leucopyrus</i> (Willd.) Muell.-Arg. <i>Securinega virosa</i> Pax & Hoffm. <i>Sehima nervosum</i> (Roth.) Stapf <i>Sehima sulcatum</i> (Hack.) A. Camus <i>Semecarpus anacardium</i> L. f. <i>Sesamum orientale</i> L. <i>Setaria italica</i> (L.) Beauv. <i>Setaria pallidifusca</i> (Schumach.) Stapf & C. E. Hubb. <i>Sida acuta</i> Burm. f. <i>Smilax zeylanica</i> L. <i>Solanum melongena</i> L. <i>Solanum virginianum</i> L. <i>Sorghum halepense</i> (L.) Pers. <i>Sorghum vulgare</i> Pers. <i>Soymida febrifuga</i> (Roxb.) A. Juss. <i>Sphaeranthus indicus</i> L. <i>Streblus asper</i> Lour. <i>Syzygium cumini</i> (L.) Skeels
<b>O</b>  <i>Oroxylum indicum</i> (L.) Vent. <i>Oryza sativa</i> L.	
<b>P</b>  <i>Panicum miliaceum</i> L. <i>Panicum repens</i> L.	

---

**Fodder Index**

*Tamarindus indica* L.  
*Tectona grandis* L f.  
*Tephrosia purpurea* (L.) Pers.  
*Terminalia arjuna* (Roxb. ex DC.) Wt. & Arn.  
*Terminalia bellerica* (Gaertn.) Roxb.  
*Terminalia chebula* Retz.  
*Terminalia crenulata* Roth  
*Thelepaepale ixiocephala* (Bth.) Bremek.  
*Themeda quadrivalvis* (L.) O. Ktze.  
*Thespesia lampas* (Cav.) Alef.  
*Thespesia populnea* (L.) Soland ex Correa  
*Tinospora cordifolia* (Willd.) Miers ex Hook. f. & Thoms.  
*Tribulus terrestris* L.  
*Trichosanthes tricuspidata* Lour.  
*Tridax procumbens* L.  
*Trigonella foenum-graecum* L.  
*Triticum aestivum* L.  
*Triumfetta malabarica* Koen. ex Rottb.  
*Typha angustifolia* L.



*Ventilago calyculata* Tul.  
*Vigna aconitifolia* (Jacq.) Marechal  
*Vigna angularis* (Willd.) Ohwi & Ohashi

---

**Fodder Index**

*Vigna mungo* (L.) Hepper  
*Vigna radiata* (L.) R. Wilczek  
*Vigna trilobata* Verdcourt  
*Vigna unguiculata* subspecies *cylindrica* (L.) van Eseltine



*Wattakaka volubilis* (L. f.) Stapf  
*Withania somnifera* (L.) Dunal  
*Wrightia tinctoria* Br.



*Xantolis tomentosa* (Roxb.) Rafin.  
*Ximenia americana* L.  
  
*Zea mays* L.  
*Zingiber roseum* Roxb. (Rosc.)  
*Zizyphus mauritiana* Lamk.  
*Zizyphus oenoplia* (L.) Mill.  
*Zizyphus xylopyra* (Retz.) Willd.